

# Aliso: A Journal of Systematic and Evolutionary Botany

---

Volume 27 | Issue 1

Article 6

---

2009

## Index

Follow this and additional works at: <http://scholarship.claremont.edu/aliso>



Part of the [Botany Commons](#), and the [Ecology and Evolutionary Biology Commons](#)

---

### Recommended Citation

(2009) "Index," *Aliso: A Journal of Systematic and Evolutionary Botany*: Vol. 27: Iss. 1, Article 6.  
Available at: <http://scholarship.claremont.edu/aliso/vol27/iss1/6>

INDEX TO VOLUME 27, ALISO

Includes authors, titles, taxa, and salient concepts appearing in the scientific papers, as well as additional terms of use in information retrieval. New taxa and combinations appear in **boldface**. Page numbers reflect the location where an indexing term appears or—if it occurs repeatedly—receives special mention.

- Acanthaceae 42, 46, 58  
Actinidiaceae 39  
*Adenia* 13–17, 19, 25, 29–33, 35, 37  
*Adenia* sect. *Ophiocaulon* 30  
*Adenia aculeata* 15, 18–23, 25–28, 33–36  
*Adenia acuta* 15, 20–23, 26–28, 30, 33–34, 36  
*Adenia ballyi* 33, 35  
*Adenia boivinii* 15, 18–23, 26–29, 32, 34, 36  
*Adenia cissampeloides* 14–16, 20–23, 25–28, 30–32  
*Adenia cladosepala* 15–16, 20–23, 25–28, 30, 33  
*Adenia densiflora* 15, 18–23, 26–28, 30, 34, 36  
*Adenia digitata* 15, 18–19, 24–28, 30, 34–36  
*Adenia elegans* 15, 18–23, 25–28, 30, 34, 36  
*Adenia ellenbeckii* 14–15, 17–23, 26–28, 30, 32, 34, 36  
*Adenia fasciculata* 15, 20–23, 26–29, 34, 36  
*Adenia firingalavensis* 14–15, 20–23, 26–28, 34, 36  
*Adenia fruticosa* 13, 15, 17–23, 26–29, 33–34, 36  
*Adenia glauca* 13, 15, 20–23, 26–29, 34, 36  
*Adenia globosa* 15, 19–23, 25–28, 30, 34–36  
*Adenia goetzei* 15, 17–19, 24, 26–28, 33–34, 36  
*Adenia gummifera* 14–15, 18–23, 25–28, 30–34, 36  
*Adenia hastata* 14–15, 18–19, 24, 26–28, 34, 36  
*Adenia heterophylla* 14–15, 20–23, 26–28, 34, 36  
*Adenia heterophylla* subsp. *australis* 14–15, 20–23, 26–28, 34, 36  
*Adenia hondala* 15, 20–23, 26–29, 34, 36  
*Adenia inermis* 15, 18–19, 24–29, 34, 36  
*Adenia isaloensis* 15, 18–19, 24, 26–28, 33–34, 36  
*Adenia karibaensis* 14–15, 18–23, 26–29, 33–34, 36  
*Adenia keramanthus* 15, 17–23, 26–30, 34, 36  
*Adenia kirkii* 15, 18–19, 24, 26–28, 34, 36  
*Adenia lanceolata* subsp. *scheffleri* 15, 18–19, 24, 26–28, 34–36  
*Adenia lapiazicola* 15, 20–23, 26–30, 32, 34, 36  
*Adenia letouzeyi* 15–16, 20–23, 26–28, 32  
*Adenia lindiensis* 15–16, 18–19, 26–28  
*Adenia litoralis* 15, 20–23, 26–29, 32, 34, 36  
*Adenia lobata* 13, 15, 19–23, 25–28, 34, 36  
*Adenia longestipitata* 15, 17, 20–23, 26–28  
*Adenia mannii* 15, 24, 26–28, 34, 36  
*Adenia mcdadiana* 15, 20–23, 26–29, 34, 36  
*Adenia metamorpha* 14–15, 18–23, 26–29, 32, 34, 36  
*Adenia metriosiphon* 15, 17–19, 24, 26–28  
*Adenia monadelpha* 15, 18–23, 25–29, 32, 34, 36  
*Adenia olaboensis* 15, 20–23, 26–28, 34, 36  
*Adenia pachyphylla* 15, 20–29, 34–36  
*Adenia pachuëlii* 15, 18–24, 26–29, 33–36  
*Adenia peltata* 15, 20–24, 26–28, 30, 32, 34, 36  
*Adenia penangiana* 14–15, 18–19, 24, 26–28, 34, 36  
*Adenia perrieri* 15, 18–24, 26–29, 32, 34, 36  
*Adenia pyromorpha* 15, 18–19, 24, 26–28, 34, 36  
*Adenia racemosa* 15, 18–19, 24, 26–28, 34, 36  
*Adenia refracta* 15, 18–19, 24, 26–29, 32, 34, 36  
*Adenia repanda* 14–15, 18–19, 24–29, 34, 36  
*Adenia rumicifolia* 15, 19–24, 26–28, 32, 34, 36  
*Adenia schliebenii* 15, 18–19, 24, 26–28, 30, 34, 36  
*Adenia schweinfurthii* 15, 17–24, 26–30, 34, 36  
*Adenia sphaerocarpa* 15, 20–24, 26–29, 34, 36  
*Adenia spinosa* 13, 15, 19–24, 26–29, 34–36  
*Adenia stenodactyla* 15, 18–19, 24, 26–28, 34, 36  
*Adenia stolzii* 25, 32  
*Adenia stricta* 17, 30  
*Adenia stylosa* 15, 20–24, 26–29, 34, 36  
*Adenia subsessilifolia* 15, 18–19, 24, 26–28, 32, 34–36  
*Adenia venenata* 13, 15, 20, 22–24, 26–30, 34, 36  
*Adenia volkensii* 15, 18–24, 26–28, 30, 34, 36  
*Adenia wightiana* 15, 26–28, 30, 34–36  
*Adenia wightiana* subsp. *africana* 15  
*Adenia wilmsii* 15, 18–19, 24, 26–28, 34, 36  
*Aeonium* 56  
*Agdestis* 56  
*Agelanthus pungu* 7  
Aizoaceae 50–51, 56, 58  
*Allium* 57  
Amaranthaceae 55  
*Amyema* 11  
Anomalous secondary growth 13–14, 32, 35  
*Anredera* 55–56  
*Antigonon* 54, 56  
*Aptenia* 50, 56, 58  
*Aptenia cordifolia* 51  
*Arceuthobium* 1  
*Argemone* 54, 58  
*Argemone fruticosa* 42, 43  
*Aristolochia* 54  
Auxins 57  
Axial parenchyma 13–14, 16–18, 20–25, 27, 30, 32–33, 35, 37, 40–42, 46, 50, 54–56  
Bark strands 1, 3, 5, 10  
Basellaceae 55  
*Bauhinia* 42, 55–56  
*Berberis* 54  
*Beta* 46, 50, 56  
Bignoniaceae 55  
*Boerhaavia* 56  
*Borya* 57  
*Bosea* 55–56  
*Bougainvillea* 56  
Brachysclereids, see Stone cells  
Brassicaceae 42, 58  
*Breweria* 58  
*Breweria menziesii* 46–47  
Cable construction 35, 39, 41–42, 46, 54–56  
Cactaceae 10, 35, 52, 55, 58  
Calvin, C. L., Wilson, C. A. Epiparasitism in *Phoradendron durangense* and *P. falcatum* (Viscaceae) 1–12  
*Calystegia sepium* 46  
Cambial variants 14, 16, 25, 35  
Cambium 1, 5, 8, 10, 13–14, 16–20, 22–25, 28, 31–32, 39, 41, 46, 50–51, 55–56  
Canelike stems 54  
Carlquist, S. Non-random vessel distribution in woods: patterns, modes, diversity, correlations 39–58  
Caudiciform habit 13, 31  
Cavitation, see Embolism  
*Cayratia* 42, 45, 54, 58  
*Ceanothus* 41, 58  
*Ceanothus leucodermis* 40  
Cellular contents, see Inclusions  
Chloanthaceae 42  
Chloranthaceae 39  
*Clematis* 42, 54, 58  
*Clematis alpina* 42, 44, 54  
*Clematis haenkeana* 42, 44, 58  
*Clematis iringaensis* 44  
*Coccinia* 42, 54, 58  
*Coccinia grandis* 45  
Conductive safety 39, 53–56  
Convolvulaceae 46, 48, 55, 58  
*Convolvulus* 46  
Cortex 1, 5–8, 10, 16–17, 20–27, 30, 35  
Cotyledons 2–3, 5  
Crassulaceae 56  
Crystals 17–18, 20–21, 25–26, 29–30, 35  
*Cucumis* 10  
*Cucurbita* 10  
Cucurbitaceae 42, 58  
Cuticles 13, 17, 19–21, 26, 29–30, 35–37  
Cuticular epithelium 3, 5–6  
*Decaisnea* 54  
*Deidamia* 14, 19, 22–24, 26–28  
*Deidamia bicolor* 15  
*Dendrophthoe* 11  
*Dendrophthoe falcata* 1, 11  
*Dendrophthora* 7  
Diagonal vessel bands 39–40, 42, 54  
*Dicentra* 54, 58  
*Dicentra chrysantha* 42–43  
Dicotyledons 39–43, 45, 47, 50–51, 54, 56  
*Dioclea* 42  
Druses 25, 29–30

- Earlywood 40–42, 46, 50, 52, 54–56  
 Ecological wood anatomy 13–14, 32–33, 37, 39, 41, 57  
 Embolism 33, 35, 53–54  
 Endophytic system 1–3, 5, 9–10  
*Ephedra* 50, 55  
 Epidermis 2, 16, 19–20, 25–26, 29–30, 32, 35  
 Epiparasite/parasitic-host distinction 2–3, 7  
 Eremolepidaceae 1  
 Ericaceae 50  
 Establishment sites 3, 5  
*Euphorbia* 35  
 Euphorbiaceae 31  
*Euptelea* 54  
 Evolutionary lability 13–14, 29–32, 37  
 Fabaceae 42  
 Fagaceae 58  
 Fibers, see also Libriform fibers 5–7, 29–32, 37  
 Fiber-tracheids 14, 39, 41–42, 53, 55–56  
 Fibriform tracheids 31, 41, 46, 50, 53–54  
 Fibriform vessels 14, 29–33, 37, 42, 46, 50, 53–55  
*Fouquieria* 55  
*Fouquieria columnaris* 55  
 Fruit size 3–4, 7, 10  
 Genetic control 39, 41, 54, 56–57  
 Geophytes 19, 25, 29–31, 35  
 Gnetales 55  
*Gnetum* 55  
 Graft-like union 1–2, 7, 10–11  
*Grevillea* 42, 54  
*Grevillea rosmarinifolia* 40–41, 58  
 Growth rings 39–41, 50, 52, 55–56  
*Guapira* 56, 58  
*Guapira discolor* 50–51  
*Halimodendron* 42  
 Haustorial system, see Endophytic system  
 Haustorium, see Holdfast  
 Hearn, D. J. Descriptive anatomy and evolutionary patterns of anatomical diversification in *Adenia* (Passifloraceae) 13–38  
*Heimerliodendron* 56  
 Helical thickening 29, 50, 52, 56–57  
 Heterografts 10–11  
 Holdfast 1, 3, 5, 10  
*Hosiea sinensis* 46  
 Host photosynthates 10  
 Hyperplasia 1, 2, 10  
 Hypodermis 17, 20–21, 25–26, 29  
 Icacinaceae 46, 50, 55  
 Illiciaceae 39  
 Inclusions 2, 5, 25  
 Interxylary phloem 41, 46, 50, 53  
 Intraxylary phloem 25, 30, 32, 35, 37  
*Iodes* 46  
*Ipomoea* 31, 46, 48, 54, 58  
*Ipomoea arborescens* subsp. *glabrata* 46, 48  
*Ipomoea fistulosa* 46, 48  
*Ipomoea pauciflora* 46, 48  
*Ipomoea tiliacea* 46  
*Isomeris* 42, 54  
*Isomeris arborea* 43, 58  
*Juniperus* 7, 9–10  
*Kalanchoe* 56  
*Korthalsella* 1, 7  
 Krameriaceae 39  
 Lardizabalaceae 54  
 Latewood 41–42, 46, 48, 50, 52, 54–56  
 Lianas 13–14, 19, 25, 29–33, 35–37, 39, 41–42, 45–47, 54–56  
 Libriform fibers 20–22, 24–25, 29–30, 32–33, 37, 39, 41–42, 46, 48, 50, 53–56  
 Loganiaceae 46, 55  
 Loranthaceae 1–2, 7, 10–11  
*Mammillaria mystax* 50, 52, 58  
 Master cambium 46, 50, 56  
 Median radial vessel bands 39, 42–43, 54  
*Melaleuca* 41  
*Mendoncia* 46, 55, 58  
*Mendoncia microchlamys* 46–47  
 Menispermaceae 50, 54  
*Mestoklema* 50, 56, 58  
*Mestoklema tuberosum* 51  
*Mirabilis* 56  
 Misodendraceae 1, 46, 49, 58  
*Misodendrum* 46, 49, 55, 58  
*Misodendrum brachystachyum* 46, 48–49  
*Misodendrum gyanum* 55  
*Misodendrum punctulatum* 46, 48–49  
*Misodendrum quadrifolium* 46, 48–49  
 Monocotyledons 39, 41, 56–57  
*Muellerina* 11  
 Multiseriate rays 54  
*Myrica hartwegii* 50, 52  
*Myrica peregrina* 50, 52  
 Myricaceae 52, 55  
 Myrtaceae 41  
*Nandina* 54  
 Necrotic seedling mass 3–5  
*Nothofagus* 55  
*Notothixos* 1, 7  
*Notothixos subaureus* 11  
 Nyctaginaceae 51, 58  
*Operculina* 58  
*Operculina palmeri* 46–47  
 Pachycauly 13–14, 19, 25, 29, 31–33  
 Papaveraceae 39, 42, 58  
 Parenchyma, see also Axial parenchyma and Ray parenchyma 1, 5–8, 13–14, 17–18, 21–25, 27, 29–30, 32, 35, 37, 40–42, 46, 50, 52, 54–56  
*Paropsia* 14, 19, 22–24, 26–28  
*Paropsia madagascarensis* 15  
 Paropsiidae 14  
*Passiflora* 14  
*Passiflora caerulea* 15, 19, 22–24, 26–28  
*Passiflora foetida* 15, 19, 22–24, 26–28  
*Passiflora multiflora* 14  
*Passiflora racemosa* 46  
 Passifloraceae 13–14, 31–32, 37, 46, 55  
 Passifloreae 14  
 Perforation plates 14, 16–17, 20, 24, 26, 29, 37, 39, 57  
 Periderm 16–22, 25, 27, 29–30, 32, 36  
 Phloem, see also Interxylary phloem and Intraxylary phloem 1–2, 5–6, 10–11, 16–18, 20, 25, 30, 32, 46, 50–51, 55–56  
 Phloem fibers 5–8, 17, 22, 25, 27–28, 30–32, 35, 46, 55–56  
*Phoradendron* 1–2, 7, 10  
*Phoradendron bolleanum* 1–3, 5  
*Phoradendron californicum* 10  
*Phoradendron densum* 10  
*Phoradendron durangense* 1–11  
*Phoradendron falcatum* 1–5, 10–11  
*Phoradendron forestierae* 2  
*Phoradendron juniperinum* 2, 7, 9–11  
*Phoradendron longifolium* 2–4, 6–10  
*Phoradendron reichenbachianum* 4  
*Phoradendron villosum* 10  
 Phylogenetic analysis 14, 16–17, 29–32, 34–37  
*Pinus* 57  
*Pisonia* 56  
*Pisonia rotundata* 50  
 Pith 1, 7–8, 10, 17, 21–22, 25, 27–30, 32, 46  
 Pitting 14, 16–17, 20, 23–24, 29, 33, 41  
 Plesiomorphy 14, 30, 32  
*Plicosepalus kalachariensis* 7  
 Plumular shoot 1, 3, 10  
*Podocarpus* 57  
 Polygonaceae 58  
*Polygonum* 54, 58  
*Polygonum baldschuanicum* 42, 45  
*Portulacaria* 55  
 Prickles 25, 35  
*Protea* 42  
 Proteaceae 42, 58  
*Pyrenacantha repanda* 46  
*Quercus* 41, 54–55, 58  
*Quercus chrysolepis* 40  
 Radial groupings 5, 6, 39, 42–43, 46, 53–56  
 Ranunculaceae 44, 54, 58  
 Ranunculales 54  
 Ray parenchyma 16, 18, 20, 25, 32, 41–42, 56  
 Raylessness 42, 48, 55  
 Rays, see also Wide rays 17–19, 22, 25, 32, 39, 42, 46, 48, 50, 53–56  
 Rhamnaceae 41, 58  
 Rosaceae 39, 50, 55  
*Ruschia* 50  
 Santalaceae 1, 7  
 Sapotaceae 41  
 Scandent habit 31, 32, 56  
 Sclereids, see Stone cells  
*Scurrula* 11  
 Seed size 1, 3–4, 7, 10  
 Seedling establishment 1–3, 5, 10  
*Serjania* 55  
 Shear, see Torsion  
 Sinkers 1, 2, 10  
*Spartium* 42  
 Spines 19  
 Starch grains 5, 7–8, 16, 18, 20, 24  
 Starch storage cells 33  
*Stayneria* 50, 56, 58  
*Stayneria neilii* 51  
 Stem photosynthesis 13, 32, 35  
 Stomata 19, 25, 29–30, 35  
 Stone cells 5, 6, 17–19, 22–23, 25, 30  
 Storage roots, see Tubers  
*Strychnos atherstonii* 46  
 Successive cambia 13, 25, 30–32, 37, 39, 41, 46, 50–51, 55–56  
 Succulence 13, 29, 31–33, 35  
 Symplastic continuity 11  
 Synapomorphy 14, 55  
 Tangential vessel bands 39–42, 46, 50, 54, 56  
 Tanniferous cells 17–19, 22–23, 25, 28–30, 35

- Tendrils 19, 31, 35  
 Terminology 39, 41–42, 46, 50, 53–55  
 Thorns 19, 35  
*Thunbergia* 54, 58  
*Thunbergia laurifolia* 42, 46–47  
 Torsion 33, 35  
 Tracheids, see also Vasicentric tracheids 14,  
     17, 20–21, 24, 29–33, 35, 39–42, 46,  
     50, 52–57  
 Transfusion cells 57  
 Trichomes 19, 25, 29–30, 32  
*Tristerix aphyllus* 10  
 Tubers 17–19, 25, 29–32, 35, 37  
*Tupeia antarctica* 10  
 Tyloses 16, 20, 29–30, 54  
*Ulex* 42  
 Ulmaceae 42  
  
*Urtica dioica* 46  
*Valeriana* 54, 58  
*Valeriana glauca* 42–43  
 Valerianaceae 58  
 Vasicentric fibers 42  
 Vasicentric tracheids 40–42, 53–54  
*Verticordia* 41  
 Vessel arrangements 16–17, 19, 23–24, 28–30,  
     32–33, 35  
 Vessel density 17, 19, 22–23, 29, 33  
 Vessel length 17, 19, 22–24, 29–30, 32, 37  
 Vessel patchiness 46, 55  
 Vessel sparsity/absence 41, 50, 55–56  
 Vessel width 14, 17, 19, 22–24, 28–33, 35,  
     37  
 Vines 14, 30–32  
 Viscaceae 1–3, 7, 10–11  
  
*Viscum* 1–2, 7, 10  
*Viscum capitellatum* 1, 11  
*Viscum loranthei* 11  
*Viscum minimum* 10  
 Vitaceae 42, 54, 58  
*Vitis* 42, 54  
*Vitis vinifera* 39, 42, 45, 58  
 Waxes 19, 25, 29, 35  
 Wide rays 42, 46, 50, 54, 55  
 Wilson, C. A. 1–12  
*Wisteria* 42  
*Xanthorhiza* 54, 58  
*Xanthorhiza apiifolia* 42, 44  
 Xeromorphy 33, 35, 37  
 Xylem 1–3, 5, 7, 10, 14, 17, 26, 29–30, 33,  
     39, 41–42, 46, 49, 50, 52,  
     54–57