

1-1-2008

Review: On Rank-One Perturbations of Normal Operators

Stephan Ramon Garcia
Pomona College

Recommended Citation

MR2370093 (2008k:47013) Foias, C., Jung, I.B., Ko, E., Pearcy, C, On rank-one perturbations of normal operators, *J. Funct. Anal.* 253 (2007), no. 2, 628–646. (Reviewer: Stephan R. Garcia)

This Review is brought to you for free and open access by the Pomona Faculty Scholarship at Scholarship @ Claremont. It has been accepted for inclusion in Pomona Faculty Publications and Research by an authorized administrator of Scholarship @ Claremont. For more information, please contact scholarship@cuc.claremont.edu.

MR2370093 (2008k:47013) 47A15 (46C07)

Foias, C. [Foias, Ciprian] (1-TXAM); Jung, I. B. (KR-KNGS); Ko, E. [Ko, Eungil] (KR-EWHA); Pearcy, C. [Pearcy, Carl M.] (1-TXAM)

On rank-one perturbations of normal operators. (English summary)

J. Funct. Anal. **253** (2007), no. 2, 628–646.

This article provides a strong result in support of the old conjecture [C. M. Pearcy, *Some recent developments in operator theory*, Amer. Math. Soc., Providence, R.I., 1978; [MR0487495 \(58 #7120\)](#)] that every rank-one perturbation (which is not a scalar multiple of the identity) of a diagonal normal operator has a nontrivial hyperinvariant subspace.

To be more specific, the authors prove that if D is a diagonalizable normal operator on a separable, infinite-dimensional, complex Hilbert space and $T = D + u \otimes v$ is a rank-one perturbation of D such that

- (1) T is not a scalar multiple of the identity,
- (2) the vectors u and v have Fourier coefficients $(\alpha_n)_{n=1}^{\infty}$ and $(\beta_n)_{n=1}^{\infty}$ with respect to an orthonormal basis that diagonalizes D that satisfy

$$\sum_{n=1}^{\infty} (|\alpha_n|^{2/3} + |\beta_n|^{2/3}) < \infty,$$

then T has a nontrivial hyperinvariant subspace.

The paper employs several results of [E.-J. Ionaşcu, *Integral Equations Operator Theory* **39** (2001), no. 4, 421–440; [MR1829279 \(2002c:47014\)](#)] and can be seen as a natural sequel to that article.

Reviewed by *Stephan R. Garcia*

References

1. I. Colojoară, C. Foias, *Theory of Generalized Spectral Operators*, Gordon and Breach. Sci. Publ., Inc., 1968. [MR0394282 \(52 #15085\)](#)
2. W. Donoghue, On the perturbation of spectra, *Comm. Pure Appl. Math.* **18** (1965) 559–579. [MR0190761 \(32 #8171\)](#)
3. C. Foias, I. Jung, E. Ko, C. Pearcy, On rank-one perturbations of normal operators, II, in preparation.
4. E. Ionascu, Rank-one perturbations of diagonal operators, *Integral Equations Operator Theory* **39** (2001) 421–440. [MR1829279 \(2002c:47014\)](#)
5. C. Pearcy, *Topics in Operator Theory*, CBMS Reg. Conf. Ser. Math., vol. 36, Amer. Math. Soc., Providence, 1978. [MR0601215 \(82c:47001\)](#)
6. J. Stampfli, One-dimensional perturbations of operators, *Pacific J. Math.* **115** (1984) 481–491. [MR0765202 \(86b:47026\)](#)

Note: This list reflects references listed in the original paper as accurately as possible with no attempt to correct errors.

© *Copyright American Mathematical Society 2008, 2013*