

Aliso: A Journal of Systematic and Evolutionary Botany

Volume 10 | Issue 4

Article 12

1984

Back Matter 10 (4)

Follow this and additional works at: <http://scholarship.claremont.edu/aliso>

Recommended Citation

(1984) "Back Matter 10 (4)," *Aliso: A Journal of Systematic and Evolutionary Botany*: Vol. 10: Iss. 4, Article 12.
Available at: <http://scholarship.claremont.edu/aliso/vol10/iss4/12>

Errata, Volume 10, Aliso

- p. 5, l. 2 from bottom: insert — 10. before *Prolixandromyces veliae*.
p. 9, last line: add — 22. Ascospore. × 1100.
p. 17, l. 14: for (in press) insert 469–470.
p. 49, l. 13: abscised not abcised.
p. 63, l. 10–11: micromilliohms not micromilliohoms.
p. 71, l. 5 from bottom: Dunes not dunes.
p. 87, l. 10: *panamintense panamintense* not *panamintensis panamintensis*.
p. 88, l. 17: *eripodus* not *eripoda*.
p. 93, l. 10 from bottom: *Tiquilia* not *Tequila*.
p. 100, l. 2: *undulata* not *undulatus*.
p. 100, l. 4: *Tiquilia* not *Tequila*.
p. 100, l. 7–8: *pauciradiata* not *pauciflora*.
p. 107, l. 18 of upper right column: *brevifolius* not *breviflorus*.
p. 131, l. 2 and 5 from bottom: *Tiquilia* not *Tequila*.
p. 136, l. 8 from bottom: *glandulifer* not *glanduliferus* (orthographic correction).
p. 157, l. 15: *mohavense* not *mohavensis*.
p. 165, l. 2: *gracillimum* not *gracillinum*.
p. 173, l. 28: *semiverticillata* not *semiverticillatus*.
p. 184, l. 8: 869–889 not 969–889.
p. 185, l. 24: gypsophily not gyposophily.
p. 221, l. 22: Aceraceae not Arecaceae.
p. 246, l. 10: *Machaerantha* not *Maechaerantha*.
p. 251, legend, l. 11: *S. americanus* not *Americanum*.
p. 252, l. 23: *Petalostemum* not *Petalostemon*.
p. 252, l. 24: *Psorothamnus polyadenius* not *polydenius*.
p. 253, last line and p. 254, first line: *Frankenia* not *Frankenis*.
p. 254, l. 17: *Triglochin concinnum debile* not *concinna debilis*.
p. 314, l. 10 from bottom: Cannabaceae [nom. conserv.] not Cannabidaceae.
p. 334, Table 1: *Pinus flexilis* not *flexilus*.
p. 340, l. 4 from bottom: *hallii* not *halii*.
p. 370, l. 13, after *Euzodiomyces*: Thaxt. (1900, 1908) not (Thaxter 1900, 1908).
p. 373, l. 30: *atanygnathi* not *atanygnathus*.
p. 380, add reference: Tavares, I. I. 1979. The Laboulbeniales and their arthropod hosts, pp. 229–258. In L. R. Batra [ed.], Insect-fungus symbiosis, nutrition, mutualism, and commensalism. Allanheld, Osmum & Co., Montclair, N.J.
p. 467, legend, l. 2: *Alopecurus* not *Alopercurus*.
p. 468, l. 4: *Lemna* not *Lemma*.

INDEX TO VOLUME 10, ALISO

Includes authors, titles, and other subject matter as well as all plant and animal taxa appearing in the scientific papers. New taxa and the pages where published are in bold face. An attempt has been made to correct scientific names misspelled in the text.

- Abies concolor* 226, 228, 230, 231, 334
 ssp. *concolor* 85, 87, 115, 231, 233
 magnifica 230
Abronia 244
 micrantha 100, 152, 246
 nana ssp. *covillei* 101, 152
 villosa 100, 246
 var. *villosa* 152
Abutilon parvulum 107
Acacia greggii 96, 100, 170, 247
 var. *arizonica* 142, 249
Acallomyces 365
AcampTOPappus 95, 96, 244
 shockleyi 93, 107, 118, 253
 sphaerocephalus 118
Acanthaceae 221, 509
Acanthogilia 547, 559, 562-564, 568, 571
 gloriosa 548, 550, 552, 554, 559, 561-564, 571
 acarina 367
Acer glabrum var. *diffusum* 87, 116, 231, 233
 negundo ssp. *californicum* 233
Aceraceae 116, 221, 509
Achyronychia cooperi 100, 137
Acompsomyces 489, 490, 493, 499
 atomariae 495, 498
 brunneolus 495, 498
 corticariae 495
 pauperculus 495, 498
Acrognathus 366
Acylophorus 347, 366, 378
 filus 347
 flavicollis 347
 lecontei 347
 zdenae 347
Adenostoma 242, 409
Adephaga 366
Adiantum capillus-veneris 113, 249
Aeonium 545
Aesculus 205
 parryi 195, 204, 205, 212
Aextoxicaceae 507
Agave 91, 203
 deserti 92, 172, 240, 243
 utahensis 242
 var. *nevadensis* 93, 101, 107, 172
Ageratina herbacea 123
Agropyron 92
 trachycaulum 173
Agrostis 105, 236
 semiverticillata 104, 173
Ailanthus altissima 168
Aitoniaceae 507, 509
Aizoaceae 116, 319, 510
Akaniaceae 509
Akebia 519, 520
Alangiaceae 510
Aleocharinae 365, 367
Alisma triviale 319
Allenrolfea occidentalis 253, 254, 327
Allionia incarnata 152
Allium 236
 burlewii 626
 lacunosum 313, 318
 nevadense var. *cristatum* 172
Allophylum 563
Alnus rhombifolia 233
Alopecurus howellii 467, 468
Aloysia wrightii 101, 170
Alyssum spinosum 544
Amaranthaceae 116, 509
Amaranthus 98
 albus 116
 blitoides 116
 fimbriatus 116
 palmeri 116
 pringlei 107, 116
Amarygmus 489
Ambrosia 95, 117, 118
 acanthicarpa 118, 252
 dimosa 96, 118, 140, 150, 156, 244, 253
 ericoentra 100, 118, 247
Amelanchier utahensis 88, 104, 231
 ssp. *covillei* 87, 88, 107, 163, 231
 ssp. *utahensis* 164
Ammannia 314, 317
Ammobroma sonorae 246
Amorphomyces 365, 369, 372
Amphipappus 244
 fremontii 96, 140
 ssp. *fremontii* 118
 ssp. *spinosus* 119
Amsinckia 98, 244
 tessellata 93, 129
Amsonia brevifolia 100, 247
 var. *tomentosa* 117, 247
Anacardiaceae 117, 509
Anagallis minima 455, 462, 465
Anatomy, see *Wood anatomy*
Androsace 224
Anemone tuberosa 101, 163
Anemopsis californica 104, 166, 254
Angiospermae 116, 456
Anisocoma 98
 acaulis 119, 626
Anisoptera 510
Annonaceae 509
Annonales 440
Anopleura 367
Anopyxis 512
Anotylus 366
Antennaria 224
Antheridia: Laboulbeniales 372-374
Anthochlors: see Flavonoids
Antirrhineae 472
Antirrhinum 471, 472, 476, 478, 481, 485
 sect. *Gambelia* 472
 sect. *Orontium* 472
 filipes 102, 166
 junceum 472
 kingii 166

- majus 472
 nuttalianum 472–474, 476, 482
 orontium 472
 Anthocyanins: Puya 618
 Apacheria 263
 Aphloia myrtiflora 520
 Apiaceae 37, 117, 183, 317 (as Umbeliferae), 456, 510
 Apocynaceae 117, 510, 580
 tribe Plumerieae 510
 Appendages: Laboulbeniales 372–374
 Aquifoliaceae 509
 Aquilegia 236
 formosa 230
 shockleyi 87, 107, 163, 249
 Arabis 92, 224, 243
 breweri var. pecunearia 228
 glaucovalvula 132
 perennans 88, 132
 pulchra var. gracilis 132
 Araliaceae 117, 456, 510
 Arbutus 517
 Arceuthobium 231
 cyanocarpum 226
 divaricatum 87, 170
 Arctomecon merriamii 102, 108, 156, 247, 253
 Arctostaphylos 234, 242, 341, 409, 517
 auriculata 514, 517
 glandulosa 335, 339
 patula ssp. platyphylla 226, 231, 233
 pungens 88, 140, 234, 242, 332, 333, 335, 336, 339, 341, 342
 Arenaria 92, 224, 243
 congesta var. charlestonensis 108, 137
 kingii 224
 var. glabrescens 237
 macradenia var. parishiorum 137
 Argemone corymbosa 100, 156
 munita ssp. rotundata 100, 156
 Argythamnia serrata 141
 Aristida 92, 95, 101
 adscensionis var. modesta 173
 fendleriana 91, 173
 glauca 173
 hamulosa 173
 longiseta var. robusta 173
 parishii 174
 wrightii 174
 Aristolochiaceae 509
 Artebius 260
 Artemisia 92, 105, 156, 183, 237, 243, 409, 585
 biennis 119, 315
 bigelovii 119, 242
 dracunculus 91, 100, 104, 119
 formosa 230
 ludoviciana 156, 230, 247
 ssp. albula 100, 119
 ssp. incompta 104, 119
 nova 88, 89, 93, 119, 156, 228, 237, 238
 spinescens 119, 238, 251
 tridentata 89, 224, 231, 233, 234, 237, 238, 253
 ssp. tridentata 88, 89, 91, 119
 Arundo donax 249, 250
 Asclepiadaceae 510, 580
 Asclepias asperula 88, 117
 erosa 98, 117, 247
 fascicularis 254
 nyctaginifolia 107, 117
 subulata 249
 Ascomyces 1, 345, 489
 Ascospores: Laboulbeniales 368–369
 Aspidiaceae 113
 Aspidia 291
 Aster 236, 254
 abatus 129
 frondosus 251
 novae-angliae 423
 spinus 42, 249
 Asteraceae 55, 105, 118, 180, 291, 298, 301, 304, 306, 308, 310, 311, 315 (as Compositae), 383, 392, 394, 401, 404, 413, 414, 421, 422, 437, 443, 458, 510, 515, 521, 522, 544
 tribe Astereae 291
 tribe Heliantheae 291, 301, 308, 309, 311
 subtribe Helianthinae 291, 301
 subtribe Melampodinae 291
 subtribe Verbesininae 291
 tribe Inuleae 392, 393
 tribe Lactuceae 383, 392, 393, 423
 tribe Senecioneae 383, 384, 394
 Asteridae 583, 584
 Astragalus 88, 92, 93, 95, 98, 181, 244
 acutirostris 142
 bernardinus 142
 calycosus 142
 cimae ssp. cimae 89, 108, 142
 didymocarpus var. dispermus 142
 layneae 142
 lentiginosus var. borreganus 100, 143, 246
 var. fremontii 89, 143
 var. micans 244, 246
 magdalenae var. peirsonii 246
 minthorniae var. villosus 143
 mohavensis var. mohavensis 143
 newberryi 143
 nutans 143
 nuttalianus var. imperfectus 143
 tidentromii 143
 Atanynathus 366
 Atrichoseris 98
 platyphylla 119, 252
 Atriplex 95, 96, 240, 244, 251–253
 canescens 89, 100, 104, 238, 247, 252, 253
 ssp. canescens 138
 confertiflora 102, 104, 138, 244, 249, 251–253
 hymenelytra 102, 104, 138, 252
 lentiiformis 249
 polycarpa 100, 104, 138, 247, 252
 rosea 138, 314
 Austrobaileyaceae 509
 Autoicomyces 368, 369, 373
 Avena fatua 174
 Avicennia 19
 Avicenniaceae 510
 Azolla 191, 237, 455
 filiculoides 455, 456
 Azollaceae 456
 Baccharis 92, 236, 247, 249, 254
 brachyphylla 119
 glutinosa 104, 119
 sarothroides 249
 sergiloides 100, 102, 104, 105, 120, 156, 249
 viminea 119, 233
 Bahia dissecta 120
 neomexicana 107, 120
 Baileyia 1
 multiradiata 120, 247
 pauciflora 100
 pauciradiata 120
 pleniradiata 98, 120
 Balanitaceae 509, 512
 Balanopaceae 509
 Balazucia 14, 365, 370, 374
 Barbarea 236
 Bark anatomy: Scalesia 301
 Bat, fig-eating 259
 Bataceae 509

- Bebbia juncea* 100, 120, 247, 249
Begonia coccinea 598
 Begoniaceae 510
Bellium 279, 281, 283, 285
Bembidion 345
 Benjamin, R. K. Laboulbeniales on semiaquatic Hemiptera. IV. Addenda to Prolixandromyces 1
 ———. Comparative morphology of *Idiomyces* and its possible allies *Diplomyces*, *Sandersoniomyces*, *Symplectomyces*, and *Teratomyces* (Ascomycetes: Laboulbeniales) 345
 ———. *Synandromyces telephani* (Ascomycetes: Laboulbeniales) from Illinois and development of its trichogyne 489
 Berberidaceae 129, 510
Berberis haematocarpa 129, 247
Bernardia 243
 incana 251
Berula 236
Betula fontinalis 228, 233
 Betulaceae 509
Bidens 447
 laevis 444, 446, 447
 Bignoniaceae 129, 221, 405, 509, 567
 Biology, reproductive: *Cheirostemon platanoides* 269, 271
 Crossosoma 263
 Birds: *Puya nectar* 618, 619
 Bixaceae 509
Blackstonia 579
Blattaria 367
Bledius 366
Blennosperma 455
 nanum 457, 458
Blepharidachne kingii 243
Blepharistemma 512
Blumenbachia 584
Boerhaavia coulteri 152
 erecta var. *intermedia* 152
 triquetra 152
 wrightii 152
Boisduvalia 455
 densiflora 462
 Bombacaceae 509
Bonplandia 563
 Bonplandiaceae 563
Boopis 414
 Boraginaceae 129, 180, 405, 458, 510, 567
Bothriochloa 92
 barbinodis 174
 Botryandromyces 14
Bouteloua 92, 95, 98
 aristidoides 108, 174
 barbata 174
 curtipendula 174
 eriopoda 91, 107, 174
 gracilis 91, 174
 trifida 101, 107, 174
Boykinia elata 319
Brachyglottis repanda 306
Brassica geniculata 132
 nigra 132
 Brassicaceae 105, 180, 316 (as Cruciferae), 458, 509
 Breeding system: *Crossosoma* 263
Brickellia 92, 181, 243
 arguta 101, 120
 californica 120
 desertorum 120
 incana 98, 100, 120, 247
 knappiana 120
 microphylla 120
 multiflora 100, 107, 120
 oblongifolia var. *linifolia* 91, 120
 watsonii 101, 120
Brighamia insignis 598
Briza minor 318
Brodiaea ocuttii 468
 Bromeliaceae 617
Bromus 95, 98, 105
 arenarius 174
 diandrus 174
 marginatus 174
 rubens 174
 tectorum 174
 trinii 175
 unioloides 175
 willdenowii 175
 Brunelliaceae 509
 Bruniaceae 509
Bubbia 281, 286
Buddleja utahensis 101, 107, 134, 242
 Buddlejaceae 134, 221, 580
 Bugs 1
Bunium 37
 Burn, prescribed 329
Bursera 411
 Burseraeaceae 221, 509
 Buxaceae 509
 Byblidiaceae 509
 Cactaceae 134, 180, 314, 509
 subfam. *Cactoideae* 53
 Cactoideae 53
Cajophora 584
Calliandra eriophylla 249
 Callitricheaceae 458
Callitriche 237, 326, 455
 heterophylla ssp. *bolanderi* 458
 longipedunculata 458, 460
 marginata 460, 461
Calocedrus decurrens 228, 231, 334, 339
Calochortus 95
 flexuosus 101, 172
 kennedyi 93, 172
 var. *kennedyi* 172
 var. *munzii* 172
 venustus 314, 319
Calophyllum 510
 Calycanthaceae 427, 428, 436–438, 440, 509, 518
 subfam. *Calycanthoideae* 440
 subfam. *Idiospermoideae* 439, 440
 wood anatomy 427
 Calycanthoideae 440
Calycanthus 427, 428, 432, 434, 436–440
 floridus 429, 434
 var. *floridus* 427–429, 436, 438
 var. *laevigatus* 427, 429, 430, 436
 occidentalis 427, 430, 431, 436
Calyceca sessiliflora 415, 416, 421, 422
 Calyceraceae 413, 414, 421–423
 wood anatomy 413
 Calycerales 413
Calycoseris parryi 121
Calyptidium 224
 monandrum 162
Calystegia malacophylla 313
 ssp. *pedicellata* 319
Camissonia 93, 98, 181, 244
 boothii ssp. *condensata* 154
 ssp. *intermedia* 154
 brevipes ssp. *brevipes* 154
 californica 108, 154
 campestris 154
 chamaenerioides 154
 claviformis ssp. *aurantiaca* 154
 ssp. *claviformis* 154
 ssp. *funerea* 154
 kernensis ssp. *gilmanii* 154

- munzii 108, 154
 pallida ssp. pallida 154
 palmeri 155
 pterosperma 155
 refracta 155
 walkeri ssp. tortilis 102, 107, 155, 253
 Campanulaceae 136, 314, 414, 423, 424, 461, 509
 Campanulales 583
 Camptomyces 365
 Canarina canariensis 424
 Canellaceae 509
 Cannabaceae 137, 510
 Cannabidaceae 314
 Cannabis sativa 137, 314
 Canotia 323
 Cantleya 512
 Cantua 547, 549, 552, 556, 557, 561, 563, 565, 567–571
 buxifolia 548, 550, 552, 554, 557, 559, 561
 cuzcoensis 548, 550, 559
 flexuosa 548, 550, 552, 555, 559, 561, 563
 pyrifolia 548, 550, 559
 Cantuae 563
 Capparaceae 137, 509
 Caprifoliaceae 137, 509
 Carabidae 345, 366, 367
 Cardamine oligosperma 316
 Carex 105, 224, 236, 254
 alma 171
 aurea 171
 brevipes 87, 171, 231
 occidentalis 171
 subfusca 171
 Carica candamarcensis 598
 Carlquist, S. Wood anatomy of Chloanthaceae (Dicrastylidiaceae) 19
 ———. Studies in Styliidiaceae: moncotyly in the family; nomenclatural change 35
 ———. Exospermum stipitatum (Winteraceae): observations on wood, leaves, flowers, pollen, and fruit 277
 ———. Wood and bark anatomy of Scalesia (Asteraceae) 301
 ———. Observations on the vegetative anatomy of Crepidiastrum and Dendrocalalia (Asteraceae) 383
 ———. Wood anatomy of Calyceraceae and Valerianaceae, with comments on aberrant perforation plates in predominantly herbaceous groups of dicotyledons 413
 ———. Wood anatomy of Calycanthaceae: ecological and systematic implications 427
 ———. Vessel grouping in dicotyledon wood: significance and relationship to imperforate tracheary elements 505
 ———. Wood anatomy of some Gentianaceae: systematic and ecological conclusions 573
 ———. Wood anatomy of Loasaceae with relation to systematics, habit, and ecology 583
 ———, and V. M. Eckhart. Wood anatomy of Darwiniothamnus, Lecocarpus, and Macraea (Asteraceae) 291
 ———, and ———. Wood anatomy of Hydrophyllaceae. II. Genera other than Eriodictyon, with comments on parenchyma bands containing vessels with large pits 527
 ———, ———, and D. C. Michener. Wood anatomy of Hydrophyllaceae. I. Eriodictyon 397
 ———, ———, and ———. Wood anatomy of Polemoniaceae 547
 Carnegia gigantea 246
 Carpobrotus 314
 Caryocaraceae 509
 Caryophyllaceae 137, 314, 319, 461, 510
 Cassia armata 96, 100, 143, 244, 247, 249
 Cassipourea 512
 Castilleja 95, 224, 236, 471, 472, 476, 478, 481, 485
 arvensis 472
 canescens 472
 chromosa 98, 166
 grisea 474, 478, 482
 hololeuca 474, 482
 linariaefolia 167
 miniata 230
 tenuiflora 472, 481
 Casuarinaceae 509
 Caulis microcarpa 118
 Caulanthus cooperi 132
 crassicaulis 101, 132
 lasiophyllum 132
 major 88, 132
 Ceanothus 195, 234, 242, 603
 condulatus 226, 228, 233
 greggii 231, 242
 ssp. vestitus 88, 163, 234
 leucodermis 335, 339
 palmeri 335, 339
 Cecropia 260
 mexicana 260
 peltata 260
 Ceiba pentandra 260
 Celastraceae 138, 263, 510
 Celtis reticulata 104, 170, 249
 Cenchrus longispinus 175
 Centaurea cineraria 423
 melitensis 121
 nigra 423
 solstitialis 315
 Centaurium 105, 579
 exaltatum 146
 Centranthus 422
 ruber 413–415, 418, 421–424
 Cephalotaceae 509
 Ceratoides 95, 240
 lanatum 89, 93, 96, 138, 238, 244, 251, 253
 Ceratomyces 368, 369, 373
 Ceratophyllum demersum 237
 Cercidiphyllaceae 509
 Cercidium floridanum 247, 249
 microphyllum 247
 Cercocarpus 234, 237, 242, 409
 betuloides 335, 339
 intricatus 89, 101, 164, 242
 ledifolius 88, 164, 226, 228, 231, 233, 234
 Cereus 197, 200–202, 208, 210, 214
 giganteus 598
 glomeratus 202, 215
 gumminosus 207
 macrostibas 585
 maritimus 197, 214, 215
 Cevallia 584
 sinuata 585, 587, 591, 598, 600
 Chaenactis 98
 carphochinia 121
 var. attenuata 121
 fremontii 121
 macrantha 121
 steviooides 121
 var. brachyappa 121
 var. steviooides 121
 Chaetomyces 365
 Chamaebatiaria millefolium 224, 237
 Chamaesaracha coronopus 107, 169
 Chamaesyce 98, 181
 albo-marginata 141
 exstipulata 141
 fendleri 88, 141
 micromera 141

- ocellata ssp. *arenicola* 141
parishii 141
parryi 246
polycarpa 141
revoluta 107, 141
serpyllifolia var. *serpyllifolia* 141
setiloba 141
Cheilanthes 92, 243
covillei 114, 314
feeii 101, 106, 114, 242
viscida 108, 114
wootonii 106, 114
Cheirostemon 269, 271, 273, 274
platanoides 269
Chelonanthus 574, 580, 581
chelonoides 574–576, 580, 581
Cheloneae 472
 Chemistry, soil 59
Chenopodiaceae 105, 138, 251, 253, 314, 510
Chenopodium 253
album 139
fremontii 139
glaucum ssp. *salinum* 251
incanum 139
leptophyllum 139
murale 139
strictum var. *glaucophyllum* 139
Chilopsis linearis 96, 98, 100, 129, 249
Chimaphila umbellata 230
 var. *occidentalis* 228
Chimonanthus 427, 428, 434, 436–440, 517
nitens 427
praecox 427, 432–434, 436, 437
salicifolia 427
Chiranthodendron pentadactylon 269
Chitonomyces 372
Chloanthaceae 19, 20, 28, 32, 405, 509
 wood anatomy 19
Chloranthaceae 510
Chorizanthe 93, 98, 244
brevicornu ssp. *brevicornu* 160
corrugata 160
rigida 160
thurberi 89, 160
watsonii 160
 Chromosome numbers: *Cantua* 567
Cobaea 567
Convolvulaceae 567
Dipsacaceae 567
Goodeniaceae 567
Hydrophyllaceae 567
Polemoniaceae 567
Solanaceae 567
Chrysanthemum 298
Chrysobalanaceae 509
Chrysopsis sempervirens 226, 228, 231, 233
Chrysomelidae 370
Chrysothamnus 92, 234, 237, 238, 243, 252
depressus 88, 121
nauseosus 96, 231, 238, 244
 ssp. *hololeucus* 88, 91, 121
 ssp. *leiospermus* 121
paniculatus 100, 122, 150, 247
teretifolius 122
viscidiflorus 238, 252, 253
 ssp. *puberulus* 238
 ssp. *pumilus* 224
 ssp. *viscidiflorus* 87, 122
Cirsium neomexicanum 100, 122, 247
nidulum 107, 122, 249
Cistaceae 510
Cistus 597
Cladium 254
Claytonia perfoliata var. *utahensis* 162
spathulata 317, 318
Clematomyces 365
Cleome 243
arborea 137
isomeris 100, 108, 137, 247
lutea 137
sparsiflora 253
Cleomella 253
parviflora 251
Clethraceae 509
Clonophoromyces 365
Clusiaceae 510
Cneoraceae 510
Cnicus benedictus 315
Cobaea 547, 548, 552, 554, 563, 565, 567–569
scandens 550, 552, 553, 556, 559, 561
Cobaea 563
Cochliomyces 372
Cochlospermaceae 509
Codon 532, 537, 543
royenii 528, 530–533, 535, 537, 541
Coldenia 246
canescens 131, 253
plicata 131
Coleogyne 92, 95, 237, 243
ramosissima 93, 95, 164, 234, 238, 240, 253
Colcoptera 367, 370, 489
Collomia 563
Colonomycetes 372
Columellia 574
Columelliaceae 509
Combretaceae 509
 Communities, see *Plant Communities*
Compositae 315
Compsomyces 365, 372
Condalia globosa 249
Condaliopsis lycioides var. *canescens* 249
Coniferae 115, 179
Connaraceae 509
Conopodium 37
Convolvulaceae 139, 316, 319, 398, 405, 509, 539, 565,
 567
Convolvulus 274
arvensis 239
sepium 274
Conyza 291
canadensis 122
Coprophilina 366
Corallorhiza maculata 228, 230
Cordylanthus 254
parviflorus 107, 167
Coreomyces 367, 372
Coreopsis 244, 443, 445, 447
calliopsidea 319
gigantea 443–446
maritima 443, 445, 446
tinctoria 445
Corethromyces 371, 372
Conariaceae 509
Corixidae 367
Cornaceae 509
Corylaceae 509
Corynocarpaceae 510
Coryphantha 95, 240, 246
vivipara 101, 238
 var. *deserti* 134
 var. *rosea* 108, 134
Cotula coronopifolia 458, 459
Cotylelobium 510
Covillea 585
Cowania mexicana var. *stansburiana* 88, 93, 164, 234, 238,
 242

- Crassula 545
 aquatica 460, 461
 erecta 455, 460, 461
 Crassulaceae 140, 461, 507, 510
 Crepidiastrum 383–385, 392, 394, 423
 ameristophyllum 383–385, 387–389, 391–394, 424
 lanceolatum 383–386, 389, 392–394
 Cressa *truxillensis* 327
 var. *minima* 253
 Crossosoma 243, 263, 265–267, 409, 613, 614
 floral UV-absorption 613
 bigelovii 263–267, 614
 californicum 263–267, 613, 614
 Crossosomataceae 140, 221, 263, 509, 613
 Croton *californicus* var. *mohavensis* 100, 142, 246
 wigginsii 246
 Cruciferae 316
 Cyrrillaceae 509
 Crypsis *niliaca* 237, 318
 schoenoides 318
 vaginiflora 237, 318
 Cryptantha 88, 92, 98, 101, 181, 243, 244
 angustifolia 129
 barbigera 129
 circumscissa 89, 130, 626
 confertifolia 102, 130
 decipiens 130
 dumetorum 130
 flavoculata 130
 gracilis 130
 maritima 130
 var. *pilosa* 130
 micrantha ssp. *micrantha* 130
 nevadensis var. *nevadensis* 130
 pterocarya 130
 var. *cycloptera* 130
 racemosa 130
 recurvata 130, 253
 tumulosa 108, 130, 242
 utahensis 131
 virginensis 102, 107, 131
 Cryptogramma 224
 crispa ssp. *acrostichoides* 228
 Cryptophagidae 489, 493, 495
 Cucujidae 489, 492, 493
 Cucujiformia 489
 Cucujoidea 489, 495
 Cucujomyces 370, 372
 Cucurbita *foetidissima* 104, 140
 palmata 100, 140, 247
 Cucurbitaceae 140, 319
 Cunoniaceae 509
 Cupressaceae 115, 314
 Cupressus 59
 guadalupensis ssp. *forbesii* 59
 pygmaea 59
 Cuscuta *californica* 98, 139
 denticulata 140
 Cuyamaca Rancho State Park 329
 Cyanostegia *angustifolia* 20–22, 24, 28, 32, 33
 lanceolata 21–24, 28, 29
 Cycloloma *atriplicifolia* 100, 139
 Cymopterus 92, 96
 aboriginum 242
 cinerarius 224
 gilmanii 101, 102, 107, 117, 253
 multinervatus 117
 panamintensis var. *acutifolius* 117
 purpurascens 107, 118
 Cynanchum *utahense* 117
 Cynodon *dactylon* 175
 Cyperaceae 171, 317
 Cyperus 236
 Cypress, Tecate 59–62, 64–68
 Cystopteris *fragilis* 113
 Dalea 240
 fremontii 253
 var. *fremontii* 145
 mollis 100, 143
 mollissima 143
 polyadenia 252
 searlsiae 88, 89, 107, 143, 252
 spinosa 145, 247
 Daphniphyllaceae 509
 Darwinothamnus 291, 298, 299
 wood anatomy 291
 tenuifolius 291, 292
 ssp. *tenuifolius* 292, 293
 Dasanthera 40
 Datisca *glomerata* 233, 461
 Datisaceae 461, 509
 Datura *meteloides* 169, 247
 wrightii 100, 169, 247
 Daucus *pusillus* 118
 Degeneria 286
 Degeneriaceae 509
 Deleaster 345, 366
 adustus 345
 concolor 346, 347, 377
 dichrous 345
 var. *leachi* 346
 erichsoni 346
 yokoyamai 346
 Delesterini 366
 Delphinium 96
 parishii ssp. *parishii* 98, 163
 parryi ssp. *blochmaniae* 319
 Dendrocaalia 383, 384, 392, 394
 crepidifolia 384, 385, 387, 390, 391, 394
 Dendromecon 242
 Dendrosaris 414
 sect. *Phoenicosaris* 393, 423, 424
 Dermaptera 367
 Deschampsia 105, 455
 danthonioides 175
 var. *gracilis* 467, 468
 Descurainia 98, 244
 pinnata ssp. *glabra* 132
 ssp. *halictorum* 132
 sophia 132
 Desfontainiaceae 509
 Deutzia 274
 scabra 284
 Diandromyces 365
 Diaphoromyces 372
 Dichapetalaceae 509
 Dichelostemma 96
 pulchellum 172
 var. *pauciflorum* 172
 Dichomyces 365
 Dichondra *occidentalis* 313, 316
 Diclidantheraceae 509
 Dicoria *canescens* 246
 ssp. *canescens* 122
 Dicotyledoneae 116, 179, 456
 Dicrostyliaceae 19
 wood anatomy 19
 Dicrostylis 19
 Didiereaceae 509
 Didymeleaceae 509
 Dilleniaceae 509
 Dilleniidae 583
 Dimeromyces 367, 372, 375
 Dimorphomyces 370
 Dimorphotheca *sinuata* 315
 Dioicomyces 368, 372

- Dioncophyllaceae 509
 Diplomyces 345, 346, 356, 366, 368, 370, 371, 373–377
 actobianus 346, 348, 357, 363, 364, 366, 368, 371, 373, 376
 atanyganthi 366, 368, 371, 373, 374
 clavifer 366, 368, 371, 373
 Diplopoda 367
 Dipsacaceae 398, 405, 413, 422, 509, 539, 567, 597, 598
 Dipsacales 413, 584, 597
 Diptera 367
 Dipterocarpaceae 510
 Dipterocarpus 512
 Distichlis spicata ssp. stricta 254
 Ditaxis serrata 141
 Dithyrea californica 100, 133, 247
 Dodecatheon 236
 Downingia 455
 bella 452, 460, 461
 cuspidata 452, 460, 461
 Draba 224
 cuneifolia var. cuneifolia 133
 var. integrifolia 133
 Draperia 537, 543
 systyla 530, 533, 535, 541
 Drimys 285–288
 brasilensis 288
 winteri 287
 Dryobalanops 512
 Duckeodendraceae 509, 514
 Duckeodendron cestroides 509, 513, 514
 Dudleya 91, 243
 arizonica 101, 140
 saxosa ssp. aloides 140
 Dyssodia 92
 cooperi 100, 122, 247
 pentachaeta 101
 ssp. pentachaeta var. belenidium 98, 122
 porophylloides 108, 122
 Ebenaceae 510
 Echinocactus 91, 95, 201
 polycephalus 93, 96, 134, 253
 Echinocereus 91, 95, 240, 243, 246
 engelmannii 244
 var. chrysocentrus 89, 96, 134
 maritimus 197
 triglochidiatus var. melanacanthus 135
 var. mojavensis 89, 135
 Echinochloa crusgalli var. crusgalli 175
 Echinopsis calochlora 545
 Eckhart, V. M.
 see Carlquist and Eckhart 291, 527
 see Carlquist et al. 397, 547
 Ecology: Chloanthaceae 32
 Fire 329
 Gentianaceae 573
 Keckiella 39
 Loasaceae 583, 599
 Scalesia, wood 310
 Southern oak woodlands 603
 Elaeagnaceae 221, 509
 Elaeocarpaceae 509
 Elateridae 493
 Elateriformia 493
 Elateroidea 493
 Elatinaceae 461, 509
 Elatine brachysperma 461
 californica 461, 463
 chilensis 455, 461, 463
 Eleocharis 105, 236, 254
 acicularis 464, 466
 coloradoensis 317
 macrostachya 464, 466
 montevidensis 171
 var. parishii 104, 171, 464, 466
 Ellagitannins: Crossosoma 613–615
 Elodea canadensis 237
 Elymus cinereus 175
 glaucus ssp. glaucus 175
 salinus 107, 175
 triticoides 175
 Elytropappus 392
 Emmenanthe penduliflora 146
 Empetraceae 509
 Enarthromyces 370
 Encelia 92, 95, 96, 183, 243
 actoni 122
 farinosa 92, 122, 240, 243, 244
 frutescens 122
 virginensis 100, 122
 Enceliopsis argophylla 123
 covillei 253
 nudicaulis 102, 107, 122, 253
 Enneapogon 101
 desvauxii 101, 107, 175, 243
 Epacridaceae 509
 Ephedra 91, 95, 197, 204, 205, 234, 237, 238, 240, 243, 244, 247, 409
 aspera 115
 californica 100, 108, 115, 247
 funerea 100, 107, 115
 nevadensis 93, 96, 115, 205, 238, 252, 253
 trifurca 246
 variabilis 205
 viridis 88, 91, 116, 238, 252, 323
 Ephedraceae 115, 221
 Ephydriidae 367
 Epilobium 105, 236
 adenocaulon var. parishii 155
 canum ssp. garrettii 155
 ciliatum ssp. ciliatum 104, 155
 Epipactis gigantea 249
 Equisetaceae 113
 Equisetae 113, 179
 Equisetum laevigatum 104, 113, 249
 Eragrostic cilianensis 175
 Eremalche exilis 152
 rotundifolia 152
 Eriastrum 98, 244, 512, 549, 552, 554, 558, 563, 565, 568, 570, 571
 densifolium 316, 548, 549, 552, 554, 559, 561, 570
 ssp. austrorontanum 548, 550, 554, 556, 558
 ssp. mohavense 157, 511, 512, 549, 550
 ssp. sanctorum 550, 556
 diffusum 157
 eremicum 89, 157
 sparsiflorum 157
 Ericaceae 140, 510, 514, 517
 Ericameria cuneatus 124
 Erichsonius 348, 366, 378
 patella 348
 Erigeron 105, 108, 123, 183, 224, 236, 291
 aphanactis 123
 breweri var. jacinteus 226
 var. porphyreticus 123
 clokeyi 237
 divergens 123
 foliosus var. covillei 123
 lancifolius 291
 pumilus ssp. concinnoides 123
 tenuifolius 291
 uncialis 87, 123, 242
 utahensis 101, 107, 123
 Eriodictyon 397, 398, 400, 401, 404, 405, 407–411, 511, 527, 529, 533, 535, 537, 539, 541–543
 altissimum 397–402, 407

- angustifolium 89, 107, 146, 398–402, 405, 407, 410
 californicum 397–399, 401, 410
 capitatum 398–401, 406, 410
 crassifolium 397, 399, 408, 411
 sessilifolium 397–400, 402, 410
 tomentosum 399
 traskiae 398, 399
 ssp. smithii 397, 399, 401, 410
 ssp. traskiae 398–400, 408
 trichocalyx 398, 399, 401, 408, 410
 ssp. lanatum 397–399, 411
 ssp. trichocalyx 397, 399, 410
 Eriogonum 92, 93, 95, 98, 181, 183, 224, 234, 237, 238,
 240, 243, 244
 brachyanthum 160
 brachypodium 160
 citharaeforme 313, 318
 var. agninum 317
 crocatum 317
 davidsonii 160
 deflexum ssp. baratum 160
 ssp. deflexum 160
 deserticola 246
 ericifolium ssp. thornei 108, **160**, 253
 var. thornei 160
 fasciculatum 335
 ssp. polifolium 93, 96, 100, 140, 161, 247
 glandulosum 102, 161
 heermannii 161
 ssp. argense 161
 ssp. floccosum 161
 ssp. sulcatum 161
 inflatum ssp. inflatum 161
 insigne 161
 intrafractum 242
 kennedyi ssp. alpigenum 226
 maculatum 161
 microthecum ssp. rigidum 161
 var. foliosum 161
 nidularium 161
 ovalifolium 237
 palmerianum 161
 panamintense ssp. panamintense 87, 88, 107, 161
 plumatella 98, 162
 pusillum 162
 reniforme 162
 thomasii 162
 thurberi 100, 162
 trichopes 102, 162, 253
 umbellatum ssp. ferrissii 88, 162
 var. minus 226
 wrightii ssp. subscaposum 226
 ssp. wrightii 162
 Erioneuron 95, 101
 pilosum 101, 107, 175
 pulchellum 98, 175, 244
 Eriophyllum 98
 ambiguum var. paleaceum 123
 pringlei 123, 626
 wallacei 123
 Erodium 98
 cicutarium 105, 146
 texanum 146
 Eryngium aristulatum var. parishii 456, 457
 Erythrina 619
 Erythroxylaceae 509
 Escalloniaceae 509
 Eschscholzia 98, 183, 244
 californica ssp. mexicana 107, 156
 covillei 156
 glyptosperma 156
 minutiflora 156
 Eucantharomyces 367, 372
 Eucarya 512
 Euceratomyces 365, 372, 374
 Euceratomycetaceae 372
 Eucnide 583, 584, 599
 cordata 584–588, 591, 593, 600
 urens 101, 150, 247, 253, 584–586, 591, 600
 Eucnideae 584
 Eucommiaceae 509
 Eucryphiaceae 509
 Eucrypta 98
 chrysanthemifolia var. bipinnatifida 146
 micrantha 146
 Euhaplomyces 365
 Eumonoicomyces 365
 Euonymus 195
 Eupatorium herbaceum 123
 Euphorbia 92, 243
 albomarginata 141
 arenicola 141
 extipulata 141
 fendleri 141
 incisa 88, 107, 142
 micromera 141
 parishii 141
 parryi 141
 polycarpa 141
 ssp. hirtella 141
 revoluta 141
 serpyllifolia var. serpyllifolia 141
 setiloba 141
 Euphorbiaceae 141, 180, 510
 Euphorbiomyces 375
 Eupomatiaceae 510
 Eupteleaceae 509
 Eurotia lanata 138, 238
 Eurytomidae 264
 Eusynaptomyces 373
 Euzodiomyces 370, 372
 Exacum 579
 Exocarpus 512
 Exospermum 277–279, 281, 283, 285, 286
 anatomy 277
 lecartii 277, 281
 stipitatum 277–282, 284, 285
 Fabaceae 105, 142, 180, 247, 316 (as Leguminosae), 509
 Fabiana 512
 Fagaceae 145, 316, 510, 516, 518
 Fagonia 206–243
 Fallugia 409
 paradoxa 88, 89, 100, 164, 234, 242, 247
 Fendlerella utahensis 87, 101, 166, 231, 242
 Ferocactus 91, 92, 95, 243
 acanthoides 101, 240, 243, 244
 var. acanthoides 135
 var. lecontei 135
 townsendianus 545
 Festuca 224
 castwoodae 319
 elmeri var. conferta 319
 microstachys var. microstachys 317
 myuros 178
 octoflora 178
 reflexa 178
 Filago 92
 californica 124
 Filariomyces 14, 370, 374
 Filicacae 113, 179
 Fimbristylis 254
 Fire ecology 329–343
 Flacourtiaceae 510, 520
 Flavonoids: Bidens 443
 Coreopsis 443
 Flora: Kelso Dunes 71

- Los Angeles County 313
 Mojave Desert 71
 Santa Monica Mountains 313
 Santa Rosa Plateau 449
 transmontane southern California 220
 Ventura County 313
 Floral anatomy: Exospermum 281
 Winteraceae 227
 Floral development: Crossosoma 263, 264
 Floral pigments: Crossosoma californicum 613
 Puya (Bromeliaceae) 617
 UV-absorbing 613, 614
 Forstiera neomexicana 100, 104, 105, 153, 247
 Forsellesia 263, 409
 nevadensis 88, 89, 101, 140, 242
 pungens 87, 101, 108, 140, 242
 var. glabra 140
 Forstera 37
 Fouquieria splendens 243, 249
 Fouquieriaceae 221, 509
 Frankenia grandifolia 327
 var. campestris 253, 254
 Frankeniaceae 507, 510
 Fraxera 236
 albomarginata 101, 107, 146, 242
 Fraxinus anomala 87, 89, 153, 231
 trifoliata 195
 velutina 249
 var. coriacea 233
 Freeman, C. E.
 see Scogin and Freeman 617
 Fremontodendron 242
 californicum 231, 234
 Fuertesia 584, 585, 587, 589, 596, 598
 domingensis 583, 584, 586, 587, 589, 591, 593, 596, 598,
 599
 Gabrius 366
 Gale 512
 hartwegii 508
 palustris 508
 Galium 92, 181, 206, 236, 243
 angustifolium ssp. gracillimum 165
 andrewsii 340
 aparine 165
 cliftonsmithii 319
 hilendiae ssp. kingstonense 87, 108, 165
 mathewsii 107, 165
 munzii 88, 107, 165
 parishii 165
 proliferum 165
 stellatum ssp. eremicum 165
 wrightii 165
 Galvezia 471, 472, 476, 481, 485
 juncea 472–474, 476, 478, 482
 speciosa 472, 474, 476, 478, 482
 Gambelia 472
 Garrya 53, 234, 242
 flavescens ssp. flavescens 88, 89, 91, 145, 234
 Garryaceae 145, 509
 Gäura 96
 coccinea 107, 155
 Gayophytum diffusum ssp. parviflorum 155
 Geniostemon 579
 Gentiana 579
 Gentianeaceae 146, 507, 573, 574, 576, 579–581
 subfam. Gentianoideae 574
 tribe Gentianeae 574
 subtribe Gentianinae 574
 tribe Helieae 564
 systematics and ecology 573
 wood anatomy 573
 Gentianales 413, 580, 583, 597
 Gentianeae 574
 Gentianinae 574
 Gentianoideae 574
 Geology: eastern Mojave Desert 80
 transmontane southern California 219
 Geraceae 98, 244
 canescens 124, 246, 252
 Geraniaceae 146, 316, 509
 Geranium 236
 rotundifolium 313, 316
 Gesneriaceae 35, 37, 510
 Gibasis consobrina 618
 Gilia 88, 92, 93, 98, 181, 243, 244, 548, 563
 sect. Ipomopsis 548
 australis 108, 157
 cana ssp. speciformis 157
 ssp. triceps 157
 clokeyi 157
 filiformis 102, 158
 hutchinsifolia 158
 latiflora ssp. latiflora 158
 latifolia 148
 leptomeria 158
 ophthalmoides 158
 ripleyi 101, 107, 158
 scopolorum 158
 sinuata 158
 splendens ssp. splendens 158
 stellata 158
 transmontana 158
 triodon 158
 Gilieae 563, 568
 Glinus lotoides 319
 radiatus 313, 319
 Globulariaceae 510
 Glycyria 236
 Glycyrrhiza 105
 lepidota 316
 var. glutinosa 143
 Glyptopleura marginata 124
 Gnaphalium 105
 palustre 124, 237, 458, 459
 wrightii 124
 Gnetae 115, 179
 Gramineae 317–319, 173, 180 (as Poaceae)
 Gomortegaceae 509
 Gonostylaceae 509
 Goodeniaceae 398, 405, 422, 509, 539, 567, 597, 598
 Goupiaceae 509
 Gratiolaeae 472
 Grayia 95, 243, 251
 spinosa 93, 96, 104, 139, 238, 244, 247, 252
 Greyiaceae 507
 Grayum, M. H., and D. L. Koutnik. New records of vascular plants from the Santa Monica Mountains, California, and adjacent parts of Los Angeles and Ventura counties 313
 Grindelia aphanactis 124
 Gronovia 584
 Gronovieae 584
 Gronovioidae 584
 Grossulariaceae 509
 Grubbiaceae 509
 Gryllotalpidae 367
 Gutierrezia 92, 95, 234
 microcephala 93, 124, 238
 sarothrae 88, 96, 124
 Gymnosteris 563
 Gyrocarpaceae 509
 Gyrostemonaceae 507, 508
 Habenaria 236
 Haematopinidae 367
 Halimolobos diffusa var. jaegeri 87, 107, 133, 231
 Halophytaceae 510

- Hamamelidaceae 509
Haplomyces 365, 369, 372
Haplopappus 92, 95, 150, 224, 234, 238, 240, 243
 acradeniuss 249, 252
 ssp. eremophilus 252
 brickellioides 101, 124
 cooperi 244
 ssp. cooperi 93, 96, 124
 cuneatus 88, 124
 gracilis 125
 laricifolius 124
 linearifolius 88, 93, 124, 247, 314
 nanus 107, 124
 ravenii 89, 125
Havlik, N.
 see Tucker et al. 321
Hazardia brickellioides 124
Hecastocleis nanus 107
 shockleyi 101, 102, 125
Hedeoma nanum ssp. californicum 101, 149, 242
Helonium 236
Heleochloa schoenoides 318
Helianthemum sect. Eriocarpum 510
Helianthus 445
 annuus 445
 niveus ssp. tephrodes 246
Heliaeae 574
Heliotropium convolvulaceum var. californica 100, 131
 curassavicum ssp. oculatum 104, 131, 254
Hemiptera 1, 6, 10, 12, 367
 semiaquatic 1
 Veliidae 1, 6, 10, 12
Hemizonia minthornii 314, 315, 422, 544
 pungens 319
Henrickson, J.
 see Thorne, Prigge, and Henrickson 71
Heracleum 236
 sphondylium ssp. montanum 230
Hernandiaceae 509
Herpomyces 14, 367, 370
Herpomycetinae 14, 374
Hesperhodos 215
 minutifolius 215
Hesperocallis undulata 100, 172, 246
Hesperomyces 499
 catopii 499
 coccinelloides 499
 virescens 499
Hesperothamnus 40
Heuchera 224
 elegans 226
 rubescens var. pachypoda 87, 166, 231
Hibbertia 55
Hibiscus 243, 508
Hieracium argutum ssp. argutum 313–315, 318
 aurantiacum 423
Hilaria 95, 243
 jamesii 91, 176
 rigida 98, 156, 176, 240, 244, 246
Himantandraceae 509
Hippoboscidae 367
Hippocastanaceae 510
Histeria 512
Histeridomyces 372
History: Discovery and naming of Rosa minutifolia 187
Hoffmannseggia 96
 densiflora 144
 glauca 144, 249
 microphylla 249
Holodiscus 224
 discolor 335
 microphyllus 226, 228, 231
 ssp. microphyllus 87–89, 164
Hologeton glomeratus 139
Holstein, G. L.
 see Tucker et al. 321
Hordeum vulgare 176
Hormones 444
 2,4-dichloro-phenoxyacetic acid 244, 446
 gibberellic acid 244, 446
 indole acetic acid 244, 446
 kinetin 244, 446
Hulsea 224
Humiriaceae 509
Hutchinsia procumbens 133
Huthia 556, 557, 561, 563, 565, 570
 caerulea 511, 512, 548, 550, 556, 559
 longiflora 548, 550, 552, 556, 557, 559, 561
Hybrids:
 Crossosoma californicum × C. bigelovii 265
 Mimulus bifidus × M. aurantiacus 475
 Oryzopsis hymenoides × Stipa speciosa 176
 Salvia pachyphylla × S. mohavensis 150
 Stiporyzopsis × bloomeri 176
Hydrocotyle 455
 ranunculoides 455, 458
Hydrolea 528, 532, 533, 537, 538, 541, 543
 paraguayensis 528, 530–533, 535, 537, 538, 541, 542
Hydrophilomyces 370
Hydrophyllaceae 146, 183, 397, 398, 404, 405, 407, 410,
 411, 422, 512, 527–529, 533, 535, 537, 539, 541–
 543, 556, 567, 571, 580
 tribe Phacelieae 539
 wood anatomy 397, 527
Hymenoclea 95, 240
 monogyra 249
 salsola 140, 150, 156, 244, 247
 var. salsola 100, 125
Hymenopappus filifolius var. eriopodus 88, 125
Hymenoptera 367
Hymenoxys acaulis var. arizonica 125, 242
 cooperi 237
 ssp. cooperi 125
Hypericaceae 509, 510
Hypericum 236
 formosum ssp. scouleri 230
Hyptis emoryi 249
Icacinaeae 512
Idiomyces 345, 346, 365, 366, 371, 373–375, 377
 peyritschii 345, 346, 348, 349, 352, 354, 356, 358, 359,
 363, 366, 369, 371, 374–377
Idiomycetaceae 345, 377
Idiospermaceae 439, 440
Idiospermoideae 439, 440
Idiospermum 427, 428, 434, 436–440
 australienense 427, 434–437
Ilex 55, 508, 513
Illiciaceae 509
 Illicium 411, 436–438
 cubense 438
 parviflorum 438
Ilythea 367
Ilytheomyces 367
Ipomopsis 548, 559, 562–564, 568, 570
 aggregata 548, 550, 552–556, 560, 561, 563, 571
 ssp. arizonica 158
 longiflora 548, 550, 561, 562
 polycladon 102, 158
 rubra 548, 550, 552, 556, 561, 564
 tenuifolia 551, 552, 559, 561, 565, 570
Iridaceae 171
Iris 236
Isoetaceae 456
Isoetes 326, 452
 howellii 456, 457
 orcuttii 456, 457

- Isoptera 367
 Iva 254
 axillaris 315
 Ivesia 224
 jaegeri 87, 108, 164
 Ixanthus 574, 575, 579–581
 viscosus 574, 575, 577–579, 581
 Ixonanthaceae 509
 Jamesia americana 233
 Jones, M. E. 187
 Juglandaceae 510
 Julianiaceae 509
 Juncaceae 171, 464
 Juncaginaceae 464
 Juncus 105, 224, 236, 249, 455
 bufonius 171, 237, 455, 464, 466
 cooperi 171, 254
 kelloggii 464
 macrophyllus 172
 mexicanus 104, 172, 254
 nodosus 172
 occidentalis 172
 sphaerocarpus 464, 467
 tenuis var. congestus 172
 tiehmii 464, 466
 torreyi 172
 xiphoides 172
 Juniperus californica 87, 108, 115, 170, 234, 314
 occidentalis ssp. australis 228, 230, 234
 osteosperma 85, 87, 89, 91, 93, 95, 115, 119, 170, 228,
 234, 323
 scopulorum 233
 Kallstroemia parviflora 108, 171
 Kaye 510
 Keckiella 39, 40, 42, 43, 45, 47, 53–55, 92, 243, 409, 471,
 472, 517
 leaf anatomy 39
 wood anatomy 39
 antirrhinoides 47
 ssp. antirrhinoides 41, 45, 47, 48, 53
 ssp. microphylla 39–41, 45, 47–49, 51, 53, 54, 167
 breviflora 45, 47, 51
 ssp. breviflora 41, 47, 48
 ssp. glabrisepala 41, 47, 48
 cordifolia 39, 41, 43, 45, 47–49, 53, 54, 56
 corymbosa 39, 41–43, 45, 47–49, 51, 54
 lemmonii 41, 43, 45, 48, 51
 rothrockii 47, 51
 ssp. jacintensis 41, 48
 ssp. rothrockii 39, 41, 43, 45, 48, 51, 53
 ternata 47, 51
 ssp. septentrionalis 41, 43, 45, 48, 49, 53, 54
 ssp. ternata 41, 43, 45, 48, 49
 Kelso Dunes 71
 flora 71
 Keys: Muilla (Liliales) 623
 Prolixandromyces (Laboulbeniales) 2
 Synandromyces (Laboulbeniales) 492
 Kissenia 584, 592, 597
 capensis 584, 586, 591–593, 600
 spatulata 584
 Kisseniaceae 584
 Klaprothia 584
 Klaprothineae 584
 Kleidiomyces 365
 Kochia americana 252
 californica 253
 Koeberliniaceae 509
 Koeleria 224
 macrantha 224, 237
 Koutnik, D. L.
 see Grayum and Koutnik 313
 Krameria 95, 100, 240, 243, 244, 409
 grayi 149
 parvifolia 93, 96
 var. glandulosa 149
 var. imparata 149
 Krameriaceae 149, 221, 509
 Laboulbenia 14, 345, 367, 369, 370, 372, 374
 gracilis 345
 proliferans 370
 variabilis 370
 vulgaris 345
 Laboulbeniaceae 490
 tribe Idiomycetaceae 345, 377
 tribe Stigmatomycetaceae 13, 490
 tribe Teratomycetaceae 345, 377
 Laboulbeniales 1, 345, 348, 362, 365–370, 375, 376, 489,
 491, 499
 suborder Herpomycetinae 14, 374
 suborder Laboulbeniinae 14, 374, 501
 Laboulbeniinae 14, 374, 501
 Lachnostachys eriobotrya 21, 22, 25
 Lacistemaceae 510
 Lactoridaceae 509
 Lactuca serriola 125
 Laemobothriidae 367
 Lamiaceae 19, 149, 509
 Langloisia 98, 563
 matthewsii 159
 punctata 159
 schottii 159
 setosissima 102, 159
 Lappula redowskii 102, 131
 var. desertorum 131
 Lardizabalaceae 509, 519, 520
 Larrea 92, 96, 98, 156, 243, 244, 246, 409
 divaricata ssp. tridentata 96, 98, 100, 140, 170, 244, 247,
 249, 252, 253
 tridentata 244
 Lasthenia 327, 455
 chrysostoma 458, 459
 conjugens 327
 Lathridiidae 495
 Lathrop, E. W., and B. D. Martin. Response of understory
 vegetation to prescribed burning in yellow pine
 forests of Cuyamaca Rancho State Park, California
 329
 ———, and R. F. Thorne. A flora of the vernal pools on
 the Santa Rosa Plateau, Riverside, County, Cali-
 fornia 449
 ———, and H. A. Zuill. Southern oak woodlands of the
 Santa Rosa Plateau, Riverside County, California
 603
 see Stottlemeyer and Lathrop 59
 Lauraceae 427, 509, 520
 Laurales 440
 Lavatera 508
 Layia 98
 glandulosa 626
 ssp. glandulosa 125
 Leaf anatomy: Crepidiastrum 385, 391
 Dendrocalia 385, 392
 Exospermum 279
 Keckiella 39
 Winteraceae 277
 Lecocarpus 291, 292, 298, 299
 wood anatomy 291
 darwinii 291
 leocarpoides 291
 pinnatifidus 291, 292, 294, 295
 Lecythidaceae 510
 Leguminosae 316
 Leitneriaceae 510
 Lemna minima 467, 468
 Lemnaceae 237, 467

- Lennoaceae 150, 221
 Lenz, L. W. The thorny rose affair: discovery and naming
 of *Rosa minutifolia* 187
 Lepidium 92
 dicyotum 254
 fremontii 96, 133, 244
 lasiocarpum 133
 var. *georginum* 133
 montanum ssp. *cinereum* 133
 nitidum 458, 459
 virginicum var. *pubescens* 133
 Lepidobotrys 512
 Lepidospartum *latisquamum* 125
 Lepionurus 512
 Leptodactylon 92, 224, 243, 512, 548, 554, 559, 561, 563,
 565, 566, 568–571
 californicum 549, 551, 554, 556, 559
 ssp. *californicum* 548, 554, 556
 pungens 224, 237, 549, 556
 ssp. *hallii* 87, 159, 231, 340, 548, 551, 554, 559
 ssp. *pulchriflorum* 548, 551, 554, 559
 ssp. *pungens* 551, 554, 556
 Lesquerella *kingii* ssp. *latifolia* 88, 108, 113
 palmeri 133
 Lessingia *lemmonii* 89
 ssp. *lemmonii* 125
 Leucelene 96
 ericoides 125
 Levenhookia 35, 37
 dubia 35
 pulcherrima 35
 pusilla 35, 36
 stipitata 35
 Lewisia 224
 disepala 626
 rediviva var. *rediviva* 313, 317, 318
 Lilaea *scilloides* 326, 455, 464, 467
 Liliaceae 172, 318, 468, 621
 Liliium 236
 parryi 230
 Limnium *myces* 372
 Limosella 237
 Linaceae 150, 316, 509, 512
 Linanthus 98, 244, 563
 arenicola 159
 aureus 159
 var. *aureus* 159
 var. *decorus* 259
 bigelovii 89, 159
 demissus 159
 dichotomus ssp. *dichotomus* 159
 jonesii 159
 nudatus 626
 nuttallii 224, 237
 Linum *grandiflorum* 316
 lewisii 88, 150
 puberulum 101, 107, 150
 Lipochaeta 291
 Lippia *wrightii* 170
 Lirosmia 512
 Lisianthus 573
 Lithocarpus 518
 densiflora 517, 518
 Lithospermum *incisum* 88, 107, 131
 Loasa 584, 590, 597
 incana 585, 586, 590, 591, 593, 598, 599
 picta 584, 586, 587, 589–591, 593, 598, 599
 Loasaceae 150, 180, 221, 507, 509, 583–587, 589, 591,
 593, 597–601
 ecology 583
 subfam. *Gronovioideae* 584
 tribe *Gronovieae* 584
 subfam. *Loasoideae* 584
 tribe *Kissenieae* 584
 tribe *Klaprothineae* 584
 tribe *Loaseae* 584
 subfam. *Mentzelioideae* 584
 tribe *Eucnideae* 584
 tribe *Mentzelieae* 584
 wood anatomy 583
 Loaseae 584
 Loasoideae 584
 Loasiflorae 584
 Lobelia *cardinalis* 423
 syphilitica 423
 Lobeliaceae 509
 Loeselia 548, 549, 552, 558, 563, 565, 567, 568, 570
 involuta 548, 551, 559
 mexicana 548, 551, 552, 556, 558, 559, 561, 563
 Loganiaceae 405, 509, 510, 573, 580, 597, 598
 Lomatium 92, 243
 nevadense var. *parishii* 118
 parryi 87, 118, 231
 Lonicera 53
 hispidula 318
 japonica 274
 Loranthaceae 510
 Loricaria *thuyoides* 404
 Los Angeles County, flora 313
 Lotus 92, 93, 96, 98, 105, 236, 243
 argyraeus ssp. *multicaulis* 144
 humistratus 89, 144
 sp. aff. 108
 rigidus 144, 247
 tomentellus 144
 Ludwigia 237
 Lupinus 93, 98, 105, 183, 234, 236, 244
 albifrons 324
 arizonicus 144
 brevicaulis 144
 concinus ssp. *orcuttii* 144
 flavoculatus 89, 104, 144
 latifolius 230
 luteus 313, 316
 ruber 144
 shockleyi 100, 144
 sparsiflorus ssp. *mohavensis* 144
 Lycium 95, 240, 243, 244, 252
 andersonii 89, 96, 169, 249, 253
 cooperi 89, 169
 pallidum 253
 var. *oligospermum* 169
 Lycopodiaceae 113, 179
 Lycopsidea 113, 456
 Lygodesmia *exigua* 127, 253
 Lythraceae 462, 509, 520
 Lythrum *californicum* 237
 hyssopifolium 455, 462, 463
 Luzula 224, 236
 Macariseae 512
 Macaraisia 512
 Machaeranthera *canescens* ssp. *canescens* 89, 125
 leucanthemifolia 100, 125, 246
 tanacetifolia 107, 126
 tortifolia 129, 244, 253
 Macraea 291, 297, 299
 wood anatomy 291
 laricifolia 291, 292, 294, 296
 Macrocarpaea 573, 574
 Macropiper 298
 excelsum 598
 Magnoliaceae 510
 Magnoliales 440
 Mahonia *haematocarpa* 88, 100, 104, 107, 129, 247
 Malacothrix 98, 206, 244
 coulteri 126

- glabrata* 126
sonchoides 126
stebbensii 126
Malesherbia 517
densiflora 517
Malesherbiaceae 510
Mallophaga 367
Mallophora 20
Malosma laurina 195
Malpighiaceae 510
Malva nicaeensis 316
Malvaceae 151, 316, 462, 507–509, 521
Malvastrum rotundifolium 252
Mammea 510
Mammillaria 91, 243, 246
tetrancistra 135
Manda 366
mandibularis 366
Marah fabaceus 313, 319
Marcgravia rectiflora 508
Marcgraviaceae 507, 508, 510
Marquesia 512
Marrubium vulgare 149
Marsilea 317
vestita 314, 456, 457
Marsileaceae 314, 456
Martin, B. D.
 see Lathrop and Martin 329
Martyniaceae 221, 507, 510
Maurandya antirrhiniflora 101, 107, 167, 242
pterophila 242
Medicago sativa 144
Medusagynaceae 509
Meionomyces 371
Melastomaceae 510
Meliaceae 509, 510
Melica 92, 243
frutescens 101, 176
imperfecta 176
 var. *flexuosa* 176
 var. *minor* 176
Melilotus albus 144
indicus 145
officinalis 145
Menispermaceae 509
Menodora 95, 240
scabra 107, 153
scoparia 89, 153
spinescens 93, 107, 153, 238
Menoponidae 367
Mentha spicata 149
Mentzelia 88, 93, 98, 101, 181, 183, 244
affinis 150
albicaulis 150
arborescens 583, 585–587, 589, 591, 593, 596, 598–600
californica 150
congesta 150
desertorum 151
humilis 585–587, 589, 591, 593, 595, 598, 600
involutrata ssp. *involutrata* 151
jonesii 151
laevicaulis 585, 586, 589, 591, 593, 598, 599, 601
leucophylla 102, 107, 151
longiloba 151, 246
montana 151
multiflora ssp. *longiloba* 100, 108, 151
obscura 151
oreophila 151, 253
polita 102, 151, 253
pterosperma 102, 151
reflexa 107, 151
tricuspis 102, 151
veatchiana 151
Mentzeliae 584
Mentzelioidae 584
Menyanthoideae 574
Mesomorphy 21, 32, 33, 45, 49, 55, 394, 436
Calycanthus 436
Calycera 421
Centranthus 421
Chimonanthus 436
Chloanthaceae 32
Crepidiastrum 394
Dendrocacalia 394
Eriodictyon 409, 410
Gentianaceae 581
Hydrophyllaceae 530, 539
Idiospermum 436
Illicium 436
Keckiella 45, 47, 49, 51, 53
Loasaceae 586, 600
Mimulus 481–483
Patrinia 421
Polemoniaceae 551, 569
Valeriana 421
Mesua 510
Metalaisia 392
Michener, D. C. Wood and leaf anatomy of *Keckiella*
 (Scrophulariaceae): ecological considerations 39
———. Systematic and ecological wood anatomy of Cali-
 fornian Scrophulariaceae. I. *Antirrhinum*, *Castil-*
 leja, *Galvezia*, and *Mimulus* sect. *Diplacus* 471
 see Carlquist et al. 397, 547
Microseris douglasii ssp. *tenella* 319
linearifolia 126
Microsteris 363
gracilis 626
 ssp. *humilis* 159
Mimeomyces 365
Mimosa biuncifera 323
Mimulus 105, 236, 471–473, 476, 478
 sect. *Diplacus* 471–473, 481, 485
aridus 474, 478, 481–483
aurantiacus 323, 473, 474, 482, 483
 ssp. *aurantiacus* 474, 476, 481, 483, 485
 ssp. *australis* 474
 ssp. *lompocensis* 475, 478, 481, 483
bifidus 478, 483, 544
 ssp. *bifidus* 475, 478
 ssp. *fasiculatus* 475
 × *M. aurantiacus* 475
bigelovii var. *bigelovii* 167
clevelandii 471, 473, 475, 481–483, 485, 544
flemingii 473, 475, 476, 481–483
guttatus ssp. *guttatus* 167, 464, 465
longiflorus 475, 476, 481–483
 ssp. *calycinus* 475, 478, 483
 ssp. *longiflorus* 473, 478
luteus 472
nasutus 167
parishii 167
pilosus 167
punicus 475, 476, 478, 482, 483, 485
rubellus 167
rupicola 242
Mirabilis 91, 92, 96, 243
bigelovii 89
 var. *aspera* 153
 var. *bigelovii* 153
 var. *retrorsa* 153
coccinea 89, 153
comata 89, 153
froebelii var. *froebelii* 153
 var. *glabrata* 153
multiflora ssp. *pubescens* 91, 153
pumila 91, 153

- Misgomycetes 365, 371
 Misodendraceae 507, 510
 Misopates orontium 472
 Mitrasacme 37
 Mohavea brevipflora 167, 252
 Mojave Desert, eastern 71
 climate 73–80
 flora 71
 geology 80–82
 phytogeography 105–109
 plant collecting 82–84
 plant communities 84–105
 Mollugo cerviana 116
 Monardella 92, 224, 243
 cinerea 226
 linoides ssp. linoides 149
 Monimiaceae 427, 440, 510
 Monocotyledoneae 171, 179
 Monocotly: Stylidiaceae 35
 Monoicomyces 365, 370
 Monolepis nuttalliana 253
 Monoptilon 98, 244
 bellidifforme 125
 bellioides 126
 Monotes 512
 Montia 455
 fontana 455
 ssp. amporitana 462, 465
 Montiniaceae 507, 509
 Moraceae 260, 510
 Moringaceae 510
 Mortonia 409
 utahensis 98, 101, 107, 138, 242
 Moschomyces 365
 Muhlenbergia 92, 95, 101, 105, 236
 arsenei 101, 176, 243
 asperifolia 104, 176, 251, 254
 microsperma 176
 minutissima 176
 porteri 98, 176
 rigens 104, 176
 Muilla 621, 623, 626
 key to species 623
 clevelandii 623
 coronata 173, 621–626
 maritima 621
 transmontana 107, 173, 621
 Musschia aurea 424
 Myoporaceae 510
 Myosurus 455
 cupulatus 163
 minimus var. apus 464, 465
 Myrica gale 508
 Myricaceae 507, 508, 512
 Myriophyllum 237
 Myristicaceae 510
 Myrothamnaceae 509
 Myrsinaceae 510
 Myrtaceae 510, 518
 Myrtales 580
 Myrtiflorae 584
 Najas marina 237, 254
 Nama 98, 244, 528, 536, 539, 543, 544
 constancei 527
 demissum 146, 252
 var. covillei 146
 var. demissum 146
 var. deserti 146
 depressum 100, 146
 hitchockii 527
 johnstonii 527, 529–531, 533, 535, 537, 541
 lobbii 527, 530, 531, 533, 535–537, 541
 pusillum 147
 Nasturtium 105, 236
 officinale 133, 458
 Navarretia 455, 563
 interexta 462, 463
 prostrata 462, 465
 pubescens 313, 317, 318
 Nectar: Cheirostemon platanoides 269–274
 Crossosoma 266
 Puya 617, 618
 Nemacladus 98, 244
 glandulifer var. orientalis 136
 ramosissimus 314
 rubescens 136
 var. rubescens 136
 var. tenuis 136
 sigmoideus 137
 Nemophila 88
 menziesii ssp. integrifolia 108, 147
 Nemothea 579
 Neohaplomyces 365
 Nepenthaceae 509
 New combinations:
 Chamaesyce ocellata ssp. arenicola 141
 Eriogonum ericifolium ssp. thornei 160
 New name: Stylidium nominatum 38
 New species: Prolixandromyces lingulatus 3
 Prolixandromyces rhinoceralis 7
 Prolixandromyces tenuis 11
 Nicotletia occidentalis 101, 108, 126
 Nicotiana 92
 attenuata 169
 trigonophylla 101, 169
 Nitidulidae 489, 493
 Nitrophila 253
 Nolina 91, 93, 243
 wolffii 88, 92, 173, 243
 Norantea guianensis 508
 Nothofagus antarctica 516, 518
 Notholaena 92, 243
 californica 108, 114
 cochisensis 101, 106, 114, 242
 jonesii 101, 114, 242
 limiteana ssp. limiteana 107, 114
 parryi 114
 Nyctaginaceae 152, 510
 Nycteromyces 372
 Nyssaceae 509
 Ochnaceae 510
 Octoknemaceae 510
 Oenothera 236, 244
 avita ssp. avita 155
 ssp. eurekaensis 246
 caespitosa 88
 ssp. caespitosa var. marginata 155
 ssp. crinita 155
 deltoides 246
 ssp. deltoides 100, 155
 longissima ssp. clutei 104, 155
 primiveris ssp. primiveris 155
 Olacaceae 512
 Oleaceae 153, 510, 580
 Olearia 508, 515
 argophylla 515, 522
 avicenniifolia 515, 522
 mulleri 515, 522
 Oligomeris 98
 linifolia 163
 Olianiaceae 510
 Olneya tesota 247, 249
 Omaliinae 365, 366
 Onagraceae 154, 180, 183, 462, 510, 580, 581
 Oncothecaceae 509
 Ongokea 512

- Oparanthus* 392
 Opiliaceae 512
Opuntia 91, 95, 96, 181, 201, 240, 243, 244, 253, 323
 acanthocarpa 95, 96, 238, 240
 var. *coloradensis* 93, 100, 135
 basilaris var. *basilaris* 135
 var. *brachyclada* 135
 bigelovii 240, 244, 246
 chlorotica 135
 echinocarpa 93
 var. *echinocarpa* 135
 erinacea 87, 88, 91
 var. *erinacea* 135
 var. *ursina* 136
 littoralis var. *martiniana* 136
 macrorrhiza 136
 phaeacantha var. *discata* 136
 var. *major* 136
 polycantha var. *rufispina* 136
 ramosissima 93, 96, 136
 stanleyi 93
 var. *parishii* 136
Orcutt, C. R. 188
Orcuttia californica 467, 468
Oreonana 224
 clementis 626
 vestita 226
Oreostylidium 37
Ornithostaphylos oppositifolia 195
 Orobanchaceae 156, 317
Orobanche 101, 183
 cooperi 100, 156
 fasciculata 88, 156, 238, 317
 multiflora var. *arenosa* 156
 parishii ssp. *parishii* 156
Orontium 472
Orthoptera 367
Oryzopsis 95, 101
 hymenoides 98, 176, 238, 239, 244, 246, 252
 × *Stipa speciosa* 176
 micrantha 87, 176, 231
Osoriinae 365, 366
Osoriomyces 365
Osyris 512
 Oxalidaceae 510
Oxybaphus coccineus 153
 comatus 153
 pumilus 153
Oxyypina 366
Oxyria 224
Oxystylis lutea 107, 137, 254
Oxytelina 366
Oxytelinae 365–367
Oxytelini 366
Oxytelus 366
Oxytheca 98
 perfoliata 162
Oxytropis 224
Paederinae 365–367
Paedomorphosis 298, 393, 394, 423, 481, 542–544, 569, 598
Palafoxia arida var. *arida* 100, 126
 var. *gigantea* 246
 linearis 126
 var. *gigantea* 246
Panicum capillare 318
 urvilleanum 98, 177, 246
 Papaveraceae 156, 510
 Paracryphiaceae 509
Parietaria hespera var. *californica* 102, 170
 Parry, C. C. 188
 Passifloraceae 510, 539, 580
Patrinia villosa 393, 413–415, 419–424
Pavonia 508
Pectis papposa 126
Pectocarya 98, 244
 heterocarpa 131
 platycarpa 131
 recurvata 131
 setosa 131
 Pedaliaceae 507, 510
Pedicularis 236
Pellaea 92, 183, 224, 243
 mucronata var. *californica* 114
 var. *mucronata* 114
 longimucronata 114
 truncata 88
Peltoides 489
Penaeaceae 55, 509
Penstemon 40, 92, 101, 181, 234, 471, 472, 481
 sect. *Dasanthera* 40
 sect. *Hesperothamnus* 40
 bridgesii 88, 167, 544
 caesius 226
 calcareus 108, 167, 243
 centranthifolius 108, 168
 desertorum 167
 eatonii 88, 91
 var. *eatonii* 168
 fructiformis ssp. *amargosae* 101, 108, 168
 grinellii 226
 palmeri 91, 101, 168, 247
 pseudospectabilis 168
 stephensii 108, 168
 thompsoniae 108, 168, 243
 thurberi ssp. *thurberi* 91, 108, 168
 utahensis 168
Pentaphragma 414, 423, 424
 Pentaphragmataceae 414
 Pentaphylaceae 509
Perideridia 236
Perithecia: Laboulbeniales 374–376
Perityle 92, 243
 emoryi 126
 megalocephala 101
 var. *oligophylla* 126
Persoonia longifolia 522
Petalonyx 583, 584, 592, 593, 599
 crenatus 585–587, 589, 592, 593, 600
 linearis 585–587, 592–593
 nitidus 83, 101, 151, 585–587, 591, 593, 594
 thurberi 246, 247, 585–587, 589, 591
 ssp. *thurberi* 151
Petalostemum searlsiae 143, 252
Petradoria pumila 101, 126
Petraea 29
 volubilis 19, 28
Petrobium 392
Petrophytum caespitosum 89, 101, 164, 242
Peucephyllum 243
 schottii 101, 102, 127, 243, 253
Peyritschiella 14, 366, 367, 372, 374
 protea 366
Phacelia 88, 92, 98, 101, 102, 105, 181, 236, 243, 246, 528, 535, 538, 539, 541–544
 affinis 147
 anelsonii 107, 147
 barnebyana 107, 147
 calthifolia 252
 campanulata ssp. *vasiformis* 108, 147
 coerulea 107, 147
 crenulata 252
 var. *ambigua* 147
 var. *crenulata* 147
 cryptantha 147
 curvipes 147

- distans* 93, 148
egena 319
floribunda 528, 530, 531, 533, 535, 541, 543
fremontii 148
geraniifolia 108, 148
heterophylla ssp. *virgata* 530, 531, 533, 535, 540, 542, 544, 545
imbricata 319
ivesiana 100, 148
ixodes 528, 530, 531, 533, 535, 541
lemmonii 148
longipes 319
lyonii 528, 530, 531, 533, 535, 541–543
magellanica 528, 541
neglecta 148
oreopola ssp. *simulans* 530, 531, 533, 535, 537, 542, 544
pachyphylla 148
pedicellata 148, 528–531, 533, 535, 541, 542
perityloides 148, 243
 var. *jaegeri* 148
phyllomanica 528, 530, 531, 535, 541
pulchella var. *gooddingii* 102, 108, 148
ramosissima 528, 530, 531, 533, 535, 538, 541, 542, 544
rotundifolia 148
vallis-mortae var. *vallis-mortae* 148
- Phacelieae** 359
Phaenocoma 392
Phalaris 455
 caroliniana 468
Phellinaceae 509
Philadelphus microphyllus ssp. *stramineus* 87, 89, 166, 231
Philonthus 360, 361, 366, 369, 374
Philopteridae 367
Phlebocalymma 512
Phleum 224
Phlox 224, 512, 563, 565, 568, 569
 diffusa 551, 554, 569–571
 viridis ssp. *compacta* 91, 159
Phoenicoseris 393, 423, 424
Pholisma arenarium 100, 101, 108, 150, 247
Pholistoma 92, 98
 membranaceum 148, 323
Phoradendron 231
 californicum 101, 104, 170
 juniperum 87
 ssp. *juniperum* 89, 170
Phragmites 105
 australis 104, 177, 249, 254
Phyllachne 37
Phyllodoce 224
 breweri 226, 228
Physalis 92
 crassifolia var. *crassifolia* 169
 hederaefolia var. *cordifolia* 169
Physaria chambersii 101, 107, 133, 243
Physopsis lachnostachys 21, 22, 26, 29
Phytochemistry: Crossosoma 266
Piestinae 366
Pigments, floral: Crossosoma 266
Pilostyles thurberi 244
Pilularia americana 452, 455, 456
Pinaceae 115
Pinus 200
 albicaulis 224, 226
 attenuata 59
 balfouriana 224, 226
 contorta var. *murrayana* 224, 226, 230, 231
 edulis 87, 323
 flexilis 224–226, 228, 334
 jeffreyi 59, 228, 231, 233, 234, 330, 334, 336, 339
 lambertiana 231
 longaeva 224–226
 monophylla 85, 87, 89, 102, 108, 115, 170, 228, 231, 233, 234, 238
 ponderosa 59, 233
 var. *scopolorum* 233
 quadrifolia 234
Piperaceae 298
Pittosporaceae 311, 509, 510
Pittosporum 311, 436
Pityrodia 20, 29
 bartlingii 21, 22, 26, 28
 jamesii 20, 21, 27, 29, 30
 lanceolata 20, 22, 27–30, 32
 lanuginosa 20, 22, 29
 oldfieldii 22, 29, 30, 32
Pityrogramma 92, 243
 triangularis var. *maxonii* 114
Plagiobothrys arizonicus 131
 jonesii 131
 undulatus 458, 459
Planeustomus 366
Plantaginaceae 157, 462, 510
Plantago bigelovii ssp. *californica* 462, 463
 fastigiata 157
 insularis var. *fastigiata* 157
 major 157
 purshii var. *oblonga* 91, 157
Plant Communities 84, 219
 tabulation, transmontane southern California 223
Alkali Meadow and Aquatic 223, 254
Alkali Sink Scrub 223, 253
Alkaline Scrub and Meadow 223, 251
Allscale Scrub 223, 252
Alpine Fell-field Cushion 223
Aspen Woodland 223, 228
Blackbush Scrub 92, 93, 95, 96, 111, 223, 238
Bristlecone Pine Woodland 223, 224
Crosote Bush Scrub 92, 93, 95, 96, 98, 101, 111, 223, 244
Desert Calcicolous Scrub 96, 101, 111, 223, 242
Desert Chaparral 223, 240
Desert-holly Scrub 223, 252
Desert Microphyll Woodland 223, 247
Desert Oasis Woodland 104, 111, 223, 249
Desert Psammophytic Scrub 98, 111, 223, 246
Desert Riparian Woodland 223, 249
Desert Rupicolous Scrub 223, 242
Desert Scrub 223, 242
Desert Wash Scrub 100, 101, 111, 223, 246
Fourwing Saltbush Scrub 223, 252
Freshwater Meadow, Marsh, and Aquatic 223, 234
Great Basin Sagebrush Scrub 223, 237
Gypsicolous Scrub 102, 111, 223, 253
Hopsage Scrub 223, 252
Joshua Tree Woodland 92, 93, 95, 96, 105, 111, 223, 240
Juniper-Sagebrush Scrub 89, 111
Lake, Pond, and Quiet-stream Aquatic 223, 236
Limber Pine Forest 223, 226
Lodgepole Pine Forest 223, 226
Low-desert Woodlands 223, 247
Lower Montane 223, 233
Mixed Desert Scrub 91, 92, 96, 111, 223, 243
Montane Forests and Woodlands 223, 230
Mountain Juniper Woodland 223, 230
Mountain Meadow 223, 236
Mountain Riparian Woodland 223, 233
Mountain Sagebrush Scrub 223, 237
Pigmy Sagebrush Scrub 223, 238
Pinyon-Juniper Woodland 85, 87, 89, 91, 92, 112, 223, 234
Pinyon-Juniper-Oak Woodland 88, 111
Pinyon Woodland 112

- Red Fir Forest 223, 230
 Reservoir and Tank Subaquatic 223, 237
 Ruderal Plants 105
 Sagebrush Scrub 91, 95, 111, 223, 237
 Saltbush Scrub 223, 251
 Shadscale Scrub 223, 251
 Stem-succulent (Cactus) Scrub 223, 246
 Streamside Marsh 104, 112, 223, 236
 Subalpine Woodlands and Forests 223, 224
 Transition Communities 223, 237
 Upper Montane 223, 230
 White Fir-Pinyon Woodland 85, 87, 112, 223, 231
 White Fir-Sugar Pine Forest 223, 231
 Yellow Pine Forest 223, 233
- Platanaceae** 509
Platanus racemosa 233, 249
Platychora 489
Platycodon grandiflorum 244
Platydemia 489
Platystemon californicus 157
Pleurocoronis 92, 243
plurisetia 127
Pluchea 254
sericea 104, 127, 249
Plumbaginaceae 510
Plumeriaceae 510
Poa 92, 95, 224, 236, 243
annua 177
bigelovii 177
fendleriana 88, 177, 313, 319
palustris 319
scabrella 88, 177
Poaceae 173, 180, 317–319 (as Gramineae), 468
Polemoniaceae 157, 180, 317, 405, 462, 512, 547, 548, 552, 556, 559, 561, 563, 565, 567–571
 tribe Bonplandiaceae 563
 tribe Cantuae 563
 tribe Cobaeae 563
 tribe Gilieae 563, 568
 tribe Polemonieae 563, 568
 wood anatomy 547
Polemoniales 547, 584
Polemonieae 563, 568
Polemonium, 224, 563, 567
Polyascomyces 365
Polygala 95
acanthoclada 160
fishiae 215
Polygalaceae 160, 509
Polygonaceae 160, 180, 317
Polygonum 236, 237
Polyphaga 366, 489
Polyodiaceae 113
Polypodium hesperium 113, 228
Polygonon 105, 236
australis 104, 177
monspeliensis 104, 177
Populus 228, 231
fremontii 102, 104, 249, 251
 var. *fremontii* 165
tremuloides 224, 228, 233
trichocarpa 228
Porophyllum gracile 93, 127, 247
Portulaca mundula 163
oleracea 163
Portulacaceae 162, 317, 462, 510
Potamogeton 237
crispus 318
latifolius 254
pectinatus 254
pusillus 468
Potamogetonaceae 318, 468
- Potentilla* 224, 236
 patellifera 87, 108, 164
 saxosa 164
Prenanthea exigua 93, 102, 127, 253
Prigge, B. A.
 see Thorne, Prigge, and Henrickson 71
Primulaceae 462, 510
 Pringle, C. G. 189
Prolixandromyces 1–17
 key to species 2
 corniculatus 1–3, 5, 10, 12, 13, 15, 16
 lingulatus 1–3, 5–7, 9, 12–15
 rhinoceralis 1, 2, 7, 9, 10, 12, 13, 15, 16
 tenuis 1, 2, 9, 11, 12, 13–16
 veliae 1, 2, 5, 10, 12, 13, 15, 16
Prosopis 104, 249, 254
glandulosa var. *torreyana* 104, 145, 170, 247, 249, 251, 252
 pubescens 247
Proteaceae 510, 521, 522
Prunoideae 512
Prunus 95, 242
 emarginata 233
 fasciculata 88, 89, 96, 100, 117, 164, 234, 242, 244, 247
 fremontii 242
 virginiana var. *demissa* 231, 233
Psammoechus 489
Psammoecus 489, 498
Psathyrotes annua 102, 127
 ramosissima 102, 127, 253
Pseudoecteinomyces 372
Pseudowintera 277, 281
Pseudotsuga macrocarpa 62
Psilocarphus brevissimus 455, 458, 459
tenellus 458
Psilostrophe 96, 240
 cooperi 96, 127, 244
Psoralea castorea 100, 145
Psorothamnus 240, 243
 emoryi 244
 fremontii 253
 var. *fremontii* 93, 96, 100, 102, 145
 polyadenius 252
 spinousus 100, 145, 247
Pteridaceae 113, 314
Pteropsida 113, 456
Pterospora andromedea 228, 230
Pterostegia 92
 drymarioides 162
Punicaceae 510
Purshia 234, 237, 240, 243, 409
 glandulosa 88, 89, 91, 100, 164, 234, 238, 242
 tridentata 238
Puya 617–619
 subgen. *Puya* 617, 618
 subgen. *Puyopsis* 617, 618
 alpestris 617, 618
 chilensis 618
 coerulea 618
 flocosa 618
 spathacea 618
 venusta 618
Puyopsis 617, 618
Pyrola 228, 230
Quediina 366
Quediini 366
Quedius 347, 366
 subgen. *Raphirus* 348
Quercus 234, 336, 340, 518
 agrifolia 62, 195, 334, 339–340, 603–605, 608, 610
 chrysolepis 88, 104, 113, 145, 231, 234, 249, 334, 339
 dunnii 242, 321–326

- dumosa* 335, 604
engelmannii 62, 603–605, 608, 610
kelloggii 231, 233, 330, 334, 336, 340
palmeri 321
rubra 516, 518
turbinella 88, 234, 242, 323
 ssp. turbinella 107, 145
wisizenii var. *frutescens* 316
 Quinaceae 509
 Rafflesiaceae 221
 Rafinesquia 98, 244
 californica 127
 neomexicana 127
 Raillardella 224
 Ranunculaceae 163, 464, 509, 510
 Ranunculus 224, 236, 237, 455
 aquatilis 455
 var. *capillaceus* 464, 465
 californicus *ssp. californicus* 464
 cymbalaria *ssp. saximontanus* 251
 Raphirus 348
 Receptacle: Laboulbeniales 369–371
 Resedaceae 163, 510
 Retzia 573
 Rhachomyces 370, 372
 Rhadinomyces 365
 Rhamnaceae 163, 510, 518
 Rhamnus 53, 234, 242
 californica 335, 339
 ssp. ursina 89, 163
 ilicifolia 88, 89, 108, 163
 Rhinanthaeae 472
 Rhizomyces 372
 Rhizophoraceae 512
 tribe Macariseae 512
 Rhizopodomycetes 14, 369, 372, 374
 Rhus 92, 242, 603
 laurina 62
 trilobata var. *anisophylla* 88, 89, 91, 96, 100, 117, 234
 Rhynchophoromyces 368
 Ribes 224, 236, 237, 603
 cereum 87, 166, 224, 226, 228, 231
 montigenum 224, 228
 nevadense 228, 231
 roezlii 226, 231
 velutinum 87, 166, 231
 var. *glanduliferum* 166
 viburnifolium 204, 212
 Rickia 367, 372
 Robinia *neomexicana* 104, 107, 145
 pseudo-acacia 145, 273
 Rorippa 236
 nasturtium-aquaticum 133
 Rosa 197, 198, 201, 203, 206
 subgen. *Hesperhodos* 215
 horrida 197, 202
 minutifolia 187, 199, 204, 206–209, 215, 217
 discovery and naming 187–217
 stellata 215
 woodsii 230, 233
 Rosaceae 163, 512
 subfam. *Prunoideae* 512
 Rosiflorae 584
 Rubiaceae 165, 510, 520
 Rubus 236
 parviflorus 231
 Rudbeckia 444
 laciniata 444
 trilobata 444
 Rumex 236
 crispus 162
 fueginus 251
 hymenosepalus 98, 100, 162, 246
 Ruppia 254
 cirrhosa 254
 maritima 254
 Rutaceae 165, 510
 Sabiaceae 510
 Salazaria 95, 240
 mexicana 93, 96, 100, 149, 238, 244, 247
 Salicaceae 165, 510
 Sagina *occidentalis* 461
 Salicornia 253
 Salix 191, 228, 233, 236, 249
 coulteri 231
 exigua 104, 165, 249
 gooddingii 104, 166, 249
 var. *gooddingii* 166
 var. *variabilis* 166
 hindsiana 104
 lasiolepis 102, 104, 105, 228, 249
 var. *lasiolepis* 166
 Salsola *iberica* 139
 paulsenii 139
 Salvadoraceae 510
 Salvia 92, 95, 234, 240, 243
 columbariae 149
 dorrii 238, 247
 ssp. dorrii 93, 100, 149
 mellifera 324
 mohavensis 150
 pachyphylla 88, 150
 × *S. mohavensis* 150
 Sambucaceae 509, 510
 Sambucus *caerulea* 87, 137, 231
 mexicana 137, 249
 microbotrys 228
 Samolus *parviflorus* 464
 Sandersoniomycetes 345, 346, 356, 365, 366, 368, 370, 371, 373–377
 divaricatus 346, 348, 357, 361–363, 366, 371, 375, 376
 Santa Ana Mountains, flora 603
 Tecate cypress in 59
 Santa Monica Mountains: Flora 313
 Santa Rosa Plateau, flora 449
 Southern oak woodlands on 603
 Vernal pools on 449, 451
 Santalaceae 512
 Santalum 512
 Sanvitalia *albertii* 127
 Sapindaceae 510
 Sapotaceae 510
 Sarcobatus *vermiculatus* 251–253
 Sarcococca 411
 Sarcodes *sanguinea* 228, 230
 Sarcolaenaceae 507
 Sarcostemma *cynanchoides* *ssp. hartwegii* 101, 108, 117
 hirtellum 108, 117, 247
 Sarraceniaceae 509
 Saurauiceae 509
 Saururaceae 166
 Saxifraga 236
 Saxifragaceae 166
 Scalesia 301, 302, 306, 308–312
 wood and bark anatomy 301
 affinis 301, 304, 309, 310
 aspera 302–304, 306, 308, 310, 311
 cordata 301
 crockeri 302, 304, 305, 308, 309
 helleri 302, 304, 309
 microcephala 301
 pedunculata 301, 302, 304, 307–311
 stewartii 302, 304, 306, 308, 309
 villosa 301, 302, 304, 306, 309, 310
 Scelephoromyces 365
 Schisandraceae 509

- Schismocarpus 584, 585
 Schismus barbatus 177
 Schkuhria multiflora 120
 Schoenus 254
 Schultesia 579
 Scirpus 236, 254
 americanus 251
 nevadensis 251
 pungens 251
 Sclerogogon 95
 brevifolius 107, 177
 Sclerothrix 584
 Scogin, R. Dietary observations on the red, fig-eating bat (*Stenoderma rufum*) in Puerto Rico 259
 ———. Reproductive biology of *Cheirostemon platanoides* (Sterculiaceae): I. Factors influencing nectar properties 269
 ———. Natural variation and regulation of floral ultraviolet absorption in *Coreopsis* and *Bidens* 443
 ———. Ellagitannins as ultraviolet-absorbing floral pigments in *Crossosoma californicum* 613
 ———, and E. E. Freeman. Floral pigments and nectar constituents in the genus *Puya* (Bromeliaceae) 617
 ———, and A. Tatsuno. Reproductive biology of *Crossosoma* (Crossosomataceae) 263
 Scopulophila rixfordii 101, 107, 138, 243
 Scrophularia 471, 472, 481
 Scrophulariaceae 39, 166, 180, 183, 405, 464, 471, 509, 510, 517
 tribe Antirrhineae 472
 tribe Cheloneae 472
 tribe Gratiroleae 472
 tribe Rhinanthae 472
 Scyphanthus 584
 Scyphostegiaceae 507, 510
 Scytopetalaceae 510
 Sedum 224
 niveum 87, 108, 140, 228
 praealtum 598
 spathulifolium 319
 Selaginella 224
 leucobryoides 101, 108, 113
 Selaginellaceae 113
 Selinocarpus diffusus 153
 nevadensis 102, 108, 153
 Senecio 92, 236
 aphanactis 315
 breweri 319
 cruentus 618
 douglasii var. *monoensis* 100, 127, 247
 ecuadoriensis 394
 huntii 394
 ionophyllus 226
 mohavensis 127
 multilobatus 91, 127
 Sesuvium verrucosum 254
 Setaria geniculata 177
 Shevock, J. R. Redescription and distribution of *Muilla coronata* (Liliaceae) 621
 Sibbaldia 224
 procumbens 228
 Sida 455
 leprosa var. *hederacea* 237, 254, 455, 462, 463
 Silene 224
 antirrhina 138
 californica 319
 verecunda 316
 ssp. *andersonii* 138
 ssp. *platyota* 226, 314, 318
 Simaroubaceae 168, 221, 509, 510
 Simmondsia 243
 Simmondsiaceae 221, 509
 Sinocalycanthus 427, 439
 Siparuna 574
 Siphonodontaceae 510
 Sisymbrium irio 134
 orientale 134
 Sisyrinchium 105, 236
 halophilum 171, 254
 Sitanion 95, 101, 224
 hystrix 224, 226, 237
 var. *hystrix* 177
 jubatum 177
 longifolium 87, 88, 91, 177, 238, 240
 Smeringomyces 365
 Soil: analyses 62
 chemistry 59
 testing 63
 Solanaceae 169, 405, 512, 567
 Solanum elaeagnifolium 169
 nodiflorum 169
 triflorum 169
 Solidago 105
 californica 340
 confinis 104, 128
 Sonchus 105
 asper 128
 oleraceus 128
 Sonneratiaceae 510
 Sorghum bicolor 178
 Spartina gracilis 254
 Sphaeralcea 92, 95, 243
 ambigua 96, 239, 240, 244
 ssp. *ambigua* 152
 ssp. *monticola* 152
 rusbyi ssp. *emericola* 93, 102, 107, 152, 253
 Sphaerosepalaceae 509
 Sphaleromyces 365
 Sphenopsida 113
 Sphenosciadium 236
 capitellatum 230
 Sphenostemonaceae 507
 Sporobolus 95, 101, 183
 airoides 178, 249, 254
 contractus 178
 cryptandrus 91, 178
 flexuosus 178
 Stachys albens 230
 Stachyuraceae 509
 Stackhousiaceae 507, 509
 Stanleya pinnata 253, 314
 ssp. *pinnata* 101, 102, 134
 Staphyleaceae 509
 Staphylinidae 365–368
 subfam. Aleocharinae 365, 367
 subfam. Omaliinae 365, 366
 subfam. Osoriinae 365, 366
 subfam. Oxytelinae 365–367
 tribe Deleasterini 366
 tribe Oxytelini 366
 subtribe Oxytelina 366
 subfam. Paederinae 365–367
 subfam. Piestinae 366
 subfam. Staphylininae 365–367
 tribe Quediini 366
 tribe Staphylinini 366
 subtribe Oxygina 366
 subtribe Quediina 366
 subtribe Staphylinina 366
 tribe Xantholinini 366
 subfam. Steninae 365
 subfam. Tachyporinae 365
 subfam. Trichophyinae 365
 subfam. Xantholininae 365, 366
 Staphylinina 366
 Staphylininae 365–367

- Staphylinini 366
 Stegnospermataceae 507, 509
 Stellaria 236
 Stemmatomyces 489, 490, 493, 498, 499
 anoplischii 495, 498
 Steninae 365
 Stenoderma rufum 259, 260
 Stephanomeria 92, 98
 blairii 544
 exigua 91, 93
 var. pentachaeta 128
 guadalupensis 544
 parryi 91, 128
 pauciflora 96, 128, 244
 Stercuiaceae 269, 510
 Sterigmapetalum 512
 Stichomyces 365
 Stigmatomyces 1, 14, 346, 369, 372, 374, 490, 499
 baeri 498
 virescens 499
 Stigmatomycetaceae 13, 490
 Stilbaceae 509
 Stillingia 247
 linearifolia 101, 142
 spinulosa 100, 142
 Stipa 92, 95, 224, 234, 243
 arida 101, 107, 178
 comata 178
 parishii 88, 178, 226
 pinetorum 237, 247
 speciosa 88, 98, 178, 238, 240, 244
 Stiporyzopsis × bloomeri 176
 Stottlemeyer, D. E., and E. W. Lathrop. Soil chemistry relationships of the Tecate cypress in the Santa Ana Mountains, California 59
 Stout, H.
 see Tucker et al. 321
 Strasburgeriaceae 509
 Streptanthella 98
 longirostris 134
 Strepianthus cordatus 88, 134
 Styliidiaceae 35–37, 509
 Styliidium 35, 37, 393
 adnatum 35, 37
 alsinoides 35, 37, 39
 brunonianum 35, 37
 calcaratum 35, 37
 evolutum 35–37
 floodii 35
 leptorhizum 35, 37
 mitrasacmoides 38
 nominatum 38
 Stylobasiaceae 510
 Stylocline micropoides 128
 Styraceae 509
 Suaeda 253
 torreyana 104, 130, 252
 var. ramosissima 139
 Surianiaceae 510
 Swallenia alexandrae 244, 246
 Swertia 579
 Symbolanthus 573, 574, 581
 anomalus 574–576, 579, 581
 Sympetaleia 583, 584
 Symphoricarpos 237
 longiflorus 87, 89, 91, 137, 231
 parishii 234
 Symplectromyces 345, 346, 356, 360, 365, 366, 368, 370, 371, 373–377
 vulgaris 346, 347, 356–359, 361, 363, 366, 370, 373, 375–377
 Symplocaceae 509
 Sympodomyces 370, 372
 Synandromyces 372, 489–493, 495, 496, 498, 499
 key to species 492
 amarygmi 489, 492, 493, 498
 floriformis 489, 492
 geniculatus 489, 492, 493, 498
 javanus 489, 492, 493
 peltoides 489, 492, 493, 495, 498
 platydemae 489, 492, 493, 498
 psammoechi 489, 490, 492, 495, 498, 501
 telephani 489, 490–492, 495, 496, 498, 499, 501, 502
 trichogyne development 489, 499
 tomari 489, 492
 Synaptomyces 373
 Syncotly 37
 Syntrichopappus 92, 98, 244
 fremontii 128
 Tachyporinae 365
 Talinum guadalupensis 598
 Tamaricaceae 510
 Tamarix 251, 254
 ramosissima 104, 105, 249
 Taraxacum 236
 officinale 128
 Tasmania 286–288
 piperita 287
 Tatsuno, A.
 see Scogin and Tatsuno 263
 Tauschia hartwegii 319
 Tectona 19, 28, 29
 Telephanus 489, 490, 496, 498
 brontoides 496, 499
 cribratus 496, 502
 lecontei 496
 paradoxus 496
 strictus 496
 velox 490
 Tenebrionidae 489, 492, 493
 Tenebrionioidea 489
 Teratomyces 345, 346, 356, 361, 365, 366, 368–371, 373–377
 actobii 366, 369
 atanygnathi 366
 brevicaulis 366, 369
 insignis 366, 375
 mirificus 346, 347, 357, 359–361, 366, 369, 373, 375, 376
 philonthi 361, 366, 369, 373, 374, 376
 petiolatus 366, 375
 quedianus 366
 zealandicus 366
 Teratomycetaceae 345, 377
 Tetracoccus hallii 251
 Tetradyimia 92, 95, 234, 237, 240, 253
 argyrea 88, 128
 axillaris 128, 238
 canescens 88, 128, 234
 glabrata 238, 252
 spinosa var. longispina 93, 128
 stenolepis 128
 Tetrameristaceae 510
 Tetrandromyces 365
 Tettigomyces 367
 Thamosma 92, 240, 243
 montana 93, 96, 165, 238, 244
 Theaceae 509
 Thelypodium lasiophyllum var. utahense 132
 Thorne, R. F. The desert and other transmontane plant communities of southern California 219
 ———, B. A. Prigge, and J. Henrickson. A flora of the higher ranges and the Kelso Dunes of the eastern Mojave Desert in California 71
 see Lathrop and Thorne 449
 Thymelaeaceae 510

- Thysanocarpus 88
 curvipes var. *eradiatus* 134
 laciniatus var. *laciniatus* 134
 Tidiestromia oblongifolia 102, 116, 252, 253
 Tiliaceae 510
 Tiquilia 246
 canescens 93, 131, 253
 plicata 100, 131
 Tofieldia 236
 Tomarus 489
 Toramus 489
 Torilis nodosa 317
 Tovariaceae 507, 510
 Tradescantia reflexa 618
 Tragia ramosa 142
 stylaris 101, 142
 Tremandraceae 510
 Trenomyces 367, 375
 Tribulus terrestris 171
 Tricardia watsonii 102, 149, 253
 Trichogyne 489, 490
 Acompsomyces 490, 495
 Hesperomyces 499
 Stemmatomyces 490, 498
 Stigmatomyces 498
 Syndromomyces 489, 490, 495, 498, 499
 Trichophyinae 365
 Trichoptilium incisum 108, 128
 Tridens muticus 101, 178, 243
 Trifolium 224, 236
 Triglochin concinnum var. *debile* 254
 Trigoniaceae 509
 Trisetum 236
 Tritoleia 622
 Trixis 243
 californica 108, 129
 Trochoideomyces 372
 Tubiflorae 583
 Tucker, J. M., G. L. Holstein, H. Stout, and N. Havlik.
 Another range extension for *Quercus dunnii* in
 central California 321
 Turneraceae 509
 Turricula 397, 529, 533, 536, 537, 539, 541, 543
 parryi 528–531, 533, 535–538
 Typha 105, 236, 249
 domingensis 104, 180, 249, 254
 Typhaceae 180
 Ulmaceae 170, 221, 510, 516
 Ulmus americana 508, 516, 517, 519
 Umbelliferae 317
 Upuna 512
 Urtica dioica ssp. *holosericea* 104, 170, 230, 233, 249
 holosericea 170, 230
 Urticaceae 170, 510
 Valeriana glauca 414, 415, 418, 421, 422
 Valerianaceae 413, 414, 422, 423, 510
 wood anatomy 413
 Vatica 512
 Velia 1–3, 6, 10
 virtutis 12
 Veliidae 1, 6, 10, 12
 Ventura County, flora 313
 Veratrum 236
 Verbena bracteata 170, 237
 gooddingii 91, 107, 170
 Verbenaceae 19, 28, 170, 306, 405, 510, 567
 Vernal pools 449
 Veronica 236
 americana 104, 168
 anagallis-aquatica 168
 peregrina 455
 ssp. *xalapensis* 464, 466
 Vessels: grouping in dicotyledon wood 505
 Viguiera 92, 243, 247
 deltoides var. *parishii* 129
 multiflora var. *nevadensis* 91, 129
 Viola 236
 Violaceae 510
 Violales 583, 597
 Viscaeeae 170, 510
 Vitaceae 510
 Vitex lucens 306
 Vitis girdiana 233
 Vochysiaceae 510
 Vulnerability 21, 32, 49, 299, 421
 Calycera 421
 Centranthus 421
 Chloanthaceae 32
 Eriodictyon 409, 410
 Hydrophyllaceae 530, 539
 Keckiella 49
 Loasaceae 586, 600
 Patrinia 421
 Polemoniaceae 551, 569
 Valeriana 421
 Vulpia 88, 95, 101
 microstachys var. *pauciflora* 178
 myuros 178
 octoflora 178
 Washingtonia filifera 195, 233, 249, 251
 Wedelia 291
 Werclea 508
 Wigandia 397, 401, 512, 527, 529, 531, 533–535, 537, 539,
 541–543
 caracasana 527, 530, 534, 541
 crispa 527, 530, 534, 537
 kunthii 527, 530, 537
 reflexa 527, 530
 urens 527
 Winteraceae 277, 283, 287, 288
 Wislizenia refracta 254
 Wood anatomy:
 Antirrhinum 471
 Asteraceae 291, 301, 383
 Calycanthaceae 427
 Calycanthus 429–432
 Calycera 415
 Calyceae 413
 Castilleja 471
 Centranthus 415
 Chimonanthus 432–433
 Chloanthaceae 19
 Crepidiastrum 383, 385–394
 Darwinothamnus 291
 Dendrocalia 383, 385–394
 Eriodictyon 397
 Exospermum 279
 Galvezia 471
 Gentianaceae 573
 Hydrophyllaceae 397, 527
 Idiospermum 434
 Keckiella 39
 Lecocarpus 291
 Loasaceae 583
 Macraea 291
 Mimulus sect. *Diplacus* 471
 Patrinia 417
 Polemoniaceae 547
 Scalesia 301
 Scrophulariaceae 39, 471
 Valeriana 417
 Valerianaceae 413
 Winteraceae 277
 Woodsia oregana 87, 113, 228
 scopolina 228
 plummerae 106, 113

- Wyethia mollis 238
Xanthium strumarium 129
 var. canadense 129
Xantholininae 365, 366
Xantholinini 366
Ximenia 512
Xylorhiza 92
 tortifolia 96, 129
Yabea microcarpa 118
Yucca 91, 95, 197, 234, 240, 243, 244
 baccata 95, 238, 323
 var. baccata 88, 93, 107, 173
 var. vespertina 173
 brevifolia 95, 234, 238, 240, 253
 var. jaegeriana 93, 95, 107, 173
 schidigera 92, 93, 96, 98, 173, 240, 243
Zannichellia 455
 palustris 237, 251, 254, 455, 468
Zannichelliaceae 468
Zauschneria garrettii 155
Zeugandromyces 365
Zeximenia 291
Zigadenus brevibracteatus 98, 173
Zizyphus 243
 obtusifolia var. canescens 249, 251
Zodiomyces 368, 370, 373
Zuill, H. A.
 see Lathrop and Zuill 603
Zygogynum 279, 283, 285, 286
 bicolor 279
Zygophyllaceae 171, 221, 509, 512

RANCHO SANTA ANA BOTANIC GARDEN

Founder

Susanna Bixby Bryant

Trustees

Ernest A. Bryant III

Chairman

Henry M. Duque

Judith B. Friend

Oscar T. Lawler

Edward A. Landry

Staff

Thomas S. Elias, Ph.D.

Director

Lee W. Lenz, Ph.D.

Director Emeritus

Linda Aberbom

Plant Propagator

Beatrice M. Beck, M.S.L.S.

Librarian

Richard K. Benjamin, Ph.D.

Mycologist and Editor

Betty Brunstad

Secretary

Bonnie Busenberg, M.S.

Supervisor, Education Program

Sherwin Carlquist, Ph.D.

Plant Anatomist

Cheryl Crowder, Ph.D.

Postdoctoral Fellow

John Dourley

Director of Horticulture

James Henrickson, Ph.D.

Research Associate

Reid Moran, Ph.D.

Research Associate

Lydia Newcombe, B.A.

Research Assistant

Deborah L. Kama

Research Assistant

Ronnie Scogin, Ph.D.

Experimental Taxonomist

Guy Steenhuizen

Superintendent

Robert F. Thorne, Ph.D.

Taxonomist and Curator of the Herbarium

Walter Wisura

Curator of Living Collections

Kay L. Tomlinson, Ph.D.

Herbarium Manager and Assistant Curator