

Aliso: A Journal of Systematic and Floristic Botany

Volume 9 | Issue 4

Article 7

1980

Back Matter 9 (4)

Follow this and additional works at: <https://scholarship.claremont.edu/aliso>

Recommended Citation

(1980) "Back Matter 9 (4)," *Aliso: A Journal of Systematic and Floristic Botany*. Vol. 9: Iss. 4, Article 7.
Available at: <https://scholarship.claremont.edu/aliso/vol9/iss4/7>

Errata, Volume 9, Aliso

- p. 67, l. 12: *Linanthus* not *Linathus*.
p. 95, legend: *giganteum* not *giganteium*.
p. 97, l. 3 of legend: *californica* not *californicus*.
p. 134, l. 6: Anastasiou not Anastasious.
p. 134, l. 11: Compositae not Compositate.
p. 134, l. 5 from bottom: Cactoideae not Cactoidae.
p. 166, l. 4 from bottom: sections not section.
p. 187, Table under Fabaceae: Mimosoideae not Mimiosoideae.
p. 190, l. 14 from bottom: Richard Beeks not Richard Straw.
p. 193, l. 6: *Hypericum formosum* H.B.K. subsp. *scouleri* (Hook.) Thorne.
New combination already made by C. L. Hitchcock (Vasc. Plants Pacif. N.W. 3:434. 1961).
p. 194, l. 4 from bottom: *officinalis* not *officinale*.
p. 195, l. 4: *rediviva* not *redivivum*.
p. 195, l. 10 and 11: *officinalis* not *officinale*.
p. 205, l. 14: *olivaceus* not *olivaceous*.
p. 207, last line: *Wolffiella* not *Wolfiella*.
p. 213, l. 17: *Psilocarpus* not *Psilocarpus*.
p. 213, l. 18: *undulatus* not *undulatum*.
p. 214, l. 12: *Wolffiella* not *Wolfiella*.
p. 214, l. 23: *Brodiaea* not *Broadiaea*.
p. 243, l. 4 from bottom: *gambelii* not *gambellii*.
p. 244, l. 8 from bottom: *frutescens* not *frustescens*.
p. 257, l. 23: *olivaceus* not *olivaceous*.
p. 279, Title: Wood not Woody.
p. 281, Table, l. 1: *Nopalea* not *Napalea*.
p. 299, l. 4: *Opuntiae* not *Opuntieae*.
p. 327, Table, l. 9: *paleacea* not *paleaceae*.
p. 341, l. 7: *Bruniaceae* not *bruniaceae*.
p. 379, l. 5; p. 386, l. 25; p. 393, l. 29, 33, 38; p. 395, legend, l. 7; p. 396, l. 1 and l. 4 from bottom; p. 406, l. 11: change the orthographically incorrect *polhemusii* to *polhemi*.
p. 421, l. 3–4: delete the comma after *schizanthum*.
p. 492, l. 16: *greggii* not *greggi*.

INDEX TO VOLUME 9, ALISO

Includes authors, titles, and other subject matter as well as all plant and animal taxa appearing in the scientific papers. New taxa and the pages where published are in italic type. An attempt has been made to correct scientific names misspelled in the text. Volume 9, No. 1, includes a separate subject index.

- Abronia* 135, 567, 570–572, 574–578
alpina 567, 568, 571, 572, 575–578
latifolia 567, 568, 570–572, 575–577
maritima 567, 568, 570–572, 575–578
nana ssp. *covillei* 567, 568, 570–572, 575–578
pogonantha 567, 568, 570–572, 575–578
turbinata 567, 568, 570–572, 575–577
villosa 249, 567, 568, 570–572, 576–578
 var. *aurita* 249
Absidia 164
Acacia 429
 decurrens 241
 greggii 492
Acalypha 558
 californica 120, 556, 558
Acalyphoideae, subfam. of *Euphorbiaceae* 556, 558
Acanthaceae 454
Acer macrophyllum 207, 223
Aceraceae 223
Achillea millefolium 225
 var. *californica* 225
Actinomortierella, sect. of *Mortierella* 166, 167
Adenostoma fasciculatum 203, 204, 207, 209, 251, 257
Adiantum capillus-veneris 221
 jordanii 221
Aeschynomene 539
Aesculus californica 115
 parryi 121
Agathis palmerstonii 503
Agave deserti 66
Ageratina adenophora 225
Agoseris grandiflora 226
 heterophylla 226
 retrorsa 226
Agropyron elongatum 269
Agrostis diegoensis 269
 exarata 269
 semiverticillatus 269
 tenuis 269
Ailanthus altissima 262
 giraldii 556
Aleocharinae, subfam. of *Staphylinidae* 401
Algarobia, sect. of *Prosopis* 483, 484, 486–489, 491–495
Allium 106
 fimbriatum 466
 var. *fimbriatum* 376
 monticola ssp. *keckii* 214, 268
 peninsulare 268
 praecox 268
Allophyllum glutinosum 252
Alnus rhombifolia 207, 216, 232
Alopecurus howellii 213, 269
Alpina, sect. of *Mortierella* 166, 167
Alsinoides, subgen. of *Stylidium* 457
Amaranthaceae 223, 556
Amaranthus albus 223, 556
 californicus 223
 caudatus 556
 hybridus 223
Ambigua, sect. of *Mortierella* 166
Ambrosia acanthicarpa 226
psilostachya var. *californica* 226
Amorpha californica 213, 241
 fruticosa 241
 var. *occidentalis* 241
Amorphomyces 379, 401–408
 biformis 405
 falagriae 404, 405
 obliqueseptatus 402
Amphibicorizae 379, 380
Amsinckia intermedia 232
 menziesii 233
Anacardiaceae 135, 223
Anagallis arvensis 255
 minima 213, 255
Anatomy:
 Abronia roots 567
 Bruniaceae 323
 Cactaceae 279
 Crossosoma 179
 Forsellesia 179
 wood 499
Andersonia, subgen. of *Stylidium* 418, 421, 433, 443, 457, 459
Andropogon glomeratus 270
Anemopsis californica 220, 259
Angiospermae 107, 223
 superorder *Rosiflorae* 325
Anogeissus 508
Anogra, subgen. of *Oenothera* 135
Antennaria dimorpha 376, 466–468, 470
Anthemideae, tribe of *Asteraceae* 564
Anthemis cotula 226
Anthicidae 401
Anthocoridae 380
Anthocyanin 174, 185:
 Apachera 481, 482
 Crossosoma 174, 185, 482
Antidesma venosum 556
Antirrhinum coulterianum 260
 kelloggii 260
 nuttallianum 260
Antiserum: *Simmondsia* 555–557
Apachera 171, 172, 175–177, 179, 185, 481, 482
 chiricahuensis 177, 481
 biochemistry of 481
Apiaceae 224
Apiastrum angustifolium 224
Apium graveolens 211, 224
Apocynaceae 223
Apocynum cannabinum 223
 sibiricum var. *salignum* 223
Aquamortierella 164, 165
 elegans 165
Arabis glabra 233
 parishii 376, 466–468, 470
Araceae 265
Aralia californica 224
 spinosa 503, 507
Araliaceae 224

- Araucaria araucana* 503
cunninghamii 503
montana 503
 Araucariaceae 503
Arbutus menziesii 120, 213, 240
texana 517, 520
Arctostaphylos 62, 111, 136, 137, 202, 515, 527
 cultivars:
 'Emerald Carpet' 136
 'Festival' 136
 'Greensphere' 136
 'Havens Neck' 136
 'Indian Hill' 136
 'Ophio-viridis' 137
 'Point Reyes' 137
 'Sandsprite' 137
 'Sea Spray' 137
 'Winterglow' 137
auriculata 512, 513
glandulosa 203, 205, 206, 240
glauca 203, 207, 240
Arenaria douglasii 236
pusilla var. *diffusa* 376
ursina 376, 377, 466–471, 473
Argemone corymbosa 67
munita ssp. *robusta* 211, 251
platyceras 68
Argyroxiphium 539
Ariocarpus 134
Aristida adscensionis 270
 var. *modesta* 270
Arnica discoidea 213, 226
Artemisia 465, 519, 521, 527, 528
californica 202, 204, 226
douglasiana 226
dracunculus 226
filifolia 519, 525
nova 466, 467, 471
spinescens 510, 513, 528
tridentata 465, 519, 524, 525, 528
 ssp. *tridentata* 214, 226, 375, 377
Arundo donax 270
 Asclepiadaceae 223
Asclepias californica 224
eriocarpa 224
fascicularis 224
 Aspidiaceae 219
Aspidotis californica 221
 Aspleniaceae 220
Asplenium vespertinum 220
Aster spinosus 528
 Asteraceae 225, 335, 460, 526, 527, 530, 533, 539, 564
 tribe Anthemideae 564
 tribe Heliantheae 539, 564
 subtribe Helianthinae 564
 tribe Tageteae 564
Astragalus 96
brauntonii 214, 241
didymocarpus ssp. *didymocarpus* 241
gambelianus 241
pomonensis 241
purshii 466
 var. *lectulus* 377, 468, 470
trichopodus ssp. *antiselli* 214, 241
 ssp. *leucopsis* 217, 241
Athyasnanus pusillus 233
 Atriplex 526
canescens ssp. *canescens* 237
lentiformis ssp. *breweri* 217, 238
semibaccata 238
serenana 238
 var. *dauidsonii* 217, 238
Audonia 345, 349
capitata 325, 326, 330, 331, 333, 343, 345, 347, 349, 351,
 357, 359
Avena barbata 270
fatua 270
Azolla filiculoides 207, 220, 222
Baccharis 138, 239
 cultivars:
 'Twin Peaks #1' 138
 'Twin Peaks #2' 138
emoryi 226
glutinosa 226
pilularis ssp. *consanguinea* 226
viminea 226
Baileya multiradiata 69
 pleniradiata 69
 Balanopaceae 534
Balanops 535
 australiana 535
 pancheri 535
Baptisia 494
Barbarea orthoceras 233
 Basilares, series of subgen. *Opuntia* 281
Bebbia juncea 214, 226
Beloperone 454
 Belostomatidae 380
 Benjamin, R. K. *Gamsiella*, a new subgenus of *Mortierella*
 (*Mucorales: Mortierellaceae*) 157
 ——— *Laboulbeniales* on semiaquatic Hemiptera. III. *Rhi-*
 zopodomyces 379
 Berberidaceae 232
Berberis 138
 cultivar:
 'Golden Abundance' 138
 nevinii 59
Berzella 343, 345, 347
abrotanoides 325, 326, 331, 338, 341, 347, 351, 359
burchellii 325, 326, 341, 347, 351, 359
commutata 324–326, 343, 347, 357
cordifolia 325, 326, 331, 333, 346, 347, 351, 359
ecklonii 326, 332, 341, 347, 351, 359
galpinii 326, 341, 347, 351, 359
intermedia 326, 341, 347, 351, 359
lanuginosa 324–326, 338, 343, 347, 351, 357, 359
rubra 326, 329, 338, 341, 347, 351, 359
squarrosa 326, 341, 347, 351, 359
 Betulaceae 232
Bidens ferulaefolia 563
 laevis 226, 562, 563
 pilosa 227
 Bignoniaceae 232
 Biochemistry:
 Apacheria 481
 Crossosomataceae 185, 481
 Prosopis 493
 Biogeography: *Stylidium* 457
 Blechnaceae 220
Blennosperma nanum 227
Blepharocarya 416
Bloomeria crocea ssp. *crocea* 268
Boisduvalia densiflora 250
 Boraginaceae 191, 232
Boronia lanuginosa 429
Bothriochloa barbinodis 270
Bouteloua gracilis 377, 466, 468
Bowlesia incana 224
Boykinia rotundifolia 214, 259
Brachychiton populneum 263
Brasilopuntia 279
Brassica geniculata 233
 juncea 233
 kaber 234
 var. *pinnatifida* 234

- nigra 234
 rapa ssp. sylvestris 234
- Brassicaceae 233
- Brayton, R. D., and B. Capon. Productivity, depletion, and natural selection of *Salvia columbariae* seeds 581
- Brickellia californica 227
- Brihamia 540
- Brodiaea filifolia 213, 268
 jolonensis 268
 orcuttii 213, 214, 268
 terrestris ssp. kernensis 268
- Bromus arenarius 270
 carinatus 270
 diandrus 270
 grandis 270
 madritensis 270
 molliformis 270
 mollis 205, 270
 pseudolaevipes 270
 rubens 270
 tectorum 270
 trinii 270
- Brunia 343, 345, 347
 albiflora 326, 347, 359
 alopecuroides 326, 331, 341, 347, 351, 359
 laevis 325, 334, 341, 345, 347, 351, 359
 nodiflora 326, 331, 333, 336, 351, 355, 359
 stokoei 326, 331, 334, 341, 347, 351, 359
- Bruniaceae 323-364, 510
- Buddleia utahensis 69
- Bugs, semiaquatic 379-380
- Burmanna coelestis 433
- Buxaceae 555, 556
- Buxus microphylla 556
 sempervirens 556
- Byblis liniflora 311
- Cactaceae 111, 134, 235, 279-307, 530, 556
 subfam. Cactoideae 134, 279, 298, 301, 303, 304
 subfam. Opuntioideae 279, 301-303, 578
- Cactoidae, subfam. of Cactaceae 134, 279, 298, 301, 303, 304
- Caffeic acid 187:
 Apacheria 482
 Crossosoma 482
- Calandrinia ciliata 255
 var. menziesii 255
- Calendula 564
- Callitricheaceae 235
- Callitriche heterophylla ssp. bolanderi 211, 235
 longipedunculata 235
 marginata 213, 235
- Calochortus albus 268
 catalinae 76, 268
 invenustus 268
 splendens 268
 weedii 268
 var. intermedius 76
 var. weedii 214
- Calodendron capense 504, 507
- Calycadenia tenella 227
- Calycanthus occidentalis 525
- Calyptridium monandrum 255, 556
- Calystegia macrostegia ssp. arida 238
 ssp. cyclostegia 217, 238
 ssp. longiloba 238
- Calythrix 429
- Camissonia bistorta 250
 californica 250
 hirtella 250
 ignota 250
 micrantha 250
- Campanulaceae 236, 540
- Canella alba 333
- Canotia holocantha 183
- Capon, B., G. L. Maxwell, and P. H. Smith. Germination responses to temperature pretreatment of seeds from ten populations of *Salvia columbariae* in the San Gabriel Mountains and Mojave Desert, California 365
 see Brayton and Capon 581
- Caprifoliaceae 236
- Capsella bursa-pastoris 234
- Cardamine californica 234
- Cardaria draba 234
- Carex 211
 alma 265
 barbarae 214, 265
 densa 214, 265
 praegracilis 265
 schottii 214, 265
 senta 265
 spissa 265
 triquetra 265
- Carica candamarcensis 540
- Carlquist, S. New species of Stylidium, with comments on evolutionary patterns in tropical Stylidiaceae 308
 ——— Wood anatomy of Bruniaceae: correlations with ecology, phylogeny, and organography 323
 ——— Stylidium in Arnhem Land: new species, modes of speciation on the sandstone plateau, and comments on floral mimicry 411
 ——— Further concepts in ecological wood anatomy, with comments on recent work in wood anatomy and evolution 499
- Carnoya 164
- Carpenteria californica 333
- Caryophyllaceae 236, 556
- Castilleja affinis ssp. affinis 260
 cinerea 377, 466, 468, 470
 foliolosa 260
 martinii 260
 var. martinii 260
 stenantha 260
- Cavenicarpa, sect. of Prosopis 484, 487, 492
- Ceanothus 62, 138, 139, 202, 203, 205, 239
 cultivars:
 'Blue Buttons' 138
 'Blue Whip' 139
 'Fallen Skies' 139
 'Frosty Blue' 139
 crassifolius 205, 256
 griseus, cultivar 'Santa Ana' 139
 integerrimus 257
 leucodermis 206, 257
 var. egladulosus 510, 513
 megacarpus 59
 ssp. megacarpus 257
 oliganthus 257
 palmeri 213, 257
 papillosus ssp. roweanus 257
 var. roweanus 203, 207, 213, 257
 rigidus, cultivar 'Snowball' 139
 sorediatus 257
 spinosus 257
 tomentosus ssp. olivaceus 205, 209, 257
 verrucosus 59
- Celastraceae 171, 176, 179, 183, 527, 556
- Celastrales 555, 556
- Celastrus scandens 556
- Celtis douglasii 71
- Cenchrus longispinis 270
- Centaurea repens 227
- Centaurium venustum 245
- Centridium, subgen. of Stylidium 418, 419, 443, 457
- Cerastium glomeratum 236
 var. apetalum 236
- Ceratophyllaceae 237

- Ceratophyllum demersum* 211, 237
Cercidiphyllum 333
 japonicum 510
Cercocarpus 135, 527
 betulaefolius var. *blanchae* 193
 betuloides ssp. *betuloides* 194, 257
 ssp. *blanchae* 193
 intricatus 509, 510, 544, 547
 minutiflorus 214, 258
Chaenactis artemisiaefolia 227
 glabriuscula 227
 var. *curta* 377
Chaetopappa aurea 227
Cheilanthes clevelandii 221
 covillei 221
Chemistry:
 Crossosomataceae 185, 481
 Forsellesia 174
 Simmondsiaceae 475
 Sterculiaceae 479
Chenopodiaceae 237, 526, 556
Chenopodiales 536
Chenopodium album 238
 ambrosioides 238, 556
 berlandieri 238
 var. *sinuatum* 238
 californicum 238
 murale 238
Chilopsis linearis 214, 232
Chlorogalum parviflorum 268
 pomeridianum 268
Chorizanthe coriacea 254
 fimbriata 214, 254
 parryi 254
 var. *fernandina* 213, 254
 polygonoides ssp. *longispina* 214, 254
 procumbens 254
 statioides ssp. *statioides* 254
Chromosome numbers:
 Cactaceae 293
 Crossosoma 176
 Prosopis 483
 Salvia columbariae 369
Chrysopsis villosa 227
 var. *echioides* 227
Chrysothamnus nauseosus ssp. *consimilis* 227
Cichorium intybus 227
Cinnamosma madagascariensis 333
Cirsium californicum 227
 occidentale 227
 tioganum 227
 undulatum 227
Cistaceae 238
Cistus 503, 505, 532
 purpureus 502, 503, 516
Clarkia bottae 250
 delicata 250
 dudleyana 214, 250
 epilobioides 250
 purpurea ssp. *quadrivulnera* 250
 ssp. *viminea* 250
 rhomboidea 250
Claytonia perfoliata 255
Clematis lasiantha 256
 ligusticifolia 256
 pauciflora 256
Clethraceae 534
Climate, Santa Ana Mountains, California 201
Coleoptera 401
Collinsia childii 377
 heterophylla ssp. *heterophylla* 260
 parryi 214, 260
Columba livia 582
Comarostaphylis 190
 diversifolia ssp. *diversifolia* 192, 214, 240
 ssp. *planifolia* 191, 192
 var. *planifolia* 191
Combretaceae 508, 523, 530
Compositae 103, 134, 577
Coniferae 222
Coniferales 111
Conium maculatum 224
Connaraceae 186, 187
Consolia 279
 series of subgen. *Opuntia* 287
Convolvulaceae 238
Conyza bonariensis 227
 canadensis 227
 coulteri 227
Coptosoma 380
Cordaites 543
Cordylanthus filifolius 260
Coreomyces 379
Coreopsis gigantea 563
 grandiflora 562, 563
 pubescens 563
 stillmanii 564
Corethrogyne flaginifolia 287
Corethromyces myodochae 370
Corixidae 379
Cornales 556
Cotula australis 228
 coronopifolia 228
Coturnix coturnix 582
Cowania 135
Crassula aquatica 213, 239
 argentea 540
 erecta 239
Crassulaceae 239, 547
Crossosoma 171, 172, 174–176, 179, 182–186, 481, 482, 527
 bigelovii 174, 179–181, 186, 481
 californicum 174, 179–182, 186
Crossosomataceae 171, 172, 175–177, 179, 180, 182, 183,
 185–187, 481, 482, 527
 key to genera 175
Croton californicus 240
Crotonoideae, subfam. of *Euphorbiaceae* 556
Crucianella maritima 542
Cryptantha clevelandii 217, 233
 intermedia 233
 microstachys 233
 muricata 233
 simulans 377
Cryptocera 379
Crystals:
 Bruniaceae 347
 Crossosomataceae 183
Cucurbita foetidissima 239
Cucurbitaceae 239
Cupressaceae 191, 222, 537
Cupressus forbesii 191, 203
 guadalupensis ssp. *forbesii* 191, 209, 213, 214, 222
 ssp. *guadalupensis* 191
Curassavicae, series of subgen. *Opuntia* 282
Cuscuta californica 238
 ceanothi 238
Cyanidin-3-glucoside 185, 187:
 Apacheria 481, 482
 Crossosoma 174, 185, 482
 Forsellesia nevadensis 174
Cyanogenic glycosides 174, 186, 187:
 Apacheria 482
 Crossosoma 482
Cycloloma atriplicifolia 238
Cylindropuntia, subgen. of *Opuntia* 302, 303
 series *Imbricatae* 302

- Cymbidium 135
 Cynara cardunculus 228
 Cynodon dactylon 271
 Cyperaceae 195, 265
 Cyperus 211
 alternifolius 265
 erythrorhizos 265
 eragrostis 265
 esculentus 266
 ferax 266
 laevigatus 266
 niger 266
 var. capitatus 266
 odoratus 266
 Dactylis glomerata 271
 Darlingtonia rediviva 195
 Datis caceae 134, 239
 Datisca glomerata 239
 Datura stramonium 263
 meteloides 263
 wrightii 263
 Daucus pusillus 224
 DeBuhr, L. E. Wood anatomy of *Forsellesia* (Glossopetalon) and *Crossosoma* (Crossosomataceae, Rosales) 179
 Delphinium 454
 cardinale 10, 256
 parryi 256
 patens ssp. hepaticoideum 256
 Dendromecon rigida ssp. rigida 251
 Derby, J. A., and R. C. Wilson. Floristics of pavement plains of the San Bernardino Mountains 374
 ———, and ———. Phytosociology of pavement plains in the San Bernardino Mountains 463
 Deschampsia danthonioides 213, 271
 var. gracilis 271
 Descurainia pinnata ssp. menziesii 234
 Desmostachya 172
 Desmostachys 172
 Deutzia 532
 Dicentra chrysantha 251
 ochroleuca 213, 214, 251
 Dichelostemma pulchellum 268
 Dichotoma, sect. of *Mortierella* 166
 Dicotyledonae 223
 Dicrandromyces 379, 401–404, 406–408
 Digitaria sanguinalis 271
 Dillenia 534
 Dilleniaceae 183, 184, 186
 Dilleniaceae, series of subgen. *Opuntia* 283
 Dimeromyces 408
 Dimorphyomyces 408
 Dioicomycetes 379, 380, 401–408
 anthici 405
 bournieri 401
 endogaeus 401
 falcatus 405
 floridanus 401
 formicellae 405
 glossophorus 405
 malleolaris 405
 mesoveliae 401, 405
 myrmecophilus 401, 405
 obliqueseptatus 401
 onchophorus 405
 prominens 405
 rostellatus 405
 spiniger 405
 trinitatis 405
 umbonatus 405
 Diplacus 134, 190
 aurantiacus ssp. aurantiacus 194
 ssp. *australis* 194, 214, 261
 australis 194
 clevelandii 214, 261
 longiflorus ssp. *longiflorus* 261
 × *D. puniceus* 261
 ssp. *rutilus* 214
 puniceus 261
 × *D. aurantiacus* ssp. *australis* 261
 Diplotaxis muralis 234
 tenuifolia 234
 Dipterocarpaceae 538
 Dissophora 164
 decumbens 165
 nadsonii 165
 Distichlis spicata ssp. spicata 195
 ssp. *stricta* 195, 214, 271
 Dodecatheon clevelandii ssp. clevelandii 255
 Downingia bella 213, 236
 cuspidata 213, 236
 Draba douglasii 466
 var. *crockeri* 377, 468, 470
 Drosera 134, 443, 454
 burmannii 433
 indica 315
 leucoblasta 454
 Dryopteris arguta 219
 Dubautia 533, 537, 539
 Dudleya abramsii 377, 468
 Echeveria lagunensis 66
 Echinochloa crusgalli 271
 Echinoporum 164, 165
 transversalis 165
 Ecology 499:
 Abronia 567, 576
 Bruniaceae 323
 pavement plains 374, 463
 Eichornia crassipes 207, 275
 Elaeodendron 183
 capensis 183
 Elatinaceae 239
 Elatine brachysperma 211, 239
 californica 213, 239
 chilensis 213, 239
 Eleocharis 211
 acicularis 266
 geniculata 266
 macrostachya 266
 montevicensis 266
 var. *montevicensis* 266
 var. *parishii* 266
 radicans 266
 rostellata 266
 Ellagic acid 187:
 Apacheria 482
 Crossosoma 186, 482
 Forsellesia nevadensis 174
 Ellagitannins 174, 186, 187:
 Apacheria 482
 Crossosoma 174, 186, 482
 Ellisia 68
 Elongata, sect. of *Mortierella* 166
 Elymus condensatus 271
 glaucus ssp. *glaucus* 271
 × *macounii* 271
 triticoides 271
 Emmenanthe penduliflora 255
 Encelia californica 228
 farinosa 228
 Epacris heteronema 333
 Ephedra 510, 527, 543
 californica 508, 510
 viridis 59
 Epilobium adenocaulon 250
 var. *parishii* 250

- canum ssp. angustifolium 250
 ssp. canum 250
 ssp. mexicanum 250
 paniculatum 377
 Epipactis gigantea 269
 Equisetaceae 219
 Equisetum arvense 219
 hyemale ssp. affine 219
 laevigatum 219
 telmateia 219
 var. braunii 219
 Eremocarpus setigerus 240
 Ergalium 134
 Eriastrum densiflorum ssp. sanctorum 211, 252
 sapphirinum ssp. dasyanthum 253
 Ericaceae 135, 191, 240, 515, 529
 subfam. Monotropeoideae 135
 Erigeron aphanactis 466, 470
 var. congestus 467, 468
 divergens 228
 foliosus 228
 var. foliosus 228
 var. stenophyllus 228
 Eriocaulon 433
 Eriodictyon crassifolium 245
 trichocalyx ssp. lanatum 254
 Eriogonum davidsonii 254
 elongatum 254
 fasciculatum 97, 202, 238, 251
 ssp. fasciculatum 254
 ssp. foliosum 254
 ssp. polifolium 254
 gracile 254
 kennedyi 466, 471
 ssp. austromontanum 376, 377, 467–470, 473
 nudum ssp. saxicola 214, 254
 saxatile 254
 thurberi 254
 Eriophyllum confertiflorum 228
 multicaule 228
 Erodium cicutarium 205, 245
 moschatum 245
 obtusiplicatum 245
 Eryngium aristulatum var. parishii 211, 213, 224
 Erysimum capitatum 234
 Erythrina 539
 Eschscholzia californica 251
 var. peninsularis 251
 Espeletia 537
 Eucalyptus delegatensis 513
 Eucryphia cordifolia 504, 505
 Eucrypta chrysanthemifolia ssp. chrysanthemifolia 245
 Euonymus europaeus 556
 japonicus 183, 556
 Euphorbia 533, 542, 558
 albomarginata 240
 corrollata 556
 crenulata 240
 marginata 556
 palmeri 240
 peplus 240, 556
 polycarpa var. polycarpa 240
 serpyllifolia 240
 spathulata 240
 supina 240
 Euphorbiaceae 240, 555, 556, 558
 subfam. Acalyphoideae 556, 558
 subfam. Crotonoideae 556
 subfam. Euphorbioideae 556, 558
 subfam. Phyllanthoideae 556
 Euphorbiales 555, 556, 558
 Euphorbioideae, subfam. of Euphorbiaceae 556, 558
 Euscaphis 171
 Eustoma exaltatum 214, 245
 Evax acaulis 213, 228
 Evodia cucullata 504, 505
 Evolution: Styliidium 309, 457
 Fabaceae 186, 187, 192, 241, 523, 539, 564
 subfam. Mimosoideae 186, 187
 tribe Phaseoleae 539
 Fagaceae 244
 Fallugia 135, 527
 Festuca dertonensis 273
 megalura 273
 pacifica 273
 Fibers:
 Abronia roots 569, 574
 Cactaceae 298
 dimorphism 539
 Ficus carica 249
 Ficus-indicae, series of subgen. Opuntia 282
 Filago californica 228
 gallica 228
 Filicacae 219
 Flavonoids 174, 185, 187, 555:
 Apacheria chiricahuensis 481
 Crossosoma 481
 Forsellesia nevadensis 174
 Simmondsia chinensis 475, 476
 Floodia, sect. of subgen. Tolypangium 439
 Flora, Santa Ana Mountains, California 197
 Floral mimicry: Styliidium 411, 453
 Floristics:
 San Bernardino Mountains, pavement plains 463
 Santa Ana Mountains 197
 Flowers:
 anthochlor-pigmented 561
 petal epidermal dimorphism 561
 UV absorption 561
 Foeniculum vulgare 224
 Forestiera porulosa 503
 segregata 503
 Formica 584
 pilicornis 584
 Forsellesia 171–177, 179, 182, 183, 482, 527
 meionandra 180, 183
 nevadensis 171, 174, 177, 179–183, 509, 510
 plantierum 183
 pungens 173, 177, 183
 spinescens 173, 183
 stipulifera 180, 183
 Forstera 457
 Forsteropsis, subgen. of Styliidium 457
 Fouquieria 526
 Fouquieriaceae 134, 454
 Fragaria 140
 cultivar: 'Hybrid Strawberry #25' 140
 Fraxea parryi 245
 Fraxinus dipetala 207, 249
 excelsior 516
 velutina 207, 249
 var. coriacea 249
 Fremontia 479, 480
 californica 479
 mexicana 479
 Fremontodendron 140
 cultivars:
 'California Glory' 140
 'Pacific Sunset' 140
 'San Gabriel' 140
 californicum 119
 mexicana 120
 Fritillaria biflora 269
 Galium 542
 angustifolium ssp. angustifolium 258
 aparine 258

- nuttallii ssp. nuttallii 258
 parisiense 259
 Gallic acid 187:
 Apacheria 482
 Crossosoma 174, 186, 482
 Forsellesia nevadensis 174
Gamsiella, subgen. of *Mortierella* 157
Garrya elliptica 556
 flavescens ssp. pallida 245
 fremontii 245
 veatchii 245, 556
 Garryaceae 245, 555, 556
Gastridium ventricosum 271
Geissoloma marginatum 333
 Geissolomataceae 324, 345, 359, 361, 362
 Gelastocoridae 380
 Gentianaceae 245
 Geocarizae 379, 380
 Geology: Santa Ana Mountains, California 200
 Geraniaceae 245
Geranium carolinianum 245
 dissectum 245
 Germination: *Salvia columbariae* seeds 365
 Gerridae 380
 Gibson, A. C. Wood anatomy of *platyopuntias* 279
Gilia 134
 angelensis 253
 australis 135
 capitata ssp. abrotanifolia 253
 diegensis 377
 splendens 135
Githopsis diffusa 236
Glossopetalon 171-173, 176, 179
Glossopetalum 172, 173, 176
Glycyrrhiza lepidota 241
 var. *glutinosa* 214, 241
Gmelina 521
Gnaphalium beneolens 228
 bicolor 228
 californicum 228
 chilense 228
 luteo-album 228
 microcephalum 228
 palustre 228
 purpureum 229
Gnetum 543
Gongronella 164
Goodenia 311
 Goodeniaceae 104
Goupia 172
Grevillea 416
Greyia 526
Grindelia robusta 229
 var. *bracteosa* 229
 Growth rings 499:
 Bruniaceae 349
 classification 503
 Crossosomataceae 182
 platyopuntias 291
Grubbia 331, 333
 Grubbiaceae 324, 335, 345, 359, 361, 362
Gutierrezia 528
 bracteata 229
 Gymnocerata 379
Habenaria unalascensis 269
 Hamamelidaceae 556
 Hamamelidales 555, 556
Hamamelis japonica 556
 virginica 556
Haplopappus 528
 arborescens ssp. *parishii* 229
 linearifolius 229
 palmeri ssp. *pachylepis* 229
 pinifolius 229
 squarrosus ssp. *grindelioides* 229
 venetus ssp. *vernonioides* 229
Haplosporangium 164
 sect. of *Mortierella* 165, 167
 bisporale 165
 decumbens 165
 Hebridae 380, 401
Hebrus bilineatus 388, 395
 sp. 388, 392, 393, 396, 397
Hedypnois cretica 229
Helenium puberulum 229
 Heliantheae, tribe of Asteraceae 539, 564
Helianthemum scoparium 238, 501
 var. *aldersonii* 238
 var. *scoparium* 238
 Helianthinae, subtribe of tribe Heliantheae 564
Helianthus 564
 annuus 563, 564
 ssp. *lenticularis* 229
 gracilentus 229
 petiolaris 229
Heliotropium convolvulaceum var. *californicum* 71
 curassavicum ssp. *curassavicum* 191
 ssp. *oculatum* 191, 233
 oculatum 191
Helipterum 421
 Hemiptera 401
 semiaquatic 379, 380
Hemizonia fasciculata 229
 kelloggii 229
 paniculata ssp. *paniculata* 229
Herniaria cinerea 236
Herpocladia 164
Herpocladium 164
Herpomyces 408
 paranensis 408
 Hesperolimon micranthum 248
 Hesperomyces lasiochili 380
Heterocodon rariflorum 236
Heteromeles arbutifolia 59, 203
 ssp. *arbutifolia* 258
 Heteroptera 379
Heterotheca grandiflora 230
Hibbertia 429
Hibiscus 453
 menzeli 453
 seymonii 453
Hilaria rigida 66
 History of Rancho Santa Ana Botanic Garden 1
Holocantha emoryi 556
Holocarpa virgata ssp. *elongata* 230
Holodiscus boursieri 214, 258
 discolor ssp. *franciscanus* 214, 258
 Homoptera 379
Hordeum californicum 271
 geniculatum 271
 glaucum 271
 leporinum 271
Huchera 140
 cultivars:
 'Santa Ana Cardinal' 140
 'Susanna' 140
 'Genevieve' 140
 Hybrids:
 Arctostaphylos 136, 137
 Fremontia 479
 Fremontodendron 140
 Sitanion × *hansenii* 273
 Stipa × *Oryzopsis* 466, 468
 Hydrocorizae 379
Hydrocotyle 211
 ranunculoides 225

- umbellata 225
- verticillata 225
 - var. triradiata 225
- Hydrometridae 380
- Hydrophyllaceae 192, 245
- Hygrophila, sect. of Mortierella 166, 167
- Hypericaceae 193, 247
- Hypericum formosum ssp. formosum 193
 - ssp. *scouleri* 193, 247
 - scouleri* 193
- Hypochoeris glabra 230
- Ilex 534
- Illicium 333
- Imbricatae, series of subgen. *Cylindropuntia* 302
- Immunodiffusion 485
- Immunolectrophoresis 485
- Ipomopsis 454
- Iria 172
- Iridaceae 266
- Iridoids 186, 187
- Iris 104, 105, 172
- Isabellina, sect. of Mortierella 166
- Isoetaceae 219
- Isoetes howellii 213, 219
 - orcuttii 213, 219
- Isoflavones:
 - Fremontia* 479, 480
- Isolepis pygmaea var. californica 195
- Isoorhamnetins:
 - Simmondsia chinensis* 475–477
- Isozymes:
 - Prosopis* 492, 493
- Ivesia argyrocoma 377, 466–468, 470
- Jatropha curcas 556
- Jepsonia parryi 214, 259
- Juglandaceae 247
- Juglans 265
 - californica 214, 247
 - niger 507, 514
 - regia 247
- Juncaceae 266
- Juncaginaceae 267
- Juncus 211
 - balticus 266, 267
 - bufonius 266
 - effusus var. *pacificus* 266
 - kelloggii 213, 267
 - macrophyllus 267
 - mexicanus 267
 - oxymeris 267
 - rugulosus 267
 - sphaerocarpus 213, 267
 - textilis 267
 - torreyi 267
 - xiphioides 220, 267
- Juniperus 527
 - californica 97, 222
 - occidentalis ssp. *australis* 463
 - utahensis 66
- Justicia 454
- Keckia antirrhinoides ssp. antirrhinoides 261
 - cordifolia 261
 - ternata ssp. *ternata* 261
- Keys:
 - Crossosomataceae 175
 - Rhizopodomycetes (Laboulbeniales) 385
- Koeleria macrantha 271
- Krameria 505, 527, 528, 532
 - grayi 516, 521, 524
- Laboulbenia 380
 - flagellata 404
 - formicarum 408
- Laboulbeniales 102, 103, 379
 - Laboulbeniomycetes 103
 - Lactuca serriola 230
 - Lagophylla ramosissima 230
 - Lamarckia aurea 271
 - Lamiaceae 247, 527
 - Larrea 505, 516, 519, 526, 527, 532
 - tridentata 502, 503, 516
 - Lasthenia 561
 - chrysostoma 212, 230, 561
 - coronaria 230
 - Lathrop, E. W., and R. F. Thorne. A flora of the Santa Ana Mountains, California 197
 - Lathyrus 494
 - laetiflorus ssp. *alefeldii* 241
 - ssp. *barbarae* 214, 241
 - ssp. *laetiflorus* 241
 - splendens 120
 - Lauraceae 248
 - Laurus nobilis 517, 521
 - Layia platyglossa 12
 - ssp. *campestris* 230
 - Leguminosae 484
 - Lemna 207, 220
 - gibba 267
 - minima 267
 - trisulca 211, 267
 - Lemnaceae 267
 - Lenz, L. W. Rancho Santa Ana Botanic Garden: the first fifty years, 1927–1977 1
 - Lepechinia cardiophylla 211, 247
 - Lepidium lasiocarpum 234
 - nitidum 234
 - virginicum 234
 - var. *pubescens* 234
 - var. *robinsonii* 234
 - Lepidodendrales 543
 - Lepidospartum squamatum 216, 230, 502, 508, 528
 - Leptocarpus 416, 444
 - spathaceus 421, 429
 - Leptochloa fascicularis 271
 - uninervia 271
 - Leptodactylon californicum 501, 510, 513, 525
 - ssp. *californicum* 253
 - ssp. *glandulosum* 253
 - Leucoanthocyanidins 186, 187:
 - Lyonothamnus floribundus* var. *asplenifolius* 186
 - Physocarpus capitatus* 186
 - Levenhookia 317, 418
 - dubia 317, 459
 - leptantha 454
 - pauciflora 455
 - pusilla 459
 - Lewisia nevadensis 556
 - redivia 466
 - var. *minor* 377
 - Lilaea scilloides 213, 267
 - Liliaceae 106, 195, 267
 - Lilium bloomerianum var. *ocellatum* 195
 - humboldtii ssp. *humboldtii* 195
 - ssp. *ocellatum* 195, 269
 - Linaceae 248
 - Linanthus androsaceus ssp. *californicum* 253
 - ssp. *glandulosum* 253
 - aureus 67
 - var. *dicorus* 67
 - brevicaulis 377
 - dianthiflorus ssp. *dianthiflorus* 253
 - floribundus ssp. *floribundus* 253
 - killipii 377
 - liniflorus ssp. *pharnaceoides* 253
 - pygmaeus 253
 - Linaria canadensis 261
 - var. *texana* 261

- Linconia 343, 345, 347, 361
 alopecuroides 325, 326, 337, 351, 355, 359
 cuspidata 324–326, 337, 349, 351, 355, 357, 359, 361
 Lippia lanceolata 264
 Liquidambar styraciflua 556
 Lithophragma affine ssp. mixtum 259
 Loasaceae 248
 Lobadium, subgen. of Rhus 135
 Lobelia cardinalis ssp. graminea 236
 dunni 236
 var. serrata 236
 Loefflingia squarrosa 237
 Lolium perenne ssp. multiflorum 272
 temulentum 272
 Lomatium dasycarpum ssp. dasycarpum 225
 lucidum 225
 nevadense 466, 467
 var. parishii 377
 utriculatum 225
 Lonchostoma 338, 343, 345, 349, 361
 esterhuyseniae 326, 331, 333, 335, 340–342, 351, 355,
 359, 510
 monogyna 326, 341, 343, 351, 359
 myrtoides 325, 326, 341, 342, 345, 347, 359
 pentandrum 325, 327, 341, 345, 347, 359
 purpureum 327, 331, 333, 335, 339, 345, 351, 355, 359
 Lonocera subspicata 236
 var. johnstonii 236
 Lophophora 134
 Lotus crassifolius 241
 hamatus 242
 heermannii 242
 micranthus 242
 purshianus 242
 salsuginosus ssp. salsuginosus 242
 scoparius ssp. brevialatus 242
 ssp. scoparius 242
 strigosus 242
 subpinnatus 242
 Ludwigia peploides 211, 250
 Lupinus 190
 agardhianus 242
 albifrons 501, 525
 ssp. albifrons 192
 ssp. *eminens* 192, 242
 bicolor ssp. marginatus 242
 ssp. microphyllus 242
 ssp. umbellatus 242
 concinus ssp. concinns 242
 densiflorus ssp. *austrocollium* 192, 242
 var. austrocollium 192
 var. palustris 192
 excubitus ssp. excubitus 192
 ssp. *hallii* 192, 242
 hallii 192
 hirsutissimus 242
 latifolius ssp. parishii 242
 longifolius 243
 sparsiflorus ssp. sparsiflorus 243
 succulentus 243
 truncatus 243
 Lycium 526
 Lycopsida 219
 Lycopodium americanum 214, 247
 Lygaeidae 380
 Lyonothamnus 10
 floribundus var. asplenifolia 186
 Lythraceae 249, 530, 539, 540
 Lythrum californicum 249
 hyssopifolium 249
 Macdougalianae, series of subgen. Opuntia 282
 Macroveliidae 380
 Madia elegans ssp. elegans 230
 gracilis 230
 Magnoliaceae 521
 Mahonia dictyota 213, 232
 fremontii 66
 pinnata ssp. pinnata 213, 232
 Malacothamnus densiflorus ssp. densiflorus 249
 fascicularis ssp. fascicularis 193
 ssp. *laxiflorus* 193, 205, 209, 249
 Malacothrix clelandii 230
 glabrata 230
 saxatilis 230
 var. tenuifolia 230
 Mallotus 558
 japonica 556, 557
 Malosma laurina 223, 239
 Malva hicaensis 249
 parviflora 249
 Malvaceae 193, 249
 Malvastrum thurberi var. laxiflorum 193
 Mansonia 508
 Marah macrocarpa 239
 Marrubium vulgare 204, 247
 Marsilea vestita 211, 213, 221
 Marsileaceae 221
 Matricaria matricarioides 230
 Maxwell, G. L., see Capon, Maxwell, and Smith 365
 Meconella denticulata 251
 Medicago 494
 polymorpha 243
 sativa 243
 Melaleuca 311, 315, 416
 Melanobatus bernardinus 194
 Melastomataceae 539, 540
 Meliaceae 523
 Melica frutescens 272
 imperfecta 272
 Melilotus 494
 albus 243
 indicus 243
 Mentha 211
 cicrata 247
 spicata 247
 Mentzelia micrantha 248
 montana ssp. montana 248
 veatchiana 248
 Merragata brevis 388
 hebroides 389
 Mesoveliidae 380, 401
 Micraria 453
 Micromucor, subgen. of Mortierella 166
 Micropus californicus 230
 Microseris douglasii ssp. platycarpa 230
 heterocarpa 230
 linearifolia 231
 Microsteris gracilis 253
 Microstrobos 506
 Milla maritima 269
 Mimosoideae, subfam. of Fabaceae 186, 187
 Mimulus 211
 brevipes 261
 cardinalis 261
 diffusus 214, 261
 floribundus 261
 fremontii 261
 guttatus ssp. guttatus 261
 nasutus 261
 pilosus 262
 Minutissima, sect. of Mortierella 166
 Mirabilis californica 249
 var. californica 249
 Mirbelia spinosa 455
 Mitrasacme 420, 421, 454

- Mniothamnea** 343, 345, 347, 349
 bullata 327, 331, 333, 338, 341–343, 351, 359
 callunoides 327, 331, 341, 343, 359
Molinicarpa, sect. of *Prosopis* 484
Monardella hypoleuca ssp. *hypoleuca* 214, 247
 lanceolata 247
 macrantha ssp. *hallii* 247
 ssp. *macrantha* 247
Monochaete 172
Monochaetum 172
Monocotyledonae 265
Monotropeoideae, subfam. of *Ericaceae* 135
Montia fontana ssp. *amporitana* 213, 255
Moraceae 249
Mortierella 157
 sect. *Actinomortierella* 166, 167
 sect. *Alpina* 166, 167
 sect. *Ambigua* 166
 sect. *Dichotoma* 166
 sect. *Elongata* 166
 sect. *Haplosporangium* 165, 167
 sect. *Hygrophila* 166, 167
 sect. *Isabellina* 166
 sect. *Minutissima* 166
 sect. *Mortierella* 166, 167
 sect. *Mutabilis* 166
 sect. *Polycephala* 166
 sect. *Schmuckeri* 167
 sect. *Simplex* 167
 sect. *Spinosa* 166, 167
 sect. *Stylospora* 166, 167
 subgen. *Gamsiella* 157–168
 subgen. *Micromucor* 166
 subgen. *Mortierella* 164, 166, 168
 biramosa 167
 multidivariata 157, 158, 159, 161–163, 168
 polycephala 167
 strangulata 167
 tuberosa 167
Mortierellaceae 157
Mortonia 171, 182, 183, 527
 utahensis 179, 182, 556
Mucoraceae 164
Mucorales 102, 134, 157
Muhlenbergia asperifolia 272
 californica 214, 272
 microsperma 272
 minutissima 377
 rigens 272
Mutabilis, sect. of *Mortierella* 166
Myodocha unispinosa 380
Myosurus minimus 256
 var. *apus* 213, 256
Myrica 529
 californica 526, 535
 hartwegii 508, 510
Myricaceae 529
Myrothamnaceae 335, 361
Myrothamnus 330
 flabellifolia 333
Myrtaceae 347
Nasturtium officinale 211, 220, 234
Naucoridae 380
Naumoviella 164
Navarretia atractyloides 253
 breweri 465
 hamata 253
 intertexta 253
 prostrata 213, 253
Nebelia 343, 345
 fragarioides 327, 341, 347, 351, 359
 paleacea 325, 327, 338, 341, 344, 345, 347, 351, 359
 sphaerocephala 327, 351, 359
 stokoiei 327, 331, 333, 341, 346, 351, 355, 359
Nemophila maculata 58
 menziesii ssp. *integrifolia* 245
 ssp. *menziesii* 245
Nepidae 380
New combinations: southern California plants 189
New species: Laboulbeniales 379
 Mortierella 158
 Styldium 308, 411
New subgenus: Gamsiella of Mortierella 157
Nicotiana 95
 attenuata 263
 bigelovii 263
 var. *wallacei* 263
 glauca 263
 Nicrosteris gracilis ssp. *humilis* 377
Nolina parryi 213, 269
 ssp. *wolfii* 113, 115
Nopalea 279, 281, 299
 auberi 281, 291
 cochenillifera 281, 291, 298
Notholaena newberryi 221
Notonectidae 380
Nyctaginaceae 249, 567
Nycteromyces 408
Obregonia 134
Ocateridae 380
Oenanthe sarmentosa 225
Oenothera 71, 134
 subgen. *Anogra* 135
 caespitosa var. *marginata* 66
 californica 251
 hookeri ssp. *grisea* 251
 longissima 71
Oleaceae 249
Olearia virgata 508, 511
Onagraceae 98, 99, 101, 250, 335, 338, 347, 454
Opuntia
 subgen. *Cylindropuntia* 302, 303
 series *Imbricatae* 302
 subgen. *Opuntia* 279, 281, 302
 series *Basilares* 281
 series *Consolea* 287
 series *Curassavicae* 282
 series *Dillenianae* 283
 series *Ficus-indicae* 282
 series *Macdougalianae* 282
 series *Opuntiae* 283
 series *Palmdorae* 286
 series *Phaeacanthae* 283
 series *Piliferae* 286
 series *Polyacanthae* 286
 series *Pumilae* 287
 series *Robustae* 287
 series *Setispinae* 283
 series *Spinosissimae* 287
 series *Sulphurae* 288
 series *Tomentosae* 288
 series *Tortispinae* 283
 series *Tunae* 288
 argentina 280
 atropes 282, 292
 azurea 283
 basilaris 281, 294, 298, 303
 var. *basilaris* 214, 235
 bravoana 282
 cantabrigiensis 282, 301
 chlorotica 283
 compressa 283
 depressa 288
 drummondii 282, 290, 299

- echios var. *gigantea* 280
 erinacea 286, 290, 556
 ficus-indica 282
 fragilis 286, 292, 293, 299, 300
 humifusa 283, 290, 296, 299
 lata 283, 290
 lindheimeri 283
 var. *linguiformis* 284, 292
 littoralis var. *littoralis* 235
 var. *martiniana* 284
 macbridei 289
 macrorhiza 284, 290, 296
 var. *pottsii* 284
 microdasys 281, 298
 moniliformis 287
 nunzii 60
 oricola 217, 235
 palmadora 286, 290, 292
 pampeana 288, 294, 300
 parryi ssp. *parryi* 235
 phaeacantha 235, 556
 var. *discata* 235, 285
 var. *major* 285
 pilifera 286
 polyacantha var. *trichophora* 287, 294, 296, 298
 pumila 287, 290, 293, 302
 quimilo 289
 robusta 287
 rufida 281, 292, 298, 301
 sulphurea 288
 tomentosa 288
 tuna 288
 tunicata 302
 violacea var. *gosseliniana* 285, 296
 var. *macrocentra* 285, 290
 wilcoxii 282
 sp. 286
 Opuntiae, series of subgen. *Opuntia* 283
 Opuntioideae, subfam. of Cactaceae 279, 301–303, 578
 Orchidaceae 269
 Orcuttia californica 213, 272
 Oreostylidium 457
 Organography: *Bruniaceae*
Ornithostaphylos oppositifolia 120
 Orobanchaceae 251
 Orobanche bulbosa 251
 fasciculata 251
 Orthocarpus densiflorus 262
 var. *gracilis* 262
 purpurascens 262
 var. *pallidus* 262
 Oryzopsis hymenoides 467
 miliacea 272
 Osmorhiza brachypoda 225
 Oxalidaceae 251
 Oxalis albicans ssp. *californica* 251
 pes-caprae 251
 Oxytheca trilobata 255
 Paedomorphosis 540
 Paeonia californica 186, 251
 Paeoniaceae 186, 251
 Paeoniflorin 186, 187
 Paeonol 186, 187
 Palmadorae, series of subgen. *Opuntia* 286
 Pandanus 311, 414, 433
 Panicum capillare 272
 var. *occidentale* 272
 huachueae 66
 urvilleanum 66
 Papaver californicum 252
 Papaveraceae 251
 Parenchyma: *Bruniaceae* 341
 Crossosomataceae 182
 Platyopuntias 300
 Parietaria floridana 264
 hespera 264
 var. *californica* 264
 Parkinsonia 564, 565
 aculeata 521, 522, 563–565
 Paspalum dilatatum 272
 distichum 220, 272
 Pavement plains in San Bernardino Mountains:
 floristics 374
 phytosociology 463
 Pectocarya linearis ssp. *ferocula* 191, 233
 ssp. *linearis* 191
 var. *ferocula* 191
 penicillata 233
 Pedicularis 135
 densiflora 261
 Pelecyphora 134
 Pellaea andromedaefolia 221
 mucronata ssp. *mucronata* 221
 Peltophorum 172
 Peltophorus 172
 Penaeaceae 347, 357, 359
 Penstemon 135, 454
 centranthifolius 262
 heterophyllus ssp. *australis* 262
 palmeri 62
 × *parishii* 262
 spectabilis 262
 Pentaphragma 538
 Peponia 172
 Peponium 172
 Pereskiaopsis 293, 302
 Perezia microcephala 231
 Petradoria 134
 Petunia parviflora 263
 Peyritschella geminata 404
 Phacelia 68
 brachyloba 246
 calthifolia 69
 campanulata 66
 cicutaria ssp. *cicutaria* 192
 ssp. *hispidia* 192, 246
 curvipes 246
 dauidsonii 246
 distans 246
 grandiflora 246
 imbricata ssp. *bernardina* 246
 ssp. *patula* 246
 keckii 192
 minor 246
 parryi 246
 ramosissima var. *hispidia* 192
 suaveolens ssp. *keckii* 192, 211, 246
 ssp. *suaveolens* 193
 suffrutescens 246
 tenacetifolia 246
 Phaeacanthae, series of subgen. *Opuntia* 283
 Phalaris aquatica 272
 caroliniana 272
 minor 272
 Phaseoleae, tribe of Fabaceae 539
 Phlaeothripidae 401
 Pholistoma auritum 246
 Phoradendron 135
 tomentosum 264, 507, 515
 villosum ssp. *villosum* 265
 Photinia arbutifolia 59
 Phyla lanceolata 264
 Phyllachne 457
 Phyllanthoideae, subfam. of Euphorbiaceae 556

- Phylogeny: *Bruniaceae* 323, 361
Crossosomataceae 186
Prosopis 492
Physalis acutifolia 263
greenei 214, 263
Physocarpus capitatus 186
 Phytochemistry: *Apacheria chiricahuensis* 481
Crossosomataceae 185, 481
Fremontia 479
Prosopis 483
Simmondsia chinensis 475
Phytolaccaceae 556
 Phytosociology: San Bernardino Mountains, pavement plains 463
Pickeringia montana ssp. *tomentosa* 243
Picris echioides 231
 Pigments: anthochlor 561
 Piferae, series of subgen. *Opuntia* 286
Pilostyles thurberi 135
Pilularia americana 213, 221
Pinaceae 222, 505, 537
Pinus 527
attenuata 203, 207, 208, 213, 222
coulteri 120, 205, 210, 215, 222, 223
jeffreyi 120, 374, 463
lambertiana 120
monophylla 97, 120, 374, 463, 471, 473
muricata 120
murrayana 120
quadrifolia 120
Pittosporaceae 362, 547, 548
Pittosporales 324, 361, 362, 556
Pityrogramma triangularis ssp. *triangularis* 221
Plagiobothrys acanthocarpus 233
arizonicus 233
californicus ssp. *californicus* 233
nothofulvus 233
tenellus 377
undulatus 213, 233
Plantaginaceae 193, 252, 533
Plantago 533
bigelovii ssp. *californica* 213, 252
erecta 252
fastigata 252
galeottiana 193
hirtella ssp. *galeottiana* 193, 252
insularis 252
lanceolata 252
major 252
purshii var. *oblonga* 377
Platanaceae 252
Platanus racemosa 120, 207, 252, 265, 526, 535
Plataspidiidae 380
Platystemon californicus 252
Plectrachne 317
Plectritis ciliosa ssp. *insignis* 264
Pleidae 380
Pluchea 211
odorata 231
purpurascens 231
sericea 231
Poa annua 272
bolanderi ssp. *howellii* 272
bulbosa 272
incurva 377, 466–468, 470
scabrella 272
Poaceae 195, 269, 453
Podocarpus blumei 531
Pogonomyrmex subnitidus 584
Polemoniaceae 93, 104, 134, 252, 454
 Pollen morphology: *Styloidium* 459
Polyacanthae, series of subgen. *Opuntia* 286
Polyandromyces 380
Polycarpon tetraphyllum 237
Polycephala, sect. of *Mortierella* 166
Polygala cornuta ssp. *fishiae* 253
Polygalaceae 253
Polygonaceae 254
Polygonum 211
aviculare 255
hydropiperoides 255
 var. *asperifolium* 255
lapathifolium 255
Polypodiaceae 221
Polypodium californicum 221
Polypogon monspeliensis 273
Polypompholyx multifida 455
Polystichum munitum ssp. *curtum* 220
Pontederiaceae 275
Populus 265
fremontii 207
 ssp. *fremontii* 259
grandidentata 523, 524
trichocarpa ssp. *trichocarpa* 259
Porophyllum gracile 231
Porrotetia sandwichensis 183
Portulaca oleracea 255
Portulacaceae 255, 556
Potamogeton 211
crispus 275
foliosus 275
pectinatus 275
pusillus 275
Potamogetonaceae 275
Potentilla glandulosa ssp. *glandulosa* 258
 ssp. *reflexa* 258
Primulaceae 255
Proanthocyanidins 174, 186:
Apacheria 482
Crossosoma 482
Prolixandromyces 380
Prosopis 483–497
 sect. *Algarobia* 483, 484, 486–489, 491–495
 sect. *Cavenicarpa* 484, 487, 492
 sect. *Molinicarpa* 484
 sect. *Strombocarpa* 484, 487, 492, 494
alba 487, 488, 491, 493
alpataco 484, 487, 488, 491, 493
argentina 484
caldenia 484, 487, 488, 491, 493
chilensis 483–489, 491–495
flexuosa 484
glandulosa 483, 492
 var. *glandulosa* 486
 var. *torreyana* 486
juliflora 483–485, 488, 491–495
laevigata 486, 492
nigra 487, 488, 491, 493
patagonica 487, 492
pubescens 487, 492
reptans 494
sericantha 484
striata 483
strombulifera 484
tamarugo 487, 492
torquata 484
Prunus emarginata 258
ilicifolia 203, 239
 ssp. *ilicifolia* 258
Pseudobaeckea 345
africana 327, 329, 331, 333, 341, 347, 348, 351, 357, 359
cordata 327, 333, 338, 341, 350, 351
Pseudotsuga macrocarpa 206, 207, 210, 214–216, 218, 222, 223
Psilocarphus brevissimus 213, 231
tenellus 231

- Psilostrophe cooperi* 71
Psoralea macrostachya 243
 orbicularis 243
 physodes 243
 Pteridaceae 221
Pteridium aquilinum ssp. *aquilinum* 221
 var. *pubescens* 221
Pterocactus tuberosus 578
Pteropsida 219
Pterostegia drymarioides 255
Pulicaria hispanica 231
Pumilae, series of subgen. *Opuntia* 287
Purshia 135, 527
Pycnanthemum californicum 247
Quercus 239, 516
 agrifolia 73, 91, 105, 115, 120, 205, 207, 211, 216, 244
 var. *oxyadenia* 244
 alba 508, 514
 borealis 514, 516
 chrysolepis 206, 207, 214, 223, 236, 244
 dumosa 203, 206, 244
 × *Q. engelmannii* 244
 engelmannii 120, 205, 211, 244
 kelloggii 247
 × *morehus* 244
 wislizenii 207, 215, 218, 244
 var. *frutescens* 244
 × *Q. kelloggii* 244
Quiabentia 303
Rafinesquia californica 231
Ranunculaceae 193, 256, 454
Ranunculus aquatilis 256
 var. *capillaceus* 256
 californicus ssp. *californicus* 256
 cymbalaria ssp. *cymbalaria* 193
 ssp. *saximontanus* 193, 256
 var. *saximontanus* 193
 hebecarpus 256
Raphanus raphanistrum 234
 sativus 234
Raspalia 338, 343, 345
 globosa 325, 327, 329, 341, 347, 350–352, 355, 359
 microphylla 325, 327, 347, 351, 353, 355, 359
 stokoei 327, 347, 359
 trigyna 324
 variabilis 327, 341, 347, 351, 353, 355, 359
 virgata 327, 331, 343, 347, 351, 359
 Rays:
 Crossosomataceae 179, 182
 platyopuntias 300
Rhamnaceae 256, 508
Rhamnus 60
 californica 525
 ssp. *californica* 257
 ssp. *cuspidata* 214, 257
 crocea 257
 ilicifolia 257
Rhizophora 517, 519, 536
Rhizophoraceae 333, 519, 535
 tribe *Rhizophoreae* 535
Rhizophoreae, tribe of *Rhizophoraceae* 535
Rhizopodomycetes 379–409
 key to species 385
 basifurcatus 379, 386, 397, 398, 400, 406
 californicus 379, 381, 385–387, 388, 389, 391, 393, 406
 erectus 379, 386, 390, 392, 393, 406
 genicalatus 379, 386, 390, 391, 392, 398, 400, 406
 merragatae 379–382, 386, 388, 389, 391, 395, 400, 406
 mexicanus 379, 386, 393, 394, 395, 406
 polhemi (as *polhemusii*) 379, 386, 393, 394, 396, 406
 sp. 385, 398, 400
Rhododendron 529
 occidentale 526, 535
Rhus 135, 202, 205
 subgen. *Lobadium* 135
 sect. *Styphonia* 135
 integrifolia 59, 119, 223
 laurina 59, 112
 ovata 59, 119, 203, 223
 trilobata 223
 var. *pilosissima* 223
Rhynchospora 416
Ribes amarum 259
 californicum ssp. *californicum* 194
 ssp. *hesperium* 194, 214, 259
 hesperium 194
 indecorum 260
 malvaceum 260
 var. *viridifolium* 205, 214, 260
 rozeli 260
 speciosum 120, 260
Ricinocarpos bowmanii 556
 pinifolius 556
Ricinus 557, 558
 communis 240, 556, 557
Rivina humilis 556
Robinia pseudo-acacia 243, 521, 522
Robustae, series of subgen. *Opuntia* 287
 Rogers, P., see Scogin and Rogers 561
Romneya coulteri 252
 trichocalyx 252
 Roots: anatomical diversity in *Abronia* 567
Roridula dentata 333
Roridulaceae 335, 345, 361
Rosa californica 258
 minutifolia 121
Rosaceae 35, 183, 184, 186, 187, 193, 257, 481, 527
 subfam. *Spiraeoideae* 186, 187
Rosales 362
Rosiflorae, superorder of *Angiospermae* 325
Rubia 172
 fruticosa 542
Rubiaceae 258
Rubus 172
 leucodermus ssp. *bernardinus* 194, 258
 ssp. *leucodermus* 194
 ursinus 258
Rudbeckia 564
 hirta 563, 564
Rumex californicus 255
 conglomeratus 220, 255
 crispus 255
 hymenosepalus 67
 salicifolius 255
Rutales 556
Sagina occidentalis 237
Saksenaea vasiformis 165
Saksenaeaceae 165
Saldidae 380
Salicaceae 259
 Salix 239, 265, 536
 goodingii 259
 var. *variabilis* 259
 hindsianus 259
 var. *leucodendroides* 259
 laevigata 207
 var. *arauquica* 259
 lasiolepis 259
Salsola iberica 238
Salvia 238
 apiana 202, 204, 247
 clevelandii 214, 247
 columbariae 365–373, 581–587
 seeds 365, 381
 ssp. *columbariae* 248

- leucophylla 214, 248
 mellifera 202, 248
 Salviniaceae 222
 Sambucus caerulea 236
 mexicana 236
 Samolus parviflorus 256
 San Bernardino Mountains:
 floristics of pavement plains 374
 phytosociology of pavement plains 463
 Sanicula arguta 225
 bipinnatifida 225
 crassicaulis 225
 graveolens 225
 tuberosa 225
 Santa Ana Mountains, California, flora 197
 Santalaceae 362, 523
 Sapindaceae 362
 Sapium 558
 sebiferum 556, 557
 Saponins 174, 186, 187:
 Apacheria 482
 Crossosoma 482
 Sapotaceae 362
 Sarcococca hookeriana 556
 humilis 556
 Sarcostemma cynanchoides ssp. hartwegii 224
 Sarraceniacae 517, 536
 Sassafras albidum 517, 519
 Satureja chandleri 211, 214, 248
 Saururaceae 259
 Saxifraga californica 260
 Saxifragaceae 259, 481
 Scaevola 104
 Schinus molle 223
 Schismus barbatus 273
 Schmuckeri, sect. of Mortierella 167
 Scirpus 211
 acutus 266
 cernuus ssp. californicus 195, 266
 chilensis 266
 microcarpus 266
 olneyi 266
 Scogin, R. 5,7-Dimethoxy-4'-hydroxyisoflavone from Fremontia (Sterculiaceae) nectar 479
 ——— Serotaxonomy of Simmondsia chinensis (Simmondsiaceae) 555
 ———, and S. Brown. Leaf flavonoids of Simmondsia chinensis (Simmondsiaceae) 475
 ———, and P. Rogers. Petal epidermal dimorphism and UV absorption in anthochlor-pigmented flowers 561
 ———, and A. Tatsuno. Biochemical profile of Apacheria chiricahuensis (Crossosomataceae) 481
 see Tatsuno and Scogin 185
 see Thorne and Scogin 171
 Scrophularia 135
 californica ssp. floribunda 262
 Scrophulariaceae 134, 194, 260, 454
 Scutellaria tuberosa ssp. australis 248
 Secale cereale 273
 Seeds:
 Leguminosae 494
 Prosopis 484
 Salvia columbariae
 depletion 581
 germination 365
 natural selection 581
 productivity 581
 Simmondsia chinensis 555
 Selaginella bigelovii 219
 watsonii 377, 468
 Selaginellaceae 219
 Senecio 537
 californicus 231
 douglasii ssp. douglasii 231
 vulgaris 231
 Septopodiidae 380
 Sequoia 529
 sempervirens 110
 Sequoiadendron 506
 giganteum 95
 Serology:
 Prosopis 483
 Simmondsia chinensis 555
 Serotaxonomy:
 Simmondsia chinensis 555
 Setaria geniculata 273
 Setispinae, series of subgen. Opuntia 283
 Sida leprosa 249
 var. hederacea 249
 Sidalcea malvaeflora ssp. sparsifolia 249
 Silene antirrhina 237
 gallica 237
 laciniata ssp. major 237
 lemmonii 237, 556
 verecunda ssp. platyota 237
 Silybum marianum 231
 Simaroubaceae 262, 555, 556
 Simmondsia 475, 476, 555, 557, 558
 chinensis 475, 555, 557
 serotaxonomy 555
 Simmondsiaceae 475, 555
 leaf favonoids 475
 Simon, J.-P. Comparative serology of a disjunct species group: the Prosopis juliflora-Prosopis chilensis complex 483
 Simplex, sect. of Mortierella 167
 Sisymbrium altissimum 235
 irio 236
 officinale 236
 Sisyrrinchium bellum 266
 Sitanion ×hansenii 273
 hystrix 273, 465, 466, 469
 jubatum 273
 Smith, P. H., see Capon, Maxwell, and Smith 365
 Solanaceae 263
 Solanum douglasii 263
 elaegnifolium 263
 nodiflorum 263
 umbelliferum 263
 var. glabrescens 263
 xanti var. xanti 263
 Solidago californica 231
 occidentalis 231
 Sonchus asper 231
 oleraceus 232
 Sorbitol 186, 187
 Sorghum halepense 273
 Sparsifoliae, sect. of subgen. Tolyangium 457
 Spartium junceum 243
 Speciation in Stylidium 411, 450
 Spergularia bocconii 237
 marina 217, 237
 villosa 237
 Spermophilus beechyi 584
 Sphaeralcea fendleri 69
 Sphenopsida 219
 Spinosa, sect. of Mortierella 166, 167
 Spinosissimae, series of subgen. Opuntia 287
 Spiraea cantoniensis 186
 vanhouttei 186
 Spiraeoideae, subfam. of Rosaceae 186, 187
 Sporobolus airoides 273
 Staavia 338, 351
 capitella 325, 327, 347, 349, 359
 dodii 327, 331, 333, 341, 347, 354, 356, 359

- glutinosa* 327, 343, 359
pinifolia 324, 325, 327, 331, 351, 355–357
radiata 324, 325, 328, 347, 357–359
Stachys rigida ssp. *quercetorum* 248
 ssp. *rigida* 248
Stanleya pinnata 521, 522
 Staphyleaceae 171
 Staphylinidae 401
 subfam. Aleocharinae 401
Stellaria longipes 213, 237
 media 237
 nitens 237
Stephanomeria cichoriacea 213, 232
 exigua 232
 virgata 232
 Sterculiaceae 263, 479, 480, 508
 Stigmatomyces 407
 baeri 404
Stillingia linearifolia 214, 241
Stipa 467
 cernua 273
 coronata 273
 elmeri 377
 lepida 273
 × *Oryzopsis* 466, 468
 pulchra 205, 273
Streptanthus heterophyllus 235
Strombocarpa, sect. of *Prosopis* 484, 487, 492, 494
 Styliaceae 308–322, 411–461
Stylidium 308–322, 411–461, 534
 subgen. *Alsinooides* 457
 subgen. *Andersonia* 418, 421, 433, 443, 457, 459
 subgen. *Centridium* 418, 419, 443, 457
 subgen. *Tolypangium* 439
 sect. *Floodia* 439
 sect. *Sparsifoliae* 457
 aeonioides 418
 alsinooides 447, 457
 androsaceum 443
 arenicola 321, 418
 beaugholei 459
 brachyphyllum 459
 breviscapum 455
 calcaratum 418, 457
 caricifolium 455
 ceratophorum 416–418, 443, 444, 446, 459, 460
 claytonioides 421
 cordifolium 445, 446
 crossocephalum 447
 curtum 412, 421, 422, 424, 426, 447, 449, 450, 452, 460
 desertorum 317–319, 321, 435, 439–441, 443, 446, 458, 460
 dunlopianum 431, 433, 435–437, 445, 447–449, 452, 458, 460
 emarginatum ssp. *emarginatum* 455
 ericksonae 309, 424
 evolutum 308, 309, 310–313, 421, 447
 expeditionis 455, 456
 fixilobium 311, 313, 443, 444
 floodii 311, 313, 318–321, 426, 439, 441, 443, 444, 448, 449
 fluminense 311, 313, 421
 glandulosum 457
 graminifolium 321
 humphreysii 321
 imbricatum 457
 inconspicuum 421
 inequipetalum 319
 insensitivum 308, 424, 449, 454, 456
 inundatum 459
 irriguum 445
 javanicum 421
 laricifolium 457
 leptorhizum 433, 443, 444, 449
 lobuliflorum 416, 421, 429, 431, 434, 435, 450, 454
 longicornu 414, 415–419, 443, 446, 459, 460
 mailandanum 455, 456
 mitrasacmoides 419, 420, 421, 446, 454, 456, 458, 460
 multiscapum 311, 445
 muscicola 412, 423, 430–433, 445–447, 449–452
 obtusatum 454
 paeyrhizum 433
 pedunculatum 309, 423, 424, 426, 444, 445, 448, 449, 452, 457
 var. *ericksoniae* 423–425, 443, 447, 452
 var. *pedunculatum* 423, 452
 perpusillum 418
 petiolare 454
 preissii 457
 pseudohirsutum 319
 pseudotenellum 443
 reductum 308, 313, 314, 315, 317, 421, 449, 452
 repens 454, 457
 var. *diplectroglossum* 308
 rhipidium 454
 ricae 454, 456
 rotundifolium 315–317, 423, 433, 435, 438, 444, 447, 449, 452
 schizanthum 309, 313, 421, 426, 428–431, 433, 435, 444, 447–450, 452, 458, 460
 schoenoides 447
 simulans 426, 427, 429, 431, 447, 450, 454, 456
 squamosotuberosum 455
 striatum 455
 symonii 439, 441–443
 tenellum 443
 tenerrimum 457
 trichopodium 423, 424, 452
 uliginosum 315
 xanthopis 321, 454, 456
Stylocline gnaphalioides 232
Stylomecon heterophylla 252
Stylospora, sect. of *Mortierella* 166, 167
Styphonia, sect. of subgen. *Lobadium* 135
 Styracaceae 194, 263
Styrax 195, 517
 californica var. *fulvescens* 194
 officinalis 195
 ssp. *fulvescens* 194, 213, 263
 ssp. *reduviva* 195
 var. *fulvescens* 517, 520
 Sulphuraceae, series of subgen. *Opuntia* 288
Symphoricarpos mollis 236
 parishii 236
Syringin 174, 186, 187:
 Apacheria 482
 Crossosoma 482
 californicum 174, 186
 Tagetatae, tribe of Asteraceae 564
 Talinum guadalupense 540
 Taraxicum officinale 232
 Tatsuno, A., and R. Scogin. Biochemical profile of *Crossosomataceae* 185
Tauschia arguta 225
 parishii 225
 Taxaceae 537
 Taxales 111
 Taxodiaceae 529
 Terminalia 530
Tetracentron 506, 543
Tetracoccus dioicus 214, 241
Tetradymia comosa 232
Tetrandromyces 379, 401–404, 406–408
 brachidae 401
 Thalictrum polycarpum 256
 Thamnea 338, 345, 349

- diosmoides 325, 328, 331, 333, 343, 347, 349, 351, 358, 359, 361
 massoniana 328, 331, 333, 347, 351, 358, 359
 Thamnidiaceae 102, 134
 Theaceae 543
 Thorne, R. F. New subspecific combinations for southern California plants 189
 ———, and R. Scogin. *Forsellesia* Greene (*Glossopetalon* Gray), a third genus in the *Crossosomataceae*, *Rosineae*, *Rosales* 171
 see Lathrop and Thorne 197
Thysanocarpus curvipes 235
 var. *curvipes* 235
 var. *elegans* 235
 laciniatus 235
 var. *crenatus* 235
 Thysanoptera 401
 Tittmannia 343, 345
 esterhuyensiae 325, 328, 331, 333, 339, 347, 349, 351, 360
 laevis 328, 331, 333, 341, 351, 359
 laxa 328, 331, 351, 359
Tolypangium, subgen. of *Stylidium* 439
Tomentosae, series of subgen. *Opuntia* 288
Torilis nodosa 225
Tortispinae, series of subgen. *Opuntia* 283
Toxicodendron 239
 radicans ssp. *diversilobum* 223
 Tracheids:
 Bruniaceae 338
 Crossosomataceae 179, 182
 platyopuntias 297
Tremandraceae 335, 345, 349, 362
Trematolobelia 547
 macrostachys 544, 546
Trenomyces 408
Triandromyces 379, 401–404, 406–408
Tribulus terrestris 265
Tricardia watsonii 68
Trichostema lanatum 248
 lanceolatum 248
 parishii 248
Trifolium 494
 albopurpureum 243
 amplectens 243
 var. *truncatum* 243
 ciliolatum 243
 fucatum 243
 var. *gambelii* 214, 243
 gracilentum 243
 microcephalum 244
 obtusiflorum 244
 tridentatum 244
 var. *aciculare* 244
 variegatum 244
 wormskioldii 244
Trigonella 494
Triodia basedowii 319
Triteleia 106
Trochodendron 506, 543
Tropidocarpum gracile 235
Tunae, series of subgen. *Opuntia* 288
Turricula parryi 246
Typha 211
 angustifolia 275
 domingensis 275
 latifolia 275
 Typhaceae 275
Umbellularia californica 207, 248
Uniola stricta 195
Urtica dioica ssp. *holosericea* 264
 urens 264
Urticaceae 264
 Utricularia 443
 holtzei 431
 UV absorption:
 flowers 561
 Vaccinium arboreum 517, 518
 leschenaultii 333
 Valerianaceae 264
 Vegetation:
 Santa Ana Mountains, California 202
Veliidae 380
Venegasia carpesioides 232
Verbascum thapsus 262
Verbena bracteata 264
 lasioptachys 264
 var. *abramsii* 264
 tenuisecta 264
Verbenaceae 264, 521
Veronica 211
 americana 262
 anagallis-aquatica 211, 262
 peregrina ssp. *xalapensis* 262
Verticordia 416
 Vessel elements:
 Abronia roots 569, 574
 adaptive morphology
 Bruniaceae 329
 Crossosomataceae 179, 182
 Platyopuntias 293
 Vicia americana 244
 dasycarpa 244
 exigua 244
Viguiera 564
 deltoidea 562, 563
 multiflora 563
 reticulata 563
 Vinca major 223
Viola douglasii 377, 466, 467, 470
 pedunculata 264
 purpurea ssp. *purpurea* 264
 quercetorum 264
 sheltonii 214, 264
 trachelifolia 503, 504
Violaceae 264
Viscaceae 264
Vitaceae 265, 542
Vitex lucens 538
Vitis girdiana 204, 265
Vulpia bromoides 273
 microstachys 273
 var. *pauciflora* 273
 myuros 273
 var. *hirsuta* 273
 var. *myuros* 273
 octoflora 273
Warburgia stuhlmannii 333
 ugandensis 333
Washingtonia 73
 filifera 84, 120
 Webster, J. S., and R. C. Wilson. Anatomical diversity in roots of seven species of *Abronia* from California and its ecological implications 567
Wilkesia 539
 Wilson, R. C.
 see Derby and Wilson 374, 463
 see Webster and Wilson 567
Winteraceae 506, 543
Wolffia oblonga 207, 214, 267
 Wood anatomy:
 Bruniaceae 323
 ecological concepts 499
 electron microscopy 543
 evolution 499

Forsellesia 179
 platyopuntias (Cactaceae) 279
Woodwardia fimbriata 220
Wyethia ovata 232
Xanthium 493
 spinosum 232
 strumarium 232
Xylem:
 primary, functional anatomy 546
Xylococcus bicolor 240
Yucca brevifolia 73, 92, 97, 113

whipplei 219
 ssp. parishii 20
 ssp. whipplei 269
Zannichellia palustris 211, 275
Zannichelliaceae 275
Zantedeschia aethiopica 265
Zauschneria 454
Zigadenus fremontii 269
 var. fremontii 269
Zizyphus 508
Zygophyllaceae 265, 526

RANCHO SANTA ANA BOTANIC GARDEN

Founder

Susanna Bixby Bryant

Trustees

Ernest A. Bryant III

Chairman

Ernest A. Bryant, Jr

Henry M. Duque

Oscar T. Lawler

Edward A. Landry

Staff

Lee W. Lenz, Ph.D.	Cytotaxonomist and Director
Beatrice M. Beck, M.S.L.S.	Librarian
Richard K. Benjamin, Ph.D.	Mycologist and Editor
Lyman Benson, Ph.D.	Research Associate
Betty Brunstad	Secretary
Bonnie Busenberg, M.S.	Supervisor, Education Program
Sherwin Carlquist, Ph.D.	Research Associate
John Dourley	Superintendent
James Henrickson, Ph.D.	Research Associate
Jeffrey Hogue, B.A.	Research Assistant
David Michener, M.A.	Research Assistant
Ried Moran, Ph.D.	Research Associate
Mary O'Brien, M.A.	Research Assistant
Barry A. Prigge, M.A.	Research Assistant
Ronnie Scogin, Ph.D.	Experimental Taxonomist
Robert F. Thorne, Ph.D.	Taxonomist and Curator of the Herbarium
C. W. Tilforth	Horticulturist
Walter Wisura	Plant Propagator