

# Aliso: A Journal of Systematic and Floristic Botany

---

Volume 38 | Issue 1

Article 6

---

2020

## Index to Volumes 37–38

Follow this and additional works at: <https://scholarship.claremont.edu/aliso>

---

### Recommended Citation

(2021) "Index to Volumes 37–38," *Aliso: A Journal of Systematic and Floristic Botany*. Vol. 38: Iss. 1, Article 6.

Available at: <https://scholarship.claremont.edu/aliso/vol38/iss1/6>

INDEX TO VOLUMES 37 AND 38, ALISO

Includes authors, titles, taxa, and salient concepts appearing in the scientific papers, as well as additional terms of use in information retrieval. New taxa and combinations appear in **boldface**. Page numbers reflect the location where an indexing term appears or—if it occurs repeatedly—receives special mention.

VOLUME 37

- Acamptopappus sphaerocephalus* 20  
*Acmispon rigidus* 19  
Alta (Upper) California 1, 3–7, 20  
*Amsinckia inepta* 19  
Apiaceae 10  
Arizona 3, 8, 10, 20  
Asteraceae 20  
*Astragalus crotalariae* 19  
*Astragalus lentiginosus* var. *borreganus* 19  
*Baileya* 20  
*Baileya pauciradiata* 20  
*Baileya pleniradiata* 20  
Basionyms named for Thomas Coulter 72–73  
Bentham, George 11, 16, 19, 22  
*Brickellia coulteri* 19  
Bryophytes 1, 8, 10, 12–13, 15, 24, 65, 73  
California 1–73  
California missions 5–6, 8, 10, 20  
Caryophyllaceae 19  
*Chaenactis artemisiifolia* 20  
*Chromolaena sagittata* 19  
*Cirsium occidentale* var. *coulteri* 20  
Coulter, Thomas 1–73  
Coulter's Californian marine algae exsiccata 66–69  
Coulter's Californian vascular and nonvascular plant exsiccata 24–65  
*Cryptantha muricata* 22  
*Cyperus articulatus* 19  
*Dalea mollis* 19  
De Candolle system of plant taxonomy 10–11  
De Candolle, Alphonse 3  
De Candolle, Augustin Pyramus 3  
*Dendromecon rigida* 22  
*Dithyrea californica* 19  
Dixon, Henry (herbarium curator TCD) 3, 12  
Don, David 8  
Douglas, David 3, 5, 8, 22  
Durand system of plant taxonomy 12, 14, 18  
El Camino Real 6, 8, 10  
*Eschscholzia* 3  
Fabaceae 10–11, 19  
*Gaultheria shallon* 9  
*Gigartina canaliculata* 14  
Gray, Asa 1, 8, 11, 19–20, 22, 25  
Harvey, William (herbarium curator TCD) 10–12, 19–20, 22  
*Helenium laciniatum* 19  
*Helenium puberulum* 19  
*Helenium thurberi* 19  
Herbarium 1, 3, 8–25  
Herbarium specimen labels 1, 6, 10–11, 14, 17, 19–20, 22, 24–25  
Herbarium TCD, see Trinity College Dublin Herbarium  
*Holographis virgata* 19  
Hooker, William 3, 8, 11  
*Hosackia rigida* 16  
*Ibervillea sonora* 19  
*Iris* 22  
*Isomeris arborea* 10  
*Krameria* 15  
Lambert, Aylmer Bourke 8  
Lesser-known generic epithets and equivalents 73  
Liverworts 10, 15, 65  
*Lupinus* 3  
*Lyrocarpa coulteri* 19  
*Malacothrix coulteri* 11, 20–21  
Map of Upper California (1835) 1, 3–8, 20, 22–23  
Marine algae 1, 3, 8, 10, 14–15, 17, 22, 66–69, 72–73  
Mexico, Hidalgo 3  
Mexico, Sonora 3, 14, 19, 23  
*Mimosa polyantha* 19  
Mosses, see Bryophytes  
Native American languages 1, 5–6  
Native Americans 1, 5–6  
New taxa based on Coulter specimens (California and Mexico) 69–72  
*Notholithocarpus densiflorus* 22  
*Oligomeris linifolia* 19  
*Oligomeris subulata* 12  
Olney, Stephen 8, 19  
Onagraceae 19  
*Orthotrichum coulteri* 10  
Papaveraceae 19  
Parnell, John (herbarium curator TCD) 12  
*Pectis coulteri* 19–20  
*Pectis filipes* 19–20  
*Pectis papposa* 20  
*Perityle californica* 19  
*Perityle leptoglossa* 19–20  
*Perityle microglossa* 20  
*Perityle plumigera* 19  
Pima language 5  
*Pinus coulteriana* 1, 8  
Plant taxa first collected by Thomas Coulter 73  
Plantae Fendlerianae Novi-Mexicanae 1, 11, 20  
Plantae Lindheimerianae 1  
Plantae Novae Thurberianae 1  
Plantae Wrightianae  
Texano–Neo-Mexicanae 1  
Plantas Hartwegianas 1  
*Pluchea sericea* 20  
*Polytrichum juniperinum* 13  
Ranunculaceae 10, 19  
*Romneya coulteri* 1  
*Ruellia occidentalis* 20  
*Sphaeralcea coulteri* 19  
Steudel system of plant taxonomy 10  
TCD, see Trinity College Dublin Herbarium  
Torrey, John 8, 11, 19–20, 22  
*Toxicoscordium* 22  
*Trifolium* 10  
Trinity College Dublin Herbarium 1, 3, 10–12, 14–15, 17–20, 22, 24–25  
Type material 1, 8, 10, 16–17, 19, 21–22  
*Viola pedunculata* 22  
Von Humboldt, Alexander 3  
Wallace, G. D.—*Plantae Coulterianae*: Thomas Coulter's Californian exsiccata 1–73  
Webb, David (herbarium curator TCD) 12  
Wood specimens 3  
Wright, Edward (herbarium curator TCD) 11–12, 17

## VOLUME 38

- Afrofittonia* 6, 18  
*Afrofittonia silvestris* 10–11, 16  
*Agathis* 62  
 Alkali marsh 35–36, 40, 45–48  
 Alkali meadow 32, 35–36, 39–40, 45, 47–48  
*Allium atropurpureum* var. *crispatum* 44, 46  
*Alseuosmia* 62  
 Alseuosmiaceae 62, 74  
 Amargosa pupfish 38  
*Ambongia* 6, 23  
*Ancistranthus* 7  
*Angkalanthus* 7, 22  
*Angkalanthus oligophylla* 14  
*Anisacanthus* 7, 22, 25–26  
*Anisacanthus quadrifidus* var. *wrightii* 17  
*Anisostachya* 7, 15, 17, 22, 24, 26  
*Anisostachya* Clade 14, 24, 26  
*Anisotes* 5, 7, 13, 15, 17, 21–22, 24–26  
*Anisotes* Clade 14–15, 22, 24  
*Anisotes formosissimus* 14  
*Anisotes macrophyllus* 14  
*Anisotes perplexus* 9, 12–13, 16–17, 21, 25  
*Anisotes pulchellus* 14–15, 22  
 Annotated checklist, Adobe Valley and surrounding hills 51–61  
 Anther thecae 3, 5, 17, 20–23, 25  
*Aphanosperma* 7, 22  
*Aphelandra leonardii* 5  
*Aphyllon californicum* subsp. nov. 42, 45, 48  
 Aquifoliales 74  
*Araucaria* 62  
 Araucariaceae 62  
 Araucariales 62  
 Argophyllaceae 62–64, 66, 72–74  
*Argophyllum* 62–74  
*Argophyllum cryptophlebium* 63–67, 72–73  
*Argophyllum nullumense* 64, 72  
*Argophyllum vernicosum* 63–64, 66, 68, 72  
*Ascotheca* 5, 7, 22  
*Ascotheca paucinervia* 13–14  
 Asteraceae 74  
 Asterales 62–63, 74  
*Astragalus johannis-howellii* 42, 46–47  
*Astragalus oophorus* var. *oophorus* 46–47  
*Asystasia* 2, 5–6, 8–12, 15–16, 19, 23–25  
*Asystasia* Clade 9, 11, 15–16, 19, 23–25  
*Asystasia* Subclade 10–11, 18–19, 24  
*Asystasia gangetica* 11, 25  
*Asystasia gangetica* subsp. *micrantha* 16, 19, 25  
*Asystasia lindauiana* 19  
*Asystasia mysorensis* 11  
*Asystasia travancorica* 11, 25  
*Asystasia vogeliana* 11  
 Atherospermataceae 62, 66, 74  
 Australia 62–63, 72–73  
 Axial parenchyma 62, 64–66, 72–74  
*Ballochhia* 6, 18  
*Ballochhia amoena* 11  
*Ballochhia atrovirgata* 11  
*Ballochhia rotundifolia* 4, 11  
*Barleria lupulina* 5  
 Barnadesioideae 74  
 Bars on perforation plate 62–63, 66, 68, 70, 73  
 Benton Paiute 39  
*Betonica* Clade 14, 25  
 Big Basin sagebrush scrub 36, 44–45, 47–48  
 Biogeography 1, 18–19, 24, 26  
 Bird dispersal 63  
 Bitheous stamens 15–21, 23  
*Boechea bodiensis* 44, 46–47  
*Boechea cobrensis* 44, 46–47  
*Boechea dispar* 46–47  
 Botanical collection 32, 40–41, 43, 46–48  
 Botanical history 40, 43  
*Brachystephanus* 3, 6, 12, 18, 21, 23–24  
*Brachystephanus africanus* 13  
 California 32–61  
 California Floristic Province 43  
*Calochortus excavatus* 42, 46–47  
*Calyacanthus* 5–6, 12, 20,  
*Calyacanthus magnusianus* 3–4, 13, 25  
 Calyx lobes 22  
 Campanulidae 63, 74  
*Carlowrightia* 7  
 Carlquist, S., M. E. Olson—Wood anatomy of Argophyllaceae (Asterales): adaptation in a small clade 62–75  
*Celerina* 6, 21  
*Cephalacanthus* 7  
*Cephalophis* 7, 23  
*Chalarothyrsus* 3, 7, 18, 20, 22  
*Chamaeranthemum* 6, 10–11, 18  
*Chamaeranthemum gaudichaudii* 2, 11  
*Champluviera* 5–6, 20  
*Champluviera populifolia* 12–13  
*Chileranthemum* 6, 18  
*Chileranthemum pyramidatum* 2, 10–11  
*Chlamydocardia* 7, 22  
*Chlamydocardia buettneri* 14  
*Chorisochora* 7  
*Chorisochora transvaalensis* 14  
 Chromosome number 24–25  
 Climate 37–38  
*Clinacanthus* 7  
*Clistax* 7  
*Codonacanthus* 6, 18, 24  
*Codonacanthus pauciflorus* 10–11  
 Cold adaptation 63, 72–73  
*Conocalyx* 12, 21  
*Conocalyx laxus* 13  
 Conservation concerns 32, 40, 44, 47  
 Core Diclipterinae 22–23, 25  
 Core Isoglossinae 5, 9, 17  
 Core *Rhinacanthus* Clade 14–15, 22–23  
 Cornales 63, 74  
*Corokia* 62–63, 66, 70–74  
*Corokia buddleioides* 63–64, 72, 74  
*Corokia carpodetoides* 63, 73  
*Corokia cotoneaster* 63–64, 66, 70–71, 73–74  
*Corokia macrocarpa* 63–64, 66, 72  
*Corokia whiteana* 63, 73  
 Corolla characters 3, 15, 17–19, 21–23, 25  
*Cosmianthemum* 6, 18, 24  
*Cosmianthemum magnifolium* 9–11, 16, 24  
*Crepis runcinata* subsp. *andersonii* 46  
*Crepis runcinata* subsp. *hallii* 45–46  
 Crown group 15, 18, 20, 22–24  
*Cryptantha scoparia* 46  
 Crystals 62, 72  
*Cyclacanthus* 6, 23  
*Cymopterus globosus* 45–46  
 Daniel, T. F. 1–31  
 Darbyshire, I. 1–31  
*Dasytropis* 7  
 Desert Floristic Province 43  
*Dicladanthera* 6, 23  
*Dicliptera* 3, 7, 24–26  
*Dicliptera extenta* 14, 25  
*Dicliptera resupinata* 14  
 Diclipterinae 3, 14–15, 17, 22–25  
 Divergence time 15  
*Dolichostachys* 6, 23  
 Drought adaptation 62, 72–73  
*Ecbolium* 7, 22, 24  
*Ecbolium viride* 14  
 Ecological wood anatomy 62–64, 66, 72–73  
 Embolism 62, 66, 72–73  
 Endemism 44, 46–47  
*Eremothera boothii* subsp. *boothii* 46–47  
*Eremothera boothii* subsp. *intermedia* 46–47  
*Eriastrum sparsiflorum* 46–47  
*Ericameria nana* 44, 46  
 Escalloniales 63, 74  
*Euphrosyne nevadensis* 44, 46  
 F/V ratio 62–63, 66, 72–73  
*Filetia* 6, 19  
*Filetia africana* 19

- Filetia ridleyi* 10–11, 19  
*Fittonia* 7  
 Flora 32–61  
 Floral diversity 2–3  
 Floral traits 17, 19–20, 22, 25  
 Floristics 32–61  
 Flowering time adaptation 72, 74  
 Foliar adaptation 62, 73–74  
*Forsythiopsis* 19  
 Frost adaptation 62–63, 73  
 Fruit shape 15, 17–18, 20, 22–23, 25–26  
 Geology 35, 37, 43  
*Glossochilus* 6, 19  
*Glossochilus burchellii* 2, 10–11  
 Gondwanic distribution 62  
*Goodmania luteola* 46–47  
*Graptophyllum* 1, 5–6, 8, 10, 12, 15, 19–20, 24  
*Graptophyllum excelsum* 11  
*Graptophyllum glandulosum* 19  
*Graptophyllum pictum* 2, 11  
*Graptophyllum spinigerum* 4, 11  
 Grazing 32, 39–40  
 Greasewood alkali basin 45, 48  
 Great Basin Desert 32, 35, 37–39, 43  
 Great Basin Floristic Province 32, 43  
 Great Basin montane riparian scrub 45  
 Groundwater 32, 39, 45, 47  
 Groundwater pumping 32, 40, 45, 47  
 Growth rings 64, 72  
 Gum deposits 62, 64, 66, 69, 71–72, 74  
 Gürtelpollen 3–4, 9, 17, 20–21  
*Gypsacanthus* 7  
*Harpochilus* 7  
 Helical thickenings 62, 66, 71, 73  
*Henrya* 7, 22  
 Herbarium 32, 40, 43, 46, 48  
 Herbarium collection, see Botanical collection  
*Herpetacanthus* 6, 10, 15–16, 18, 24–25  
*Herpetacanthus* Clade 11, 15–16, 18, 24–25  
*Herpetacanthus rotundatus* 11  
*Herpetacanthus stenophyllus* 2, 4, 11  
 Horticultural potential 15  
*Hoverdenia* 7  
*Hoverdenia speciosa* 14  
 Human history 38–39  
 Human impacts 39–40  
 Hydrangeales 74  
 Hydrology 35, 39, 43  
*Hypoestes* 7, 18, 22, 24  
*Hypoestes aristata* 14  
*Ichthyostoma* 1, 5–6, 9, 12, 15, 17, 21, 23, 26  
*Ichthyostoma thulinii* 9–10, 12, 17  
 Imperforate tracheary elements 62–63, 66, 72–73  
 Incongruence of DNA sequence data 9, 15–16, 26  
 Indigenous peoples 38–39  
 Inyo County, California 39, 47  
 Inyo National Forest 32, 39–40, 43, 47  
*Isoglossa* 1, 5–6, 8, 12–13, 17, 20–21, 24–26  
*Isoglossa* aff. *gracillima* 13, 21  
*Isoglossa* aff. *justicioides* 13, 21  
*Isoglossa dichotoma* 21  
*Isoglossa eylesii* 17  
*Isoglossa faulknerae* 17  
*Isoglossa gracillima* 3–4  
*Isoglossa grandiflora* 12–13, 21  
*Isoglossa mbalensis* 12–13, 21  
*Isoglossa origanoides* 21  
*Isoglossa ovata* 12–13, 21  
*Isoglossa variegata* 7, 12–14, 17, 22, 25  
*Isoglossa vestita* 13, 21  
 Isoglossinae 1, 3, 5–6, 9–15, 17–18, 20–26  
*Isotheca* 5–6, 15, 23, 26  
*Isotheca alba* 4, 9, 15, 18,  
*Ivesia kingii* var. *kingii* 42, 45–46  
*Jadunia* 6, 12, 20,  
*Jadunia biroi* 4, 13, 20, 25  
*Jadunia racemiflora* 20  
*Justicia* 7, 13–15, 21–26  
*Justicia adhatoda* 14, 25  
*Justicia anselliana* 14  
*Justicia betonica* 14, 25  
*Justicia crebrinodis* 13–14, 22  
*Justicia flava* 14  
*Justicia gendarussa* 13–14  
*Justicia grossa* 14, 22  
*Justicia hyssopifolia* 14–15  
*Justicia latiflora* 13–14, 22  
*Justicia natalensis* 14  
*Justicia odora* 14  
*Justicia patentiflora* 13–14, 22  
*Justicia rhodoptera* 14  
*Justicia tenella* 22  
*Justicia tenuipes* 14–15, 22  
*Justicia vagabunda* 14–15, 23  
 Justicieae 1–31  
 Justicioid Lineage 1, 3, 5, 7–15, 17–18, 20–26  
*Kalbreyeriella* 6  
*Kenyacanthus* 7, 22  
*Kenyacanthus ndorensis* 14, 22  
 Kiel, C. A. 1–31  
*Kudoacanthus* 5, 7  
 LADWP 39–40, 43, 47  
 Lakes 32–33, 35–40, 43, 45–48  
 Land management 32, 39–40, 43, 47  
 Land ownership 32, 39–40, 43, 47  
 Laurales 62, 74  
*Lautea* 62–64, 66, 69, 72–74  
*Lautea collenettei* 63–64, 66, 69, 73  
 Leaf anatomy 62, 73–74  
*Lepidagathis formosensis* 5  
*Linariantha* 6, 18  
*Linariantha bicolor* 8–11, 15–16  
 Living septate fiber-tracheids 72–73  
 Long-distance dispersal 1, 18, 24  
 Los Angeles Department of Water and Power, see LADWP  
*Mackaya* 6, 15, 19, 24  
*Mackaya bella* 2, 10–11, 24  
*Marcania* 6, 12, 17  
*Marcania grandiflora* 13  
 Marshes 32, 35–36, 40, 45–48  
 McDade, L. A., T. F. Daniel, I. Darbyshire, C. A. Kiel—  
 Justicieae II: resolved  
 placement of many genera and  
 recognition of a new lineage  
 sister to Isoglossinae 1–31  
*Megalochlamys* 7, 22  
*Megalochlamys revoluta* 14  
*Megaskepsma* 7  
*Melittacanthus* 6, 13, 21  
*Melittacanthus divaricatus* 13  
*Metarungia* 7  
*Metarungia galpinii* 14  
*Mexacanthus* 7, 22  
*Micromonolepis pusilla* 45–47  
 Mineral County, Nevada 47  
*Mirandea* 7  
 Mixed shrub/woodland 35, 44, 48  
 Mojave Desert vegetation type 32, 43, 47  
*Monechma* 7, 22, 25  
*Monechma ciliatum* 25  
*Monechma mollissimum* 14  
 Mono County, California 32–33, 38–39, 43, 47  
*Monotheicum* 5–6, 8, 12, 15, 17–18, 20  
*Monotheicum aristatum* 12–13, 17  
*Monotheicum glandulosum* 4, 12–13, 17–18  
*Monotheicum leucopterum* 14–15, 17–18, 20, 22  
 Monotheicous stamens 3, 15–18, 20–22  
 Mormon tea intermontane scrub 44–45  
 Mountain sagebrush steppe 43–44, 48  
 Mule deer 38  
 Multiseriate rays 62–65, 68–73  
 Nevada 32, 35, 38–39, 47–48  
 New Caledonia 62–63  
 New Zealand 62–64, 74  
 Non-native plants 32, 40, 44–48  
 Northern Paiute 39  
 Noteworthy discoveries 48  
 Nuclear ribosomal ITS 5, 8–10, 15–16  
*Odontonema* 5, 10–11, 18, 24  
*Odontonema strictum* 11  
*Odontonema tubaeforme* 2, 11  
*Odontonemella* 15  
*Odontoneminae* 20  
 Olson, M. E. 62–75  
*Oplonia* 1–2, 5–6, 8, 10–12, 15, 18–19, 24, 26  
*Oplonia armata* 11  
*Oplonia grandiflora*, see *Psilanthele grandiflora*

- Oplonia hutchisonii* 19  
*Oplonia jujuyensis* 11–12, 19  
*Oplonia microphylla* 2, 11  
*Oplonia rigidifolia* 19  
*Oplonia spinosa* 11  
 Owens Valley 32, 39–40, 45, 47  
*Pachystachys* 7  
 Packrat middens 38  
 Paiute 39  
 Paleo-vegetation 38  
 Passerine birds 21  
*Peristrophe* 3, 24  
*Peristrophe hyssopifolia* 14  
 Phellinaceae 62–63, 74  
*Phialacanthus* 6, 19, 23–24  
 Pinyon-juniper woodland 34–35, 37–38, 43–44, 47  
 Pit membrane remnants 63, 66–68, 70, 74  
 Pitting 64, 66–74  
*Plagiobothrys parishii* 42, 46–47  
*Platyspermatum* 74  
 Pleistocene 37–38  
 Plesiomorphy 62, 74  
*Poikilacanthus* 7  
 Pollen core 38  
 Pollen morphology 1, 3–5, 8–9, 15, 17–26  
 Pollinators 21–22, 24–25  
*Populina* 7  
*Pranceacanthus* 6  
*Pranceacanthus coccineus* 10–11  
 Precipitation 37–38, 43–44  
*Primula pauciflora* 46  
 Procumbent ray cells 63–65, 69, 71–73  
 Prolonged flowering 72, 74  
 Pronghorn 38  
 Proteaceae 62  
 Proteales 62  
*Pseuderanthemum* 1–2, 6, 8, 12, 15, 18–20, 24–26  
*Pseuderanthemum* Clade 2, 9–11, 15, 18–19, 24–25  
*Pseuderanthemum* Lineage 1–3, 5–6, 8–11, 13–18, 20, 23–26  
*Pseuderanthemum alatum* 2, 4, 11, 24  
*Pseuderanthemum albocoeruleum* 11  
*Pseuderanthemum carruthersii* 2, 11, 19, 24  
*Pseuderanthemum cuspidatum* 2, 4, 10–11  
*Pseuderanthemum floribundum* 2, 10–11, 17, 24  
*Pseuderanthemum hildebrandtii* 2, 11–12, 24  
*Pseuderanthemum laxiflorum* 2, 11, 24  
*Pseuderanthemum praecox* 19  
*Pseuderanthemum subviscosum* 11  
*Pseuderanthemum tunicatum* 11, 24  
*Pseuderanthemum variabile* 2, 11  
*Pseudocliptera sulfureoilacina* 5  
*Psilanthele* 6, 19  
*Psilanthele eggersii* 10–12, 19  
*Psilanthele grandiflora* 19  
*Psilanthele jamaicensis* 19  
*Ptyssiglottis* 2, 5, 8, 12, 20  
*Ptyssiglottis* Lineage 1, 2, 6, 9–15, 17–18, 20–26  
*Ptyssiglottis mucronata* 20  
*Ptyssiglottis psychotriifolia* 13, 20  
*Ptyssiglottis pubisepala* 13, 20  
*Ptyssiglottis staminodifera* 20  
*Pulchranthus* 6, 18  
*Pulchranthus variegatus* 10–11  
 Pygmy rabbit 38  
 Ranching 32, 39–40, 43  
*Ranunculus hydrocharoides* 46  
 Rapa Iti 62–64, 73  
 Rare plants 32, 45–48  
 Ray pitting 64, 71–73  
 Recreation 40  
*Rhinacanthus* 1, 5, 7, 15, 22–24  
*Rhinacanthus angulicaulis* 14  
*Rhinacanthus dichotomus* 14  
*Rhinacanthus latilabius* 14  
*Rhinacanthus nasutus* 14, 25  
*Rhinacanthus ndorensis*, see *Kenyacanthus ndorensis*  
*Rhinacanthus obtusifolius* 22  
*Rhinacanthus pulcher* 14  
*Rhinacanthus rotundifolius* 14  
*Rhinacanthus selousensis* 23  
*Rhinacanthus submontanus* 23  
*Rhinacanthus tenuipes* 22 (see also *Justicia tenuipes*)  
*Rhinacanthus virens* 14–15, 22–23  
*Rhinacanthus virens* Clade 14, 23  
*Rhinacanthus xerophilus* 14  
 Rousseeaceae 74  
*Rps16* intron 5, 9–10, 15  
 Rubber rabbitbrush intermontane shrubland 45  
*Ruellia californica* 5  
*Rugula* 3, 17, 21, 23, 25  
*Rungia* 7, 22  
*Rungia* Clade 13–14, 22, 24, 26  
*Rungia klossii* 14  
*Ruspolia* 6, 12, 18–19, 24  
*Ruspolia hypocrateriformis* 11, 16  
*Ruttya* 6, 10, 12, 18  
*Ruttya fruticosa* 2, 11  
*Ruttya ovata* 11, 16, 18  
 Sage grouse 38  
*Salpinctium* 19  
*Salpinctium stenosphon* 10–11  
*Samuelssonia* 7, 23  
*Sanchezia speciosa* 5  
 Sand dune horsebrush shrubland 45  
 Sand dunes 36–38, 40, 45  
*Sapphoa* 6, 19  
*Sapphoa rigidifolia* 10–12, 19  
 Saxifragales 74  
 Scalariform perforation plates 62, 66, 73–74  
*Schaueria* 7  
*Sebastiano-schaueria* 6, 12, 21  
*Sebastiano-schaueria oblongata* 13  
 Seeds 15, 17–18, 22–23, 25  
 Septate fiber-tracheids 62, 64–67, 69, 72–74  
 Sierra Nevada Region (of GBFP) 43  
 Simple perforation plates 62, 73  
 Snow 35, 37–38  
 Soil compaction 40  
 Spangenpollen 3–4, 9, 15, 17–18, 20–23  
*Spartina gracilis* 45–46  
*Spathacanthus* 6, 9, 16, 18, 24  
*Spathacanthus hoffmannii* 3, 11, 16  
*Spathacanthus parviflorus* 11, 16  
*Sphacanthus* 7, 13, 21  
*Sphacanthus brillantaisia* 4, 13  
*Sphaeromeria potentilloides* var. *nitrophila* 45–46  
 Springs 32–33, 35–36, 38–40, 45–48  
 Square ray cells 63–64, 69, 71, 73  
 Stachelpollen 15  
 Stamens 3, 5, 15–21, 23  
 Staminodes 3, 5, 16–20, 23  
 Starch 64–67, 72–74  
*Stenandrium pilosulum* 5  
*Stenostephanus* 7, 18, 21, 24–25  
*Stenostephanus leiorhachis* 3–4, 12–13  
*Streblacanthus* 7  
 Synapomorphy 1, 3, 5, 17–18, 20–23, 25–26  
 Temperature 37–38, 43  
*Tessmanniacanthus* 6, 23  
*Tessmanniacanthus chlamydocardioides* 23  
*Tetradymia tetrameres* 36, 40, 42, 45–46  
*Tetramerium* 1, 3, 5, 7, 9, 11–15, 17–26  
*Tetramerium* Lineage 1, 3, 5, 7, 9–15, 17–26  
*Tetramerium nervosum* 14  
 Theca 3, 5, 17, 20–23, 25  
 Thecal height 17, 21, 23  
*Thelipodium integrifolium* subsp. *complanatum* 46–47  
*Thelipodium milleflorum* 44, 46–47  
*Thysacanthus* 7  
*Thysanostigma* 6, 9, 15, 17–18, 23  
*Thysanostigma odontites* 9, 15  
 Topography 32, 35  
 Trampling 32, 40  
 Transmontane freshwater marsh 46  
*Trichaulax* 7, 22, 24  
*Trichocalyx* 7  
 Trichomes 17, 22  
*TrnL-F* 5, 9–10, 15–16  
*TrnS-G* 5, 9–10, 15  
*TrnT-L* 5, 10  
 Two-Stamen Clade 20–21  
 Uniseriate rays 62–64, 69–70, 72–73

- Upright ray cells 62–65, 68–69, 71–73  
*Vavara* 7  
Vegetation types 32, 35–36, 43–46, 48  
Vessel density 62, 64, 72  
Vessel diameter 62–64, 66, 72  
Vessel element length 63–64, 66, 72–73  
Vessel grouping 64, 66, 72–73  
Violin-shaped fruit 17–18, 20, 22–23  
Wetlands 32, 35–36, 40, 45–46, 48  
Whitfieldieae 17  
Wild horses 32, 38–40  
Wildlife habitat 38  
Wind 32, 37–38, 45  
Wind development 32, 40  
Winitsky, S. E.—Vascular flora of Adobe  
Valley and surrounding hills,  
Mono County, California 32–61  
*Wollemia* 62  
Wong's springsnail 38  
*Wuacanthus* 6  
*Xerothamnella* 7, 23  
*Yeatesia* 7  
*Zealandia* 62–63